Analysis and Planning Framework for Nuclear Plant Transformation

August 2020



U.S. Department of Energy Office of Nuclear Energy

DISCLAIMER

This information was prepared as an account of work sponsored by an agency of the U.S. Government. Neither the U.S. Government nor any agency thereof, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness, of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. References herein to any specific commercial product, process, or service by trade name, trade mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

Analysis and Planning Framework for Nuclear Plant Transformation

Ken Thomas, Jason Remer, Craig Primer Idaho National Laboratory

Don Bosnic, Henry Butterworth, Charles Edwards, Gene Foote Xcel Energy, Inc.

Asgeir Drøivoldsmo, Grete Rindahl, Robert McDonald Institute for Energy Technology

Sean Lawrie, Ed Baker ScottMadden, Inc.

August 2020

Idaho National Laboratory Idaho Falls, Idaho 83415

http://www.inl.gov

Prepared for the
U.S. Department of Energy
Office of Nuclear Engineering
Under DOE Idaho Operations Office
Contract DE-AC07-05ID14517

ABSTRACT

Commercial nuclear power in the U.S. has been an unqualified success by any measure, providing safe, low-cost, carbon-free baseload electricity for decades. Today, the industry is at the peak of its historical performance in terms of generation output, reliable operations, and demonstrated nuclear safety. However, with the emergence of subsidized renewables and shale-gas generation, it is no longer among the lowest-cost electric generation sources. The business model that served the operating nuclear fleet so well over its initial lifespan is now a drag on cost performance, due to its reliance on a large, highly skilled labor force. In contrast, digital technology and innovation are enabling dramatic efficiencies in energy production, resulting in fierce competition for commodities such as electricity.

The nuclear power industry responded to this challenge with many initiatives to improve efficiency and modernize plant equipment, especially in areas where reliability and obsolescence issues are pressing. However, it would be a missed opportunity to merely modernize the plant components and work processes of an outdated business model formulated to manage the technology of the 1960s. Rather, the greater opportunity is to transform that business model into one that fully exploits the capabilities of modern digital technology, resulting in substantially lower production costs and sustainable market viability.

A successful example of one such transformation is the concept of integrated operations (IO), introduced into the North Sea oil and gas (O&G) industry a couple decades ago when the profitability of operating these fields was severely threatened by low global petroleum prices and the high overhead of operating offshore O&G platforms. This effort resulted in significant changes to how these oil fields were operated, enabling the industry to continue operating the platforms profitably. This example has remarkable parallels to the U.S. commercial nuclear industry.

This report provides an analysis and planning framework for transforming the current nuclear power plant (NPP) operating model via transferable learnings from the North Sea O&G industry. This framework is termed "Integrated Operations for Nuclear" (ION). This report describes the key principles and methods of IO and how they are being applied via collaboration between the Department of Energy (DOE) Light Water Reactor Sustainability (LWRS) Program and Xcel Energy in an initiative to transform the NPP operating model in order to foster performance improvement and long-term sustainability. It describes a method for bringing the operating costs of a nuclear fleet in line with market-based pricing and transforming work functions to reduce costs via technological innovations.

This initiative will continue over the next several years in the form of detailed development of transformative concepts for NPPs—the results of which will be published as a follow-up to this initial report on ION.



CONTENTS

1.	Introduction				
	1.1	DOE Light Water Reactor Sustainability Program	0		
	1.2	Advanced Concept of Operations Project	1		
	1.3	Industry Collaboration	1		
	1.4	Organization of the Report	2		
2.	The	Case for Nuclear Plant Transformation	2		
	2.1	Economic Headwinds	2		
		2.1.1 Electric Market Restructure			
		2.1.2 The Falling Price of Power	3		
		2.1.3 Slower Load Growth			
		2.1.4 Non-Elective Capital Investment			
	2.2	Diminishing Returns of the Current Business Model			
		2.2.1 The Lifecycle of an Operational Paradigm (S-Curve)			
		2.2.2 Recognizing the Limits of an Operational Paradigm			
		2.2.3 Particular Concerns of the Current Operational Paradigm			
		2.2.4 Industry Efforts to Reduce Costs			
	2.3	Strategic Inflection Point			
		2.3.1 Concept of a Strategic Inflection Point			
		2.3.2 Strategic Inflection Point for the U.S. Nuclear Fleet			
	2.4	The Need for a Transformed Business Model			
		2.4.1 Critical Characteristics of a New Operational Paradigm			
		2.4.2 Timeframe for Transformation2.4.3 Associated Industry Restructuring			
		2.4.3 Associated Industry Restructuring2.4.4 Precedence for the Transformation			
		2.4.4 Trecedence for the Transformation	12		
3.	Integ	grated Operations	13		
	3.1	Background on Integrated Operations	13		
		3.1.1 North Sea Oil and Gas Industry Experience			
		3.1.2 Continuous Development of the IO Concept			
		3.1.3 Adoption by Other Industrial Sectors	17		
	3.2	Parallels to the U.S. Nuclear Industry	18		
		3.2.1 Continuous Operation Production Facilities			
		3.2.2 Geographically Distributed Production Sites	19		
		3.2.3 High Safety and Environmental Risk			
		3.2.4 High Level of Technical Expertise and Technology Required			
		3.2.5 Performed in Potentially Challenging Situations			
		3.2.6 Public and Regulatory Scrutiny			
		3.2.7 Challenged by Market Conditions			
	3.3	Integrated Operations Key Operational Concepts			
		3.3.1 Collaboration			
		3.3.2 Staffing According to Activity			
		3.3.3 Campaign-Based (Block) Maintenance and Modifications			
		3.3.4 Multi-Skilled Staff	44		

		3.3.5	Offsite Monitoring by Equipment Vendors			
		3.3.6	Bring the Problem to the Experts			
		3.3.7	Collaboration between Operators and Contractors	24		
	3.4	Integrated Operations Method				
		3.4.1	Setting Operational Context			
		3.4.2	Identifying Key Capabilities			
		3.4.3	Sub-Layering Capabilities			
		3.4.4	Configuration of Capabilities	26		
4.	Xcel Energy's ION Application Experience					
	4.1	Xcel E	Energy's XE-1 Initiative	26		
	4.2	Integra	ated Operations for Nuclear	28		
	4.3	ION P	rocess	29		
		4.3.1	Setting Operational Context			
		4.3.2	Identifying Capabilities			
		4.3.3	Sub-layering of Capabilities			
		4.3.4	Configuration of Capabilities			
		4.3.5	ION-Derived Implementation Documents	34		
	4.4	ION A	analysis Tools	36		
		4.4.1	Integrated Operations Capability Analysis Platform (ICAP)			
		4.4.2	Innovation Portal (IP)	36		
		4.4.3	EPRI Business Case Analysis Method (BCAM) Interface	36		
	4.5	Future	· ION Activities	36		
		4.5.1	Configuration of Capabilities – FY 2021	36		
		4.5.2	Virtual Organization – FY 2022	37		
		4.5.3	Technology Integration – FY 2023	37		
5.	ION	Key Per	formance Indicators	37		
6.	Con	Conclusions4				
7.	Nex	t Stens		41		
		•				
8.	Refe	erences		41		
App	endix A	Α		43		
			FIGURES			
			FIGURES			
_			nce based on the current operating model.	5		
Figu			nce improvement based on a digital transformation of the NPP operating	6		
Figu	re 3. S	trategic i	inflection point concept	8		
Figu	re 4. C	Concept s	sketch showing real-time data and communication as a basis of onshore			
5"		support fo	or offshore production and drilling installations.	14		

Figure 5. OLF prediction for the two steps in IO implementation	16
Figure 6. (Left) Xcel Energy's Prairie Island Nuclear Generating Station, Minnesota. (Right) Wintershall Brage oil production platform, Norwegian Continental Shelf	18
Figure 7. Illustration of a typical U.S. nuclear plant control room (left) and a modern petroleum control room (right).	20
Figure 8. General development and digitalization change how work is performed	22
Figure 9. The basic principle behind IO. (Left) An illustration of self-supported fields. (Right) Shared expertise across fields. HRM, SS, etc., are different functional areas	24
Figure 10. A capability is the synthesis of interdependent resources involving people, processes, technology, and governance—all enabling the direct creation of added value	25
Figure 11. Offshore platform.	26
Figure 12. Grouping of nuclear operations.	27
Figure 13. High-level organizational structure.	28
Figure 14. Xcel Energy's capability stack model.	32
Figure 15. Combined IO and work-reduction processes.	33
Figure 16. Tiered hierarchy of KPIs.	38
TABLES	
Table 1. Tiered KPI chart	39

ACRONYMS

BCMW Business Case Methodology Workbook

DOE Department of Energy

IFE Institute for Energy Technology

IO Integrated Operations

ION Integrated Operations for Nuclear

KPI Key Performance Indicators

INPO Institute of Nuclear Power Operations

LWRS Light Water Reactor Sustainability

NCS Norwegian Conventional Shelf

NEI Nuclear Energy Institute

NPP Nuclear Power Plant

NPV Net Present Value

NRC Nuclear Regulatory Commission

O&G Oil and Gas

O&M Operations and Maintenance

OLF Norwegian Oil Industry Association

PTPG Process, Technology, People, and Governance

Analysis and Planning Framework for Nuclear Plant Transformation

1. Introduction

Commercial nuclear power in the U.S. has been an unqualified success by any measure, having provided safe, low-cost, carbon-free baseload electricity for decades. Today, the industry is at the peak of its historical performance in terms of generation output, reliable operations, and demonstrated nuclear safety. However, with the emergence of subsidized renewables and shale-gas generation, it is no longer among the lowest-cost electric generation sources. The business model that served the operating nuclear fleet so well over its initial lifespan is now a drag on cost performance, due to its reliance on a large, highly skilled labor force. In contrast, digital technology and innovation are enabling dramatic efficiencies in production, resulting in fierce competition for commodities such as electricity.

The nuclear power industry responded to this challenge with many initiatives to improve efficiency and modernize plant equipment, especially in areas where reliability and obsolescence issues are pressing. However, it would be a missed opportunity to merely modernize the plant components and work processes of an outdated business model formulated to manage the technology of the 1960s. Rather, the greater opportunity is to transform that business model into one that fully exploits the capabilities of modern digital technology, resulting in substantially lower production costs and sustainable market viability. This report provides an analysis and planning framework to foster such a transformation.

1.1 DOE Light Water Reactor Sustainability Program

The Light Water Reactor Sustainability (LWRS) Program is sponsored by the U.S. Department of Energy (DOE) and coordinated through a variety of mechanisms and interactions with industry, vendors, suppliers, regulatory agencies, and other industry R&D organizations. It conducts research to develop technologies and other solutions for improving plant economics, reliability, and safety, in addition to extending the operations of the national fleet of nuclear power plants (NPPs) [1].

The LWRS Program has two objectives in maintaining the long-term operations of the existing fleet:

- 1. To provide scientific, technology-based solutions to help industry overcome the current labor-intensive business model and associated practices
- 2. To manage the aging of systems, structures, and components so NPPs can continue to operate safely and cost-effectively.

The DOE LWRS Program's Plant Modernization Pathway conducts a broad R&D program to address the technical and economic sustainability needs of the operating U.S nuclear fleet. This R&D program is targeted to ensure that U.S. NPPs are well-positioned for many additional years of operation in support of national energy and environmental security goals [2]. The pathway conducts this research in collaboration with nuclear industry partners who share this sustainability objective. This includes nuclear utilities, industry support groups, suppliers, other research organizations, universities, and consultants/contractors.

Since the inception of the LWRS Program, the Plant Modernization Pathway has conducted research activities over a broad range of NPP functional areas, addressing critical issues of technology obsolescence, plant reliability, plant worker efficiency, and operations and maintenance (O&M) cost reduction [3]. Development and demonstration of these technologies and related methodologies have been conducted with collaborating partners, including nuclear utilities, nuclear industry suppliers, and other research organizations. The result is a set of proven technologies that, taken together, address the requirements for achieving the much-needed modernization of legacy plant systems (as well as related operation and support processes) to ensure long-term sustainability and economic viability. To this end, a research project entitled "Advanced Concept of Operations" is being sponsored by the

Pathway to provide a means of NPP business model transformation, as described in the following section.

1.2 Advanced Concept of Operations Project

The overall objective of the Advanced Concept of Operations project is to provide the nuclear industry with a validated means of bringing operating costs in line with the realities of the electric market. This involves transforming their operating model—a transformation accomplished through business-driven technology innovation—to address the two major barriers to extended plant life: technical and economic viability over the long term. The project focuses on developing a business-driven approach for transforming the operating model of commercial NPPs from labor-centric to technology-centric, as many other industrial sectors have done to survive in today's marketplace.

The underlying concept of this operating-model transformation is known as "integrated operations" (IO). IO is a system for integrating people, disciplines, organizations, and work processes by using cutting-edge information and communications technology to foster smarter decision-making. Over the past two decades, North Sea oil and gas (O&G) companies implemented IO when restructuring their operating models to remain profitable amid declining offshore petroleum fields and depressed O&G prices. Using advanced digital technologies, they moved operation and support functions onshore to serve multiple platforms. This is but one example of this type of business-model transformation.

In applying IO principles and methods to the nuclear power industry, the resulting planning and analysis framework was termed "integrated operations for nuclear" (ION) and serves as a business-driven approach for transforming the operating model of commercial NPPs from labor-centric to technology-centric.

In addition, a set of computer-based applications used throughout the framework processes will be delivered to industry for analyzing this ION.

1.3 Industry Collaboration

This project is being conducted in collaboration with Xcel Energy Inc. A large utility serving the central U.S [4]. Xcel has announced goals of providing 100% clean, carbon-free electricity by 2050, with an 80% carbon reduction by 2035, making them the first major U.S. utility to announce this level of carbon reduction [5].

To ensure that its nuclear operations remain competitive in future electric markets, Xcel Energy initiated the XE1 program to analyze nuclear-generation work functions in order to derive more efficient means of accomplishing their required outcomes through work elimination, requirement reduction, process improvement, technology application, and other forms of innovation. Through this collaboration, LWRS researchers are developing a framework and accompanying tool set for analyzing and formulating the transformed operating model that Xcel Energy will implement for maintaining excellent nuclear performance in a cost-competitive manner.

Norway's Institute for Energy Technology (IFE), sponsor of the Halden Reactor Project, has helped lead the development of IO principles and methods, as well as foster technologies that enable this transformation. As part of the project team, they are contracted to apply their IO knowledge to the NPP operating model. This past fall, they provided a new report to the LWRS Program, along with lessons learned from petroleum industry IO, based on their deep understanding of both offshore petroleum production and NPP operations/support.

ScottMadden Management Consultants is also part of the project team, providing cost-benefit analyses and innovative concepts, both from the nuclear industry and other sectors. ScottMadden is also providing innovative concepts in key performance indicators and the effective application of measures to drive desired business performance.

In addition, Jason Remer (Remer Engineering) is part of the project team, offering NPP operational experience and Nuclear Energy Institute (NEI) regulatory initiative experience, digital instrumentation and controls, license extension, and associated plant aging management to the project.

1.4 Organization of the Report

This report is organized into the following major sections detailing the motivation behind the project, the reasons for the current state of the U.S. nuclear power industry, the fundamental principles of IO, and the methods and results of this project to date:

Section 1 Overall objectives of the project, DOE sponsorship, project approach, and Background project collaborators Factors affecting the U.S. nuclear power industry, initiatives the industry Section 2 has undertaken to address these factors, the concept of a strategic The Case for Nuclear inflection point facing the industry, and the case for IO to ensure market Plant Transformation competitiveness and long-term sustainability A high-level presentation on the major principles and methods behind IO, Section 3 its origins in the North Sea O&G industry, and that industry's parallels to **Integrated Operations** the U.S nuclear power industry Overview of the ION methodology, its application in the Xcel Energy Section 4 initiative, the results to date, use of ION tools, and future steps for full Xcel Energy ION development Application Experience An approach to key performance indicators, other performance measures, Section 5 and process diagnostic measures to ensure that enterprise business **Key Performance** objectives are achieved and the maximum value of the IO method is Indicators realized Key project results, lessons learned in implementing the methodology, Section 6 and transferable learnings for the U.S. nuclear power industry Summary Planned research collaborations in Xcel Energy's application of the ION Section 7 methodology, and planned activities to transfer the ION **Next Steps** methodology/tools to the U.S. nuclear power industry

2. The Case for Nuclear Plant Transformation

The case for NPP transformation is driven by economic realities combined with new technological capabilities for transitioning the business model into something technically and economically sustainable. Digitization of the current NPP business model will only institutionalize the inefficiencies of the largely manual, paper-based work processes currently employed. Only through transformation will the full power of the new technologies be unleashed to achieve a nuclear-generation cost basis that is both competitive and enduring.

2.1 Economic Headwinds

Numerous factors came together over the past decade or so to challenge the economic viability of the U.S. operating nuclear fleet. Whereas it was once believed that component aging would be the major life-limiting factor of operating plants, the ability to compete in a diverse energy market has become the more imminent threat. In addition to plant shutdowns due to cost-prohibitive component repair, the industry has now experienced NPP shutdowns for purely economic reasons [6]. The following sections describe factors that account for this distressed nuclear power market.

2.1.1 Electric Market Restructure

Beginning in the 1990s, changes implemented in the electric market had huge implications for nuclear operations. Regulated, vertically integrated electric utilities began to be restructured into new forms of operating companies. Some markets were deregulated and converted over to various forms of open competition among generating sources. In many cases, these utilities were forced to divest

their transmission systems to regional transmission operating companies obligated to neutrality in regard to generation and power wheeling. The result was that electric utilities could no longer favor and dispatch their own nuclear units but had to engage in price competition on a generating unit basis. Moreover, in some cases, this extended to competing on an hourly basis, as the price of electricity varied on time of day and the availability of renewable generation, pushing the nuclear units "underwater" at times when their total cost of production was less than the market price.

One strategy to help nuclear units cope with this came in the form of load following. However, this strategy has several disadvantages.

- 1. Revenue over a given time period obviously decreases when the plant operates below its design capacity. Moreover, the fact that nuclear generation is dominated by fixed rather than variable costs has a particularly negative effect on production costs (\$/MWh).
- 2. NPP designs are optimized for 100% power operations, and plant efficiency falls off at lower power levels, lowering the return on fuel investment.
- 3. Certain nuclear reactor transients occur during power changes, complicating nuclear operations and increasing both component and human performance challenges.

It should be noted that there may be some benefits here in the form of "hybrid generation," the ability to produce valuable products such as hydrogen via the NPP's electric and heat output when electric market prices are unfavorable. Moreover, these types of capabilities are switchable at the same rate (daily) that prices vary, allowing nuclear units to maintain reactor power at 100% while avoiding operating at a loss, thus preventing the negative effects of reactor power changes.

With the hybrid generation option still some time off, NPPs are stressed by current electric market realities in terms of generated revenue—just when investment is needed to improve plant economics and reduce generation costs. It is very difficult to make efficiency investments when revenues do not cover expenses.

2.1.2 The Falling Price of Power

The price of power has been substantially impacted over the past 15 years by the introduction of both shale-gas generation and renewable generation—primarily wind and solar. [7]

The discovery of new gas fields, along with hydraulic fracturing gas-recovery methods, led to historically low gas prices, with proven reserves lasting for the indefinite future. At one time, gas turbine generation was the most expensive form of generation and could only be used for peaking units. Now it can run as baseload and directly compete with nuclear's role in the generation mix. On the other hand, coal-based generation is rapidly being phased out due to larger air quality and waste issues, creating some headroom for nuclear power. The one threat to gas generation, despite generating only half as much carbon as coal, is the emerging state and utility goals to be carbon neutral by 2050 or so.

The generation costs of renewables have decreased in two ways. Costs and economies of scale have fallen as market size increased. Secondly, substantial government subsidies have been offered in the form of investment and production credits for renewables. The latter has a particularly onerous effect on the electric market, with some classes of wind generators earning up to \$24/MWh. [8] This means they can bid into the market even at a negative price and still make money. The effect on baseload nuclear generation is obvious in terms of market competition.

2.1.3 Slower Load Growth

Further exasperating the situation, electric load growth has slowed over the past decade or so. A higher growth rate would obviously create more market headroom for nuclear power.

One factor pertaining to this is energy efficiency. In the past, a substantial portion of a typical utility load was lighting. New energy-efficient lighting technologies such as compact fluorescents and LED lights significantly decreased this percentage. Similarly, more efficient appliances, heating and cooling units, better insulation, and industrial components such as motors also curtailed load growth.

A second factor is economic changes, such as recessions and shifts from heavy industries to service-oriented businesses. Indeed, electric prices have been a factor in businesses relocating to areas with more favorable electricity prices. This was seen in some of the most intensive electric-based industries (i.e. large server farms for internet services). These types of changes have had a disproportionate effect on certain utilities.

One possible benefit of load growth is the growing prospect for electrification of economic industrial and transportation sectors as part of the recent decarbonization movement. Penetration of electric vehicles into the automobile industry is somewhat growing. Apart from any economic advantages (of which there are some), electric growth stands to benefit from societal choices regarding the phasing out of carbon-based energy over climate concerns.

2.1.4 Non-Elective Capital Investment

Over the past couple decades, the nuclear power industry has dealt with wave after wave of nondiscretionary capital investment to address safety and regulatory issues. This resulted in deferring needed reinvestment in the plants to address aging plant systems and was a missed opportunity to modernize NPPs through advanced digital technologies commonplace in other safety-critical industries.

The most recent instance of this was the significant modifications made in response to the Fukushima nuclear accident. Prior to that, there was a long parade of issues such as security response capabilities reactor containment building sump-screen clogging, reactor head weld concerns, degraded steam generators, and other nuclear safety improvements. When many industries reinvested in their plants via digital technologies to improve operating efficiencies, the available capital—dollar and human—was swallowed up by these issues. Thus, the industry found itself in the mid-2000s with a 1960s technology base.

Now, with available discretionary capital greatly reduced due to depressed energy prices, nuclear utilities need to both upgrade their aging plant systems and lower operating costs by investing in transformative business improvements such as centralized plant monitoring. However, because these transformative projects entail a degree of technical and financial risk, they are given lower priority than demands for reinvestment in plant infrastructure.

2.2 Diminishing Returns of the Current Business Model

Business models are formulated to address an enterprise's needs with respect to current requirements for production and competition, as well as external constraints such as regulation. They are generally somewhat flexible and adaptable to changing conditions and market forces. However, over time, the limitations of any given business model become more apparent as the rate and ease of business improvements decline due to new forces/factors in the business environment. The next section describes the typical lifecycle of a business model and how it has manifested in the NPP operational paradigm.

2.2.1 The Lifecycle of an Operational Paradigm (S-Curve)

Today, nuclear generation is a vital component of the nation's energy supply, providing safe, reliable, carbon-free electricity at relatively low cost. This is largely due to the impressive performance improvements achieved by industry over the past 15 years or so. In the mid-1990s, there was accelerated standardization of plant processes and the conducting of operations. This was due to the concerted efforts of the utilities and the Institute of Nuclear Power Operations (INPO) in setting challenging performance targets and undergirding these efforts with comprehensive process templates and human performance expectations.

As a result, performance improvements are evident in virtually every aspect of plant operations — most notably in the capacity factor, scram rate, forced loss rate, dose, refueling outage length, and overall cost performance. All this was achieved while substantially improving nuclear safety performance.

This also resulted in a fairly standard operating model for the U.S. light-water reactor fleet, based on these process and human performance standards. Operating experience and lessons learned were effectively incorporated throughout the industry; today, there is considerable uniformity from one nuclear utility to the next in regard to conducting nuclear operations and support activities.

However, sustaining these performance improvements is an ongoing concern. Every means or methodology of accomplishing an end is subject to the classic S-curve relationship between effort and performance, as illustrated in Figure 1 [9]. This has certainly proven true with respect to performance improvements in the light-water reactor fleet based on the current operating model.




Figure 1. Performance based on the current operating model.

In the early years of the operating model, the industry was below the knee of the curve and enjoyed highly leveraged returns relative to effort. This roughly corresponded to the time period between the mid-1990s and mid-2000s. Below the knee of the curve, a given amount of effort results in an appreciable improvement in performance. As the operating model matured, much of the "low-hanging fruit" was exhausted, and the rate of improvement became impossible to maintain.

Beyond the knee of the curve, similar levels of effort result in only modest gains in performance, with ever-diminishing returns on what a given business model can deliver. Again, this has been evident in industry performance ever since the mid-2000s, with the rate of improvement greatly slowing—or even flattening—as is evident in the improved fleet capacity factors, scram rates, and forced loss rates.

2.2.2 Recognizing the Limits of an Operational Paradigm

As further indication, it is generally acknowledged by nuclear utility staff that more and more complexity has been added to plant processes, with only small increments of improved performance to show for it. This confirms that the industry's operating model is well out on the flat part of the curve and has been substantially exhausted of its performance improvement potential. If so, the industry requires a new operating model to provide an expanded basis for further performance improvements.

A new operating model would shift from a labor-centric basis to a technology-centric one. Digital technology is the foremost enabler of such a shift, potentially transforming virtually every aspect of NPP operations and support by combining the unexploited capabilities of digital I&C systems with emerging technologies for enhancing human effectiveness, thereby creating a new paradigm for the plant operating model.

Such a development would draw a new performance curve and move the operating point back below the knee of the curve, once again enabling highly leveraged performance improvements at a reasonable effort, as illustrated in Figure 2. [9]




Figure 2. Performance improvement based on a digital transformation of the NPP operating model.

2.2.3 Particular Concerns of the Current Operational Paradigm

While there are a number of concerns over the current NPP operational paradigm, several stand out as particularly limiting in regard to maintaining a competitive presence in the U.S. electric market. These factors must be addressed if the operating nuclear fleet is to continue as a national energy source.

2.2.3.1 Labor-centric vs. technology-centric

NPPs have a large number of systems and components to address all electric-production and nuclear-safety concerns. These plants were designed back when automation was very expensive due to analog control technology and costly control and instrument cables. Thus, most plant components were designed for manual operation, whether putting them in or taking them out of service, repositioning them for different modes of operation, or conducting testing and maintenance. This resulted in large workforces for day-to-day operations compared to other forms of electric generation or other industrial sectors (e.g. manufacturing and process plants) in general.

In addition to the direct cost of labor is the huge and growing cost of maintaining a competent workforce while worker attrition continually erodes personnel numbers and their range of skills and qualifications. This problem is particularly acute in the nuclear power industry, where so much of the technology is outdated and no longer taught in engineering and technical schools. Thus, a much larger burden is placed on nuclear utilities to provide training on plant systems and components, whereas other forms of energy generation produced through modern plant technology can rely on general market skills when seeking qualified, competent employees. This applies to both initial and continuing technical training.

Greater reliance on human labor results in greater exposure to human error. Modern technological systems are orders of magnitude more reliable than human performance. Human error drives two kinds of costs. First, the direct cost is the consequences of whatever errors are made, such as decreased nuclear safety, loss of production, regulatory impacts, employee remediation, etc. Second is the large, costly effort to prevent human error, including specialized human-error prevention training, human-error prevention techniques at the job site, use of a second verifier for jobs performable by a single worker, etc. These types of costs are unnecessary when using automation to perform the same tasks.

2.2.3.2 Highly specialized knowledge and skills needed on a part-time basis

NPPs require highly specialized knowledge and skills driven by certain production, asset protection, and nuclear safety concerns. Under Nuclear Regulatory Commission (NRC) regulations, each nuclear facility operating license holder must maintain sufficient competency to ensure at all times that systems relied upon for nuclear safety meet their license-based Technical Specifications. This requires a deep understanding of the systems and components, along with all internal/external

factors affecting their ability to perform their design-basis functions. These needs span many disciplines and areas of expertise, thus contributing to the large number of technical staff needed to provide the appropriate level of analysis and technical oversight. However, due to the rarity of certain problems, much of this expertise is only needed on a part-time basis, thus this level of expertise is sometimes underutilized, depending on whether it can be shared across multiple nuclear units. Added to this is the cost of maintaining such a high level of organizational competence; replacing experts who leave their positions due to resignation, retirement, transfer, or promotion; and waiting out the learning curve as replacement workers gain experience in those particular aspects of the plant.

2.2.3.3 Staff located onsite due to short timeframe requirements

Related to the need for highly specialized knowledge and skills is the need to have this expertise available on a very rapid basis in order to advise on whether certain systems and components are capable of performing their credited functions. This is particularly true of systems and components subject to the plant's Technical Specifications—systems and components that, if not fully operable, will cause station operators to take certain prescribed actions up to and including shutting the unit down and reporting to the NRC. Also, because so much of the plant is manual (meaning lack of remote instrumentation and other monitoring capabilities), these experts must often conduct observations in the field to make their determinations, thus compounding the need to be onsite—or available to come onsite—in a very short timeframe. Once again, this factor helps drive the need for a large, locally-based dedicated workforce.

2.2.4 Industry Efforts to Reduce Costs

Over the past decade, the nuclear power industry has recognized the need to reduce costs and therefore developed initiatives to achieve targeted savings in plant work activities without impacting nuclear safety. One such INPO-sponsored initiative, known as Industry Cumulative Impact Summary Report [10], emphasized that certain performance and behavior expectations had accumulated over time to the point of being burdensome in some situations. The initiative attempted to identify lower-risk work situations in which these expectations could be relaxed to some degree.

Also notable was the NEI-sponsored Delivering the Nuclear Promise initiative [11], in which teams from across the nuclear industry worked to identify and document industry best practices for reducing costs while maintaining effectiveness and quality. These best practices were issued to the utilities in the form of efficiency bulletins, with some, by agreement of those utilities, designated for mandatory implementation while others were optional.

While these initiatives were certainly helpful in reducing costs and meeting targets, they did not result in positioning the industry for economic competitiveness in today's electric markets. Because of the nature of initiatives, some utilities reported that the majority of the savings were "soft," meaning they somewhat reduced costs for certain plant work activities but not in a way that fostered a reduced headcount. This was further evidence that the basic operational paradigm was constructed so work activities could be made more efficient, but that large categories of work could not be eliminated.


2.3 Strategic Inflection Point

Fundamental changes in the electric generation business have significant implications for the viability of U.S. commercial nuclear power in terms of the current business model. Many of these changes meet the definition of a "strategic inflection point," as described in the following section.

2.3.1 Concept of a Strategic Inflection Point

In 2014, Marc Lochmann and Ian Platts wrote an article for the Society of Petroleum Engineers entitled "Intelligent Energy: A Strategic Inflection Point" (SPE-170630-MS). In the article, they discuss the concept of a strategic inflection point as applied to the O&G industry, describing it as follows:

A strategic inflection point is a time in the life of a business when its fundamentals are about to permanently change, where the old strategic picture dissolves and gives way to the new. That change can mean an opportunity to rise to new heights. But it may just as likely signal the beginning of the end. Companies either adopt the new ways of working or decline. This does not mean a catastrophic business failure has occurred; business continues but there is no going back if you intend to remain competitive. [12]



Adapted from: "Only the Paranoid Survive" by Andrew S. Grove

Figure 3. Strategic inflection point concept.

In this article, they reference Andrew Grove's book *Only the Paranoid Survive* [13], which introduces the concept of the strategic inflection point in the context of how his company, Intel Corp., was forced to recognize and react to fundamental changes in the computer memory business, leading to a transformation of their company and business model.

Lochmann and Platts list a number of factors that signify strategic inflection points, including:

- 10x change in an element of the business
- Fundamental shift in the business or market
- What your business does now can be done differently
- What worked before does not work now

They went on to point out that many of the changes affecting the O&G industry had the marks of strategic inflection points, and that the industry would need to undergo fundamental changes to survive in future global energy markets. One example was the introduction of shale-gas recovery technology (horizontal drilling and hydraulic fracturing) that led to an abundance of cheap natural gas and a historic decoupling of the prices for oil and gas.

Both Grove and the authors of this article point out that strategic inflection points are not typically recognized when they first occur, often being dismissed as passing fads by business insiders who say the changes will not significantly affect business operations. Often it is only in hindsight that the total alteration of the strategic course of the business is recognized. That said, the sooner recognition comes and the business model is adjusted to take advantage of the change rather than being victimized by it, the greater are the prospects for survival and the sooner the enterprise can plot a new trajectory for business success.

Conversely, businesses that dismiss strategic inflection points do not experience immediate consequences, as the overall effect within their market is still small. However, over time, the effect on these businesses becomes more and more apparent as they are materially impacted by new developments regarding market competition or other relevant factors.

The authors also describe a critical point on the curve at which it becomes too late to make the necessary adjustments, usually because a business has reached the point of non-competitiveness and its cash flow is insufficient to make the needed investments to regain its market advantage. Such businesses, perhaps in denial, ride out their business models until they are simply no longer sustainable.

2.3.2 Strategic Inflection Point for the U.S. Nuclear Fleet

Certain factors are at work in the current energy markets that when combined, likely represent a strategic inflection point for commercial nuclear power in the U.S.

- Falling market price of subsidized renewable and gas electric generation Market prices are often in the low \$20s/MWh [14] when renewables are plentiful, and this is well below the production costs of most NPPs. At times, renewables can bid at negative prices, due to their strong production credit subsidies. There has been a 10x decrease in the levelized cost of energy for renewables from over the last two decades. This is in addition to the subsidies and preferred dispatch.
- Energy efficiency and new technologies such as LED lighting have significantly reduced load growth from what it would otherwise have been, curtailing the size of the electric market and increasing the competitive pricing pressure on nuclear power.
- Open electric markets Many electric markets are now deregulated, and NPPs cannot simply be put into the generation mix by the owning utility. Even for regulated utilities, electric prices in deregulated markets put strong market pressure on what level of electric rates state utility commissions will supported.
- Devaluing of nuclear generation for baseload and ancillary services by deregulated markets The contributions of nuclear as a form of large-scale, reliable, dispatchable generation, in addition to its ancillary services such as electric system stability and voltage/frequency regulation, are undervalued by the market, if compensated for at all. Sometimes, the market takes advantage of the difficulties involved in nuclear load following when these units operate at a loss during low-price periods while still providing the aforementioned grid-stabilizing services for free.
- Other electric generation forms are far more technology-centric than labor-centric. Over time, technology is generally a falling cost, whereas labor is a rising cost (despite productivity gains). Technology has allowed this generation of competitors to take advantage of ever-expanding modes of automation.
- Up to now, capital investment in the nuclear generation industry has largely focused on resolving regulatory-mandated nuclear safety issues rather than re-investing in facility modernization. Thus, NPPs are stuck in a business model based on 1960s plant technology, with an ongoing labor requirement from an era of more plentiful, less expensive technical skills and knowledge.
- Shrinking nuclear supplier base As the nuclear industry continues to rely on declining technologies with little market value in other industrial sectors, it is increasingly difficult for qualified nuclear suppliers to continue these product lines without imposing substantial cost premiums. This has been exacerbated by the closure of some nuclear units, shrinking the market for qualified nuclear products and services even further. There is likely some minimum number of operating units below which the supplier market decline would greatly accelerate, followed by untenable price increases for the remaining operating units.

The combination and confluence of these factors signal a strategic inflection point for the U.S. nuclear operating fleet, something first evident around 2010. This is when nuclear units began to be excluded from auctioned markets as more renewables and gas-generation projects came online. Notwithstanding government subsidies and preferences, the nuclear units were unable in some cases

to compete head-to-head on the basis of price, due to the cost structure embedded in the current NPP business model. As mentioned, industry worked to reduce costs within the same business model, but this was insufficient to alter the basic competitive reality.

One strategy pursued by some nuclear operators was to obtain certain operating subsidies on the basis of nuclear's importance to local and state economies—particularly in terms of the number of jobs they supported and the tax revenue collected from those facilities. Another important consideration was its contribution to carbon-free energy production. These efforts have been successful in several states and fended off the premature closing of a number of nuclear units. However, these subsidies are finite, with no assurance of being extended; so, at best, they are temporary measures to bridge to a future time when nuclear generation can be competitive without them.

As suggested in the strategic inflection point model and business theory, to survive in such a business climate requires transitioning to a business model or paradigm that harnesses new realities rather than dismisses them. The clear, lasting solution would be a business model that is cost-competitive on its own (in light of all reasonable market forecasts) and sustainable on an ongoing basis. Properly formulated, it could address each of the factors contributing to this strategic inflection point.

Additionally, a partial solution lies in finding new markets for nuclear-generated energy that offer inherent advantages for large-scale, carbon-free energy sources. This concept, known as "integrated energy systems" [15] is currently being developed through the LWRS Program with several nuclear utility collaborators. In particular, NPPs have a natural advantage in producing both electricity and heat used in high-temperature electrolysis to efficiently create hydrogen. There is an emerging market for "clean" hydrogen, meaning hydrogen produced via a carbon-free process. Other innovative uses of nuclear energy to produce useful products exist, ranging from fertilizer to synfuels—all in a carbon-free process.

Taken together, these two solutions create a powerful combination of market opportunities that would ensure a very bright future for the U.S. operating nuclear fleet.

2.4 The Need for a Transformed Business Model

The combined effects of economic headwinds, diminishing returns in innovating the current business model, and the onset of a strategic inflection point for nuclear generation all point to the need for a transformed business model for nuclear generation—one that is technology-centric rather than labor-centric and simultaneously resolves current concerns over obsolescence.

It would be a great mistake to simply automate the current business model and thereby perpetuate business practices founded on manual, paper-based work processes. This would limit the full value and capabilities of digital technologies to just what is useful for automating heretofore manual work activities. While this is less disruptive and risky in the short run, it precludes more fundamental innovation for dramatically improving business performance and efficiency. One example that has already gained some acceptance is surveillance testing. A utility could improve the testing efficiency with smart procedures and work packages in a variety of ways. Or human involvement could be eliminated entirely by implementing advanced digital monitoring systems that conduct surveillance automatically and continuously.

That said, change cannot be disruptive to the point of being of detriment to nuclear safety and so it must be implemented in a deliberate, measured way.

2.4.1 Critical Characteristics of a New Operational Paradigm

The following are critical characteristics of a new operational paradigm that is both technically and economically viable as well as sustainable:

• Each NPP has the minimum staffing needed to carry out normal and routine plant operation and support activities plus address emergency situations. All other work needs

are staffed for authorized work items on an augmented basis and only for the duration of the work. These resources are shared at the nuclear-fleet, corporate, or industry level.

- Work activities are reduced to the minimum for sustaining safe, prudent operations, eliminating those that do not add value to core business outcomes. Automation is used to eliminate workload requirements wherever feasible. Technology is used to assist multiskilled plant workers in areas where human expertise and skill are still needed, enabling higher work efficiency and reducing human error.
- A virtual plant support organization provides needed services and expertise on a part-time
 basis. Some of these functions are maintained within the utility if they are needed on a
 full-time basis. If not, they are outsourced to third-party service providers so costs are not
 incurred needlessly. The virtual organization uses advanced remote collaboration
 technologies to interface to plant functions and work activities just as seamlessly and
 effectively as if they were onsite.
- Plant maintenance and testing activities are organized in blocks or campaigns to
 consolidate work for augmented crews coming onsite to perform specific types of
 activities in the most cost-effective manner possible. Only urgent and minor types of
 maintenance and testing are performed on a short-term basis.
- Information is seamlessly shared across work activities, with no reentry or reformatting of
 data necessary. Data processing, data analysis, data reporting, and performance assurance
 activities have been largely automated using a common information model and AI
 technology. Information is continuously available on customized dashboards suited to
 specific work activities and management purposes with drill-down capability for deeper
 understanding. All cybersecurity concerns are effectively mitigated.

The new operational paradigm or business model must be formulated and sized to be competitive in future electric and/or derivative product markets. It must deliver dependable electric generation while adhering to all nuclear safety requirements and complementing the operational demands of a dynamic electric grid with a growing renewable component. It must be adaptable to future business opportunities and environments over a second—possibly even a third—operating license renewal period. Finally, it must continually represent a superior electric generation option and source of clean energy.

2.4.2 Timeframe for Transformation

Given that some nuclear units have already permanently closed down as a result of being non-competitive, the need for this transformation could be immediate, depending on the specific case. Other units remain in a reasonably favorable situation and therefore have more time to restructure.

However, it will take time to fully realize this transformation. A five-year period to substantially implement it—with some functions taking longer—should be possible, depending on at least two major factors: (1) the continually falling price of renewables and (2) the possible expiration of electric rate subsidies granted by some states to keep their NPPs operating. Both point to the need for NPPs to compete in future electric markets all on their own, without being subject to changing public and political opinion. On the positive side, development of integrated energy systems such as hydrogen production could lead to an important role for nuclear generation in helping complement renewable energy.

Another consideration reflects the aging nuclear workforce. Utilities would prefer not to have layoffs, and there will be opportunity to attrite the workforce through retirements over the next five years if the transformational improvements can be brought online in a coordinated fashion. This would minimize the human toll resulting from such a transformation and help ease (the plants or the industry) into the new business model.

2.4.3 Associated Industry Restructuring

Transformation of the nuclear business model will inevitably lead to business opportunities for nuclear industry suppliers in terms of providing technical services on an as-needed basis. Indeed, these types of services have always been a component of industry support, but here there might be new areas of service heretofore performed mostly by utilities in-house. For example, there are a number of successful instances in which industry suppliers—particularly for large nuclear steam supply systems—provide specialized services during outages, such as refueling operations or steam generator eddy-current analysis. In the future, the entire outage management function could be outsourced, including the year-round planning and preparation. This would be in keeping with the philosophy of staffing only for normal at-power operations.

There could also be some new service models in which suppliers relieved utilities of certain capital investments via lease arrangements, and in which suppliers assumed certain risks in exchange for performance incentives. The above example of outsourcing the entire outage management function would be a suitable candidate for such an arrangement, capping the utilities' risk of cost and schedule overruns, while providing appreciable incentives for on-target or superior performance.

Similar types of arrangements could emerge through nuclear operating company alliances. Selected organizational functions that might fit the criteria for third-party on-demand service could be pooled among the members of an alliance to create a cost-sharing arrangement less expensive than maintaining the equivalent capability within each operating utility. Prioritization of needs based on operational and regulatory urgency would need to be worked out. However, it is possible that such a pooled service could be more technically effective, with experts being exposed to a greater variety of issues and problems across the entire alliance.

To some degree, all these opportunities might result in an industry restructuring in which nuclear utilities no longer staff in-house technically complex functions outside normal plant operations. Rather, they would rely on trusted suppliers to perform these functions on an as-needed basis through advanced collaboration technologies that enable them to work as seamless extensions of the baseline organization. They would be authorized to use the same information network and work process applications as the utility. In time, the industry might evolve into using standard application interfaces that essentially enable suppliers to be "plug and play" directly with their utility clients, rendering company-specific interfaces unnecessary.

2.4.4 Precedence for the Transformation

Nuclear utilities are understandably risk-adverse in making large changes to how they operate and maintain NPPs. This is due to nuclear safety considerations, regulatory requirements, and electric-generation production expectations. The current business model has been quite successful in guarding these outcomes, despite the market challenges these utilities now face.

However, as described in the preceding sections, there is a compelling rationale for why business model transformation, as opposed to continued incremental improvements, is now required. Still, this cannot and would not be undertaken unless these risks can be well-managed and, very importantly, the individual components of the transformation are affordable and provide suitable returns on investment. Further, the nuclear power industry does not like to be the first to attempt new ways of working, preferring instead that other industries first demonstrate successful transformations and resultant business success through the new ways of working. At a minimum, such assurances would require:

- 1. A proven methodology grounded in business and scientific principles
- 2. A proven track record of success
- 3. Phased implementation to ensure success and stability at every step of the transformation
- 4. A highly effective change-management plan and practices.

Fortunately, there are notable examples of industries being forced to make these kinds of fundamental business model transformations as a matter of survival—and succeeding. One such

example is the concept of IO, introduced into the North Sea O&G industry a couple of decades ago when the profitability of operating their fields was severely threatened by low global petroleum prices and the high overhead of operating offshore O&G platforms. This effort resulted in significant changes to how these oil fields were operated, enabling the industry to continue to profitably operate their platforms. This has remarkable parallels to the U.S. commercial nuclear industry, as described in the next section.

3. Integrated Operations

As mentioned in the preceding section, IO was the driving concept behind the renewal of the North Sea O&G industry. While this concept was developed and deployed by the petroleum operating companies themselves, they were substantially supported by Norway's IFE in developing methodologies and other resources. IFE has a rich history in researching nuclear operations, automation, and human factors and is a long-term collaborator with the LWRS Program. This relationship provides a direct pipeline of applicable knowledge and experience.

Also, following the success of the North Sea O&G industry, IO has been adopted by a number of other industrial sectors, including other offshore oil operations, transportation, communications, and mining companies. It has become something of a discipline in and of itself, with a large body of research and operating experience publications from these adopters and from research and academic organizations.

Moreover, there are strong parallels between the North Sea O&G industry and the U.S. nuclear industry in terms of a high embedded cost of production unsupportable by the market price of the energy product. Other parallels include being safety-critical, capital-intensive industries. These factors create difficult barriers to modernization, even if it is key to economic survival. However, IO has proven a successful path for revitalizing the North Sea O&G industry, and it holds similar promise for the U.S. nuclear industry.

3.1 Background on Integrated Operations

The following sections are excerpted from a report prepared by the Institute for Energy Technology entitled Lessons Learned from Integrated Operations in the Petroleum Industry, IFE/F-2019/079 [16], providing background on IO and discussion of the parallels to the U.S. nuclear industry. The full report is found in Appendix A and citations for text excerpts and figures used in this report are found there. This report defines IO as:

"Integrated operations (IO); refers to the integration of people, disciplines, organizations, and work processes supported by information and communication technology to make smarter decisions. In short, IO is collaboration with focus on production."

The concept of IO was developed primarily by international O&G industries in response to decreasing revenues and increasing O&M expenses. They were seeking ways to continue the safe operation of critical and complex offshore O&G platforms while minimizing costs. Other industries utilizing IO include the mining industry, but our focus is on insights gained from O&G industries—particularly those involved in drilling and production on the Norwegian Conventional Shelf (NCS).

The IO concept is based on the availability of new technology—especially increased bandwidth—allowing for new work forms and the sharing of data/information across great distances.




Figure 4. Concept sketch showing real-time data and communication as a basis of onshore support for offshore production and drilling installations.

IO is an approach for solving the challenges of having personnel, suppliers, and systems located both offshore and onshore as well as in different countries. IO is about removing the physical boundaries between people, making real-time cooperation across continents possible (Figure 4). IO involves using real-time data and new technology to remove the divides between disciplines, professional groups, and companies. It is about how information technology that makes remote operations possible can form the basis for new, more effective ways of working. Real-time transfer of data over long distances can eliminate the physical separation between installations at sea and support organizations onshore, between different professional groups, and between oil companies and suppliers.

When working across professional boundaries and exploiting real-time data and technology for removing such divisions as time and place, the aim is to ensure better value-creation for the future. Some of the benefits of IO are as follows:

- Improved occupational health and safety
- More efficient operations
- Better reservoir and production control/optimization
- Better monitoring of equipment and more efficient maintenance
- Better resource exploitation
- Increased regularity (uptime)

3.1.1 North Sea Oil and Gas Industry Experience

The Norwegian oil industry has a long history of cooperation. In autumn of 2004, the Norwegian Oil Industry Association (OLF) decided to implement an industry-wide IO program in the form of a new self-service concept for remote, real-time management of O&G fields on the NCS. The decision was based on recommendations from a feasibility study indicating that IO could reduce operating costs by 20–30% and accelerate production by 5–10% through:

• Improved decision-making and work processes via IO implementation and the transfer of operations to virtual operation centers onshore

• IT solutions that support remote, real-time management of drilling operations, reservoirs and production facilities, maintenance, and logistics.

The program's main goals were to establish a common digital infrastructure for Norwegian offshore facilities, industry-wide information security requirements for accessing this infrastructure, common standards for transferring data from offshore operations to virtual operation centers onshore, best practices for remote and real-time management of O&G fields, and a knowledgeable industry supportive of IO.

The value potential of IO was estimated in the form of increased recovery rates, increased and accelerated production, and reduced costs. The estimates are based on documented results from implementing IO measures in comparable fields, as well as conservative estimates of the effects of measures yet untried.

In total, this gives a realistic estimate of IO's value on the NCS. The effects of IO will create added value in regard to those measures upon which the fields based their cost development and recoverable reserve estimates. It is this added value that has been quantified.

The value potential estimate was based on information made available to the project from the operating companies. The information mainly consisted of forecasts reported to the Norwegian Petroleum Directorate, forecasts for operating and capital expenses and field-specific information submitted in meetings with field management.

The study concluded that IO represents a potential net present value (NPV) of U.S. \$40 billion. The basis for the estimates was a discount rate of 7% and the price trajectory indicated in the national budget (NB2006), which was based on an oil price of \$55 per barrel—a price that fell to \$34 per barrel in 2015.

The main contributor to the potential value is accelerated production resulting from increased reserves and production optimization. The total reserve increase equals a large new field on the NCS. Costs associated with realizing this value were estimated at \$2.5–3.5 billion (NPV) over a 15-year period.

Realizing these values was assumed to be dependent upon aggressively implementing IO on the NCS. If the companies cannot carry out this implementation rate, the values would be significantly reduced. If the companies choose a slower but focused implementation strategy, the IO's value will be \$25.6 billion (NPV)—\$14.4 billion less than the estimated potential value. Costs related to such an implementation are estimated at \$2.9 billion (NPV).

3.1.2 Continuous Development of the IO Concept

In autumn of 2005, a work group established by OLF—along with representatives from major oil companies, licensing authorities, and Norwegian energy research institutes such as Halden—delivered a report that became the guidance for implementing new work practices. The report established scenarios for the implementation and predicted that IO would most likely be implemented in two stages: Generation 1 (G1) followed by Generation 2 (G2) processes (Figure 5). Both generations were assumed to be game-changers for existing work processes.




Figure 5. OLF prediction for the two steps in IO implementation.

The following sections describe the progressive development of IO practices over the years.

3.1.2.1 Traditional practices

Changes to traditional practices were already seen in 2005 due to the burgeoning implementation of G1 processes, but prevailing practices still had limited focus on integrating work processes across disciplines, between onshore and offshore facilities, and across companies.

Description of traditional practices:

Generally speaking, most operational decisions are made offshore, in isolation or with limited support from experts onshore. Plans are relatively rigid and primarily changed at fixed intervals. The organizational structure is traditional, meaning that personnel onshore and offshore belong to several different units with different goals and key performance indicators. Plans were made and problems solved in a fragmented manner. Basic as well as advanced education/courses aimed to develop disciplinary specialists, not professionals with a good understanding of value chains and work processes. IT systems were specialized, and it was difficult and time-consuming to gather the data necessary to optimize the processes. Existing practices supported integrated work processes to a limited degree.

3.1.2.2 First-generation IO (G1) processes

By mid-summer of 2019, not many fields still operated based on the traditional practices. A major shift had taken place when Equinor (formerly Statoil, by far the biggest operator on the NCS) implemented a new operation model in the summer of 2009. Most main features of work practices forecasted in the integrated work processes report were implemented or are currently under implementation. The same is true for the other operators on the NCS, though to a slightly varying degree. Practices to be implemented were assumed to differ from company to company, but common to all were the following:

- They are built around onshore centers closely integrated with offshore operations through collaboration facilities and solutions that secure personnel onshore/offshore access to the same information at the same time, thereby facilitating real-time collaboration.
- The centers are staffed by professionals with the competencies necessary to manage the field(s) in question and make the necessary decisions.

- For some areas such as drilling, onshore support is available 24/7; for others, normal work hours apply (e.g., 6 a.m. to 6 p.m.).
- Personnel both onshore and offshore can monitor operations in real-time, compare actual data with simulations, and identify operational as well as safety-related problems.
- Professionals in the onshore centers can carry out "what-if" analyses, discuss the
 consequences of various decisions, integrate activity plans, and communicate with
 personnel offshore through high-fidelity audio/video systems and portable computers to
 learn what can be done to further optimize operations, integrate plans, and avoid or solve
 problems affecting production, costs, and safety.
- The team was delegated the necessary authority to make decisions.

Implementations of these practices—termed "G1 integrated work processes"—were expected to lead to relatively simple but profound changes to traditional work processes.

3.1.2.3 Second-generation IO (G2) processes

Implementation of G2 IO is expected to lead to closer integration of operator/vendor work processes and—most importantly to the fields—development of "digital services" (i.e., operational concepts based on delivering a large portion of the services required to operate a field "over the net":

- A typical O&G field will then be operated by personnel located in operation centers belonging to both the operators (oil companies) and vendors.
- The vendors will take over some of the daily work and decision-making processes earlier carried out by the operators (e.g., monitoring, analyzing, and optimizing tasks) and will digitally deliver services to the operators in real-time "over the net."
- Personnel offshore will be informed and advised when anomalies or alarms are registered.
- Personnel offshore will still take overall responsibility for operating the fields on the NCS and will make the necessary decisions to handle anomalies or alarms.

The centers will be operational 24/7 and, to avoid information overload, make extensive use of tools for automatically filtering information and automating processes and decisions. Advanced automatic optimizers will, for example, manage daily production safely and efficiently.

The teams that staff these centers will be geographically dispersed across Norway and around the world, carrying out tasks in accordance with "follow the sun" principles. The team members will have full access to required information, tools, services, and each other through advanced decision-support and collaboration tools. To ensure that team members collaborate efficiently, goals will be well-aligned and performance measured according to the same key performance indicators. This will have a major effect on key work processes.

3.1.3 Adoption by Other Industrial Sectors

The petroleum industry pioneered IO and established its scientific and theoretical base through a plethora of studies and reports. Based on these studies, other industries adopted IO methods and processes to improve their safety, productivity, and profitability. The mining industry is a good example of how IO can be adapted to a unique situation.

The mining industry is in a position similar to that of the O&G industry, with lower productivity, reduced quantity and quality of the product (ore) and increasing labor costs all challenging its economic viability. They were looking for a new outlook/approach to generate solutions. Many large mining companies adopted the IO model, both to transform existing mines and develop green field projects.

A good example of how one mining company applied IO is found in the Australian mining giant, Rio Tinto. Over 10 years ago, they kicked off their Mine of the Future program and, alongside it, an

operations center in Perth, Australia for the company's iron ore business. Rio Tinto's iron ore business includes 16 iron ore mines, 1,500 km of rail, three ports, three power stations, and a water and sewer system spanning a large geographic area.

Combined, its operations generate 2.4 terabytes of data every minute from hundreds of pieces of mobile equipment and sensors providing real-time location and condition monitoring. Rio Tinto's former CEO, Sam Walsh, said the company's operations center revolutionized how the industry approaches integrated mining, turning 16 individual mines into one integrated mining processing and logistics system controlled by operators 1,500 km from the physical sites.

Ten years ago, Rio Tinto introduced fully autonomous haul trucks as the first step in its Mine of the Future program. The autonomous trucks reportedly lowered fuel use by 13%, reduced accidents, and eliminated the need for workers to be stationed in remote areas.

Emphasizing the necessity of considering any transformational effort in the context of four critical areas (process, technology, people, and governance), Walsh said, quoting Bill Gates, "The first rule in any technology used in a business is that automation applied to an efficient operation will magnify that efficiency."

As another example, the airline industry utilized elements of IO to improve business safety, efficiency, and profitability. Major airlines rely on IO Centers to manage scheduling, weather forecasting, booking, and maintenance. Some engine suppliers implemented online performance monitoring to predict engine failure via advanced algorithms and big-data models. Using these predictive models enables preventive maintenance based on the condition of the engine rather than on a fixed schedule. This improves the economic and safety performance of the fleet.

3.2 Parallels to the U.S. Nuclear Industry

Increased productivity and value creation through IO implementation basically boil down to designing custom capabilities that contribute to more efficient work execution. The enabler for IO is data communication and digitalization, allowing one to work remotely with more efficient tools. In principle, this opportunity is the same for all industries, but different industries operate under various environmental frame conditions, regulatory regimes, and business cultures that can make it easier or more difficult to realize gains. In this regard, it is clear that Norwegian offshore O&G production and U.S. nuclear electricity generation have more similarities than disparities.





Figure 6. (Left) Xcel Energy's Prairie Island Nuclear Generating Station, Minnesota. (Right) Wintershall Brage oil production platform, Norwegian Continental Shelf.

There are obviously differences in environmental contexts, production processes, and the physical layouts of the plants (Figure 6). The physical design of an oil platform is very much about saving space and weight, but formal requirements for the design process and approved equipment are not so different from the case of nuclear power. Note that human factors and work system standards and guidelines applied by the Norwegian O&G industry were mainly inherited from the nuclear domain.

3.2.1 Continuous Operation Production Facilities

Not surprisingly, there are a few differences in management structure and craft disciplines, and seemingly little difference in how maintenance is organized and work tasks are divided up and performed by I&C (automation), electricians, and mechanics.

Both drilling and production rigs operate 24/7, with a focus on minimizing downtime and/or reduced production. This matches the goals of a typical NPP. In addition, both industries have very precise maintenance and outage repair windows for maintaining major equipment, installing new equipment, and performing tests. Planning and scheduling are absolutely critical for executing work and avoiding impacts to production and safety limits.

3.2.2 Geographically Distributed Production Sites

Both oil/gas offshore platforms and NPPs are geographically dispersed from corporate headquarters and population centers due to being on the oil/gas fields or requiring suitable site features (land, water source) to support nuclear operations and related facilities. In both cases, production at the company or fleet level cannot be geographically consolidated, and substantial infrastructure is needed at each production facility.

3.2.3 High Safety and Environmental Risk

Due to the high consequence of failure—illustrated by accidents such as Three Mile Island, Piper Alpha, and Deepwater Horizon—both industries have zero tolerance for accidents or personal injury. Safety requirements and the technical complexity of process control systems are high; accordingly, inhouse competencies and capacities in these areas must be maintained at a high level. Delving further into this area, both industries feature similarities in:

- Safety planning
- Risk detection
- Operational safety focus
- · Procedural control and alarm handling
- Emergency training

These industries also share similarities in how they go about their day-to-day operations. Centralized control rooms in both industries have similar functions and functional divisions, and their ways of conducting monitoring, alarm-handling, and process control are much alike (Figure 7). However, the high degree of digitalization in NCS control rooms gives each operator better situational awareness, eliminating the need to populate the central control room with more than the typical maximum of 4–5 operators for large installations, and possibly as few as two operators for the most modern installations with a high degree of automation.





Figure 7. Illustration of a typical U.S. nuclear plant control room (left) and a modern petroleum control room (right).

3.2.4 High Level of Technical Expertise and Technology Required

While the technologies and related technical expertise involved are considerably different, both industries rely on advanced technologies that require considerable organizational technology-management competencies. The O&G platforms are involved in deep-water drilling, constructing and maintaining all facilities that bring the oil/gas to the surface, then transporting it to shore.

Nuclear power generation is also highly technology-dependent, with large nuclear reactors, sophisticated control systems, and numerous other engineering and scientific challenges.

3.2.5 Performed in Potentially Challenging Situations

Petroleum products are highly volatile and pose a danger to the crew and platform. Additional danger is presented by the drilling and production equipment used during operations. Further, the platforms themselves are located in a dangerous environment, with storms and other challenges due to being isolated in the North Sea—in some cases, even above the Arctic Circle.

Similarly, NPPs must manage numerous dangerous hazards, such as high-energy steam piping, radioactivity, nuclear contamination, chemicals, and high-voltage power. Engineering controls and worker protections are integral to all work practices in both industries.

3.2.6 Public and Regulatory Scrutiny

Both industries are highly regulated in terms of protecting public safety and health, not just employees and facilities. In addition, various regulatory requirements provide environmental protections against oil spills and radiation release.

Both industries have been shaped by notable accidents: Deep Water Horizon for the O&G industry and Three Mile Island for nuclear power. In fact, two other consequential NPP accidents—Chernobyl and Fukushima Daiichi—also entailed regulatory responses and shaped public opinion, despite not having occurred in the U.S.

These accidents made the public very wary of environmental concerns regarding everything from offshore drilling and petroleum production to the location and acceptability of NPPs. The pending shutdown of the Indian Point nuclear plant is largely due to eroded public and political support as a result of being in such close proximity to New York City. So, for both industries, regulatory performance and positive public relations must be ensured in all aspects of operations.

One notable difference between the two industries is the U.S. nuclear industry's voluntary self-assessment and standards re-enforcement through its development and sponsorship of INPO, later expanded to a companion international organization known as the World Association of Nuclear Operators. Rapid reaction to operating experience across the nuclear industry, along with industry-wide adoption of best practices, has resulted in unparalleled safety and production achievements for the U.S. nuclear industry. In fact, the O&G industry pointed to this as something that was lacking in their industry following the Deep Water Horizon accident.

3.2.7 Challenged by Market Conditions

The price of oil as a worldwide commodity is subject not only to market forces but also geopolitical events that threaten the supply. In fact, the supply is artificially set by national and cartel organizations by simply varying their production rates. The cost of production, and therefore the operating model, for any operator must generally be within the market price—at least over the longer-term—not withstanding some temporary low-price fluctuations resulting in an oversupply.

Nuclear generation over the past two decades has been increasingly subjected to similar market forces, such as the abundance of cheap shale-gas generation and, at times, oversupply of subsidized renewable energy with mandated priority in the market due to political actions. While there have been state-level rate subsidies for certain operators in recent years, nuclear power must be able to compete on its own to be economically viable over the long-term. Improvements in energy storage, such as high-capacity batteries, will enable deeper penetration of non-dispatchable renewables into the electric generation mix, thereby eroding the need for baseload and back-up power generation such that provided by NPPs.

An additional similarity between the two industries is that they are capital-intensive and require long investment-recovery periods. It is very difficult to attract investors in light of these market conditions, with no way to accurately predict the price of the product over the long-term, due to emerging energy technologies, political changes, and environmental concerns. Again, a lean, low-cost business model is the best hedge against erosion of the value proposition for these long term-investments.

3.3 Integrated Operations Key Operational Concepts

The following section describes the key operational concepts of IO that are considered transferable to the U.S. nuclear industry in developing a transformed nuclear operating model. It should be noted that the nuclear industry has experience with each of these concepts—at least on a limited basis. However, they have not been exploited to their full potential as envisioned in IO, nor have they been combined to enable a transformed operating model for nuclear generation.

3.3.1 Collaboration

The most visible aspect of IO is its collaborative environment: a suite of rooms customized to support real-time communication and information exchanges between two or more locations. All companies operating on the NCS today have built collaborative environments in which groups use a single information source and real-time communications capability for joint decision-making.

However, not all these environments are equally successful at delivering benefits. Many companies derive some value by effectively collaborating in single-discipline (vertical) operations such as well-integrity or rotating-equipment monitoring. Verticals also scale well across assets. However, succeeding at cross-discipline (horizontal) operations such as maintenance is far more challenging, requiring coordinated actions across multiple disciplines and physical locations.

In developing its IO-based model, Equinor (formerly Statoil) established a vision for the organization, along with concrete objectives for how future operations should be carried out. Conceptual frameworks utilizing the underlying mechanisms behind the new work methodology are depicted in Figure 8.

Traditional way of working	IO way of working
Serial	Parallel
Single discipline	Multi discipline
Dependence of physical	Independence of physical
location	location
Decisions are made based	Decisions are made based
on historical data	on real-time data
Reactive	Proactive

Figure 8. General development and digitalization change how work is performed.

3.3.2 Staffing According to Activity

Activity-dependent staffing means that resources for larger activities such as drilling and projects are provided by a resource pool or other parts of the company. Typically, such pools deliver skilled workers for activity-controlled staffing. The resource pool manages the company's competencies within selected subject areas.

The same concept is used to ensure resources for planned maintenance across different platforms in a given area. Establishing a pool of maintenance resources can effectively reduce maintenance backlogs in prioritized areas. Coordinated prioritization across fields ensures that maintenance resources are fully utilized in their respective operating areas. This way of prioritizing resources must be based on regularity and maintenance analysis.

For the start-up of new systems or green field installations, it is effective to plan according to a fixed minimum staffing along with additional start-up staffing that will gradually be reduced once production stabilizes.

3.3.3 Campaign-Based (Block) Maintenance and Modifications

Campaign-based maintenance is a resource-effective way of handling planned and preventive work. Examples include carrying out major activities such as drilling or projects, as well as applying extra resources due to audit shutdown, extraordinary training, etc. The need for additional staffing should be assessed and approved as part of the decision to carry out the activity. Simplified Maintenance

One major NCS operator implemented the promising concept of increased flexibility in performing low-risk, low-complexity maintenance. This was done, in part, to reduce bureaucratic involvement in planning, starting, and finishing such work. By identifying short-duration, low-risk jobs and then running them through a simplified work process, time can be saved in each administrative phase of the job.

3.3.4 Multi-Skilled Staff

There are many situations in which multi-skilled workers can considerably contribute to operational efficiency. Several IFE projects for a major NCS operator—projects involving function reallocation and workload studies—identified numerous situations in which the combination of field operators, I&C, and electrical disciplines offers potential efficiency gains.

However, earlier attempts at cross-training in an NCS-company developing the so-called PEMA (process, electro, mechanics, and automation) operator stalled due to lack of industry-wide agreements and the challenge of re-training within multiple disciplines. To make the solution work, the implementation requires a sufficient volume of replacement personnel in case of turnover and sick-leave. Combining only two disciplines is easier and would give a lot of flexibility in utilizing staff for day-to-day work; even then, training and updating competencies within multiple crafts would take more time than desired.

The solution may lie in differentiating between "multi-craft" and "multi-skilled." The concept of "multi-craft" training would be defined as being a Journeyman in one trade and achieving Journeyman status in another trade, whereas "multi-skill" training would be defined as being a Journeyman in one trade and merely adding limited additional skills from another. Obviously, the investment in time and resources for multi-craft training is far greater than for multi-skill training. In addition, the difficulties in maintaining proficiency are far greater for multi-craft training, and this could negatively impact both safety and productivity. It appears that most organizations are moving toward multi-skill training.

Analysis has shown that field operators on a modernized production platform will have approximately half their time available for emergent tasks. Given the fact that a high proportion of field operators on the NCS have Journeyman papers from either the mechanics, electro, or I&C disciplines, many of these operators possess the competence to perform many work tasks within their secondary disciplines without the need for continuous updating of competencies and training.

3.3.5 Offsite Monitoring by Equipment Vendors


Using their own servers, the on-board computer network, and onshore fiber-optic cable, third-party suppliers can log in to offshore equipment from their own offices. This enables condition-based maintenance and the ability to troubleshoot errors or provide remote support, potentially resulting in significant savings. From the office, one can solve software errors and discover user errors without traveling offshore. In the case of equipment failure, one can determine the problem and what parts need to be included for service assignments offshore. This means there is no waiting offshore for the right part to be sent out. There will be fewer trips with shorter stays using this technology.

Despite increasing examples of successful multidisciplinary operation centers, business incentives for closer integration with vendors, along with vendor monitoring of equipment, are not strong enough to achieve a breakthrough in the industry. Successful examples (e.g., valve monitoring) are by no means widespread. Instead, we have seen a steady build-up of analytic capabilities to handle equipment-condition monitoring within the O&G companies' onshore operation centers. For Equinor, this monitoring capability is the driving force behind their ongoing digitalization programs.

It is reasonable to think that success stories of third-party remote monitoring are strongly connected to how operator companies establish incentives. Remote monitoring will reduce unnecessary offshore waiting times in regard to parts, work packages, and dependency on other jobs. The result is reduced costs and fewer offshore days for the operator company. But how will this affect the supplier? It is common for offshore working hours to be invoiced according to so-called "reimbursable contracts." By working more efficiently and having fewer staff offshore, contracting companies miss out on a possible profit opportunity. Experience shows that, to establish sustainable models based on this concept, the operator and supplier must together invest considerable capital funds in establishing the operation centers. Since operation from the supplier's center can also entail a contractual lock-in for the oil company, a great deal of trust between parties is required.

3.3.6 Bring the Problem to the Experts

Traditionally, O&G companies (operators and service companies alike) kept all their expertise inhouse and categorized into asset organizations. The traditional organizational model of having one individual expert assigned to each asset is not very efficient because, at any one time, an inexperienced individual may be struggling a given problem while an experienced individual is rotated to an asset team in which the problem occurs very rarely. This model fails to make effective use of the company's expertise.



Error! Reference source not found. 9. The basic principle behind IO. (Left) An illustration of self-supported fields. (Right) Shared expertise across fields. HRM, SS, etc., are different functional areas.

In considering the staffing impact of changing the operating model (see Figure 9), an example is referenced from an unpublished IFE study performed for a major NCS operator, with the as a functions of the company being reorganized according to the right sides of Figure 9. The study estimated the overall manning needs of a new offshore installation. A total of 13 different in-house, onshore support centers were identified as delivering services to the particular offshore installation. The centers were spread out over seven different geographical locations throughout Norway. In the study, 70 different specialized competencies or functions were identified Of the different competencies, 51 were given time estimates regarding their level of support to the specific offshore installation. The total delivery to the offshore installation from these 51 competencies was approximately 30 Full-Time Equivalents (FTE), ranging from 0.1 to 2.2 FTE per discipline. Since six of the 51 competencies delivered more than one FTE, the minimum number of people involved in support delivery had to be 57. Using IO and changing from a traditional self-supported field to expert centers (again, see Error! Reference source not found.), resulted in a theoretical savings of 27 FTE. However, this theoretical savings would be reduced for competencies delivering only a fraction of an FTE and for those that could be rotated between fields or locally serve multiple offshore installations by the hour.

3.3.7 Collaboration between Operators and Contractors

A major challenge for realizing the improvement potential is the contractual relationship between the contractor and the oil company. Issues include:

- Lack of key performance indicators (KPIs) and incentives to support the desired work methods
- Few initiatives for local middle management to adopt new ways of working with contractors
- Incompatibility of IT systems and collaboration technology
- Disagreement over who will bear the cost for establishing the collaboration solutions
- Lack of contractor culture of innovation regarding their business models

One idea for overcoming these challenges is to incentivize contractors to deliver more services in accordance with IO principles. To succeed this holistic approach, all success criteria must be fulfilled. In addition, the holistic perspective must transcend contractual barriers between parties. Operators must take the lead in creating an environment of trust in which innovative IO-based delivery models are valued. Contractors must be able to differentiate themselves by proposing new ways of working and collaboration to create win/win situations. KPIs and compensation models must be adopted and a shared improvement agenda established.

3.4 Integrated Operations Method

The following are the four key steps in applying the IO method to transform the operating model of a large enterprise as defined in the report The Capability Approach to Integrated Operations Handbook [17].

3.4.1 Setting Operational Context

This step consists of identifying the operational context in terms of both opportunities and constraints regarding capability development. Factors would include market opportunity, market pricing, corporate business objectives, etc. Constraints would include regulatory requirements, industry standards, technological limitations, public opinion, community relations, etc.

3.4.2 Identifying Key Capabilities

In general, a capability is the ability to perform a particular task or activity. Operational capabilities pertain to the current operations of an organization and enable that organization to perform its necessary tasks. This resource base includes tangible, intangible, and human assets. Further, it may include resources that the organization can access but does not necessarily own. When referring to the O&G industry, we can broadly categorize the organization's resource base into four types of assets: people, processes, technology, and governance/organization.




Figure 10. A capability is the synthesis of interdependent resources involving people, processes, technology, and governance—all enabling the direct creation of added value.

3.4.3 Sub-Layering Capabilities

Sub-layering capabilities consists of identifying the major functional areas of the capabilities and, within these functional areas, the work processes for accomplishing the specific objectives of the capabilities. These functional areas are referred to as "sub-capabilities." For example, a capability for plant operations would contain a set of major functional areas such as control room operations, field operations, operations support, etc. These are the sub-capabilities needed to comprise the scope of an operate capability. Within each sub-capability would be certain work processes consisting of standard work activities for achieving prescribed operational outcomes. These include work, risk, and reactivity management, etc. In the context of ION, these activities are designated as "work functions."

Therefore, sub-layering capabilities are the means by of breaking down capabilities to make the application of transformative concepts manageable.

3.4.4 Configuration of Capabilities

"Configuration of capabilities" refers to the practical process of actually developing the capabilities. The output of this step is implementation of the capability within the new operating model—at least in its initial form. It is concerned with the minimum requirements in delivering the capabilities. It considers what existing resources can be used as building blocks for delivering the capabilities and identifies key requirements for developing the capabilities. Finally, it initiates a process for continuously maturing the capabilities so that they deliver predictable outcomes and are adaptable to changing busines conditions and opportunities.

4. Xcel Energy's ION Application Experience

In December 2018, Xcel Energy announced its industry-leading goal of achieving 100% carbon-free power generation by 2050. This entailed a new nuclear business model to ensure that Xcel Energy's nuclear assets remain a cost-effective source of carbon-free energy well into the future. The new nuclear business model is a departure from nuclear industry norms and challenges traditional thinking and practices. The fundamentals of the new model are based on successful principles and techniques used in similar industries facing economic pressures. This model was built with the expectation of simultaneously maintaining high levels of performance and safety while achieving cost-competitiveness in the energy market.

4.1 Xcel Energy's XE-1 Initiative

Xcel Energy's NPPs are in a unique and challenging position in the domestic nuclear industry. The three reactors have some of the highest capability factors (> 95%) and lowest annual O&M expenditures in the industry. However, when considering the combined three reactors with a maximum generating output (approximately 1600 MWe), the calculated operating costs (\$/MWh) are non-competitive with other sources of electricity in the Upper Midwest. It is clear that, to remain in the Xcel energy portfolio, the Xcel Energy nuclear business needs to reduce its operating costs by one-third (33%) over the next few years. In 2018, Xcel Energy partnered with Idaho National Laboratory and its LWRS Program. The objective of the partnership was to investigate new methods and models for lowering operating costs and site staffing levels closer to pre-Three Mile Island (TMI) levels. The business model chosen for evaluation was the IO model used in the Norwegian O&G industry and their oil fields in the North Sea as shown in Figure 11.



Figure 11. Offshore platform.

Applying IO principles to nuclear energy is a natural continuation of NEI Efficiency Bulletin 17-23, "Transform the Plant Organization," which transformed nuclear operations into three main areas (i.e., Operate the Plant, Maintain the Plant, and Support the Plant). Simply stated, future nuclear organizations will operate the two nuclear plant sites like two oil platforms, with minimum staffing to operate and maintain the plant, led and supported by a central corporate organization. This central organization would leverage technology to streamline processes, utilize vender expertise, and provide needed resources for dealing with larger-scope or emergent issues.

Before detailing the new nuclear operating model, it is important to state the core requirements foundational to operate any nuclear facility—requirements that will have to be preserved.

a) Compliance Requirements

The new nuclear business model is expected to be fully compliant with all applicable regulations, ensuring that the organization is always "inspection ready" and able to demonstrate compliance in daily operations. The organization will actively engage with industry groups and regulators using risk-informed and other advanced methodologies to achieve regulatory compliance or relax those regulations that provide little to no safety benefits, and will leverage new technologies and remote monitoring to meet previously manual-oriented regulatory requirements.

b) Performance Requirements

The organization will sustain high levels of performance based on specific thresholds of excellence. These thresholds will be set based on company expectations, industry stakeholder standards, and business model objectives. Efforts to be the best of the best are commendable but not always cost-effective after reaching what the industry recognizes as a high level of performance. Critical performance areas will be closely monitored for early indications of decline. Such indications will be promptly addressed to restore performance.

c) Financial Requirements

The cost of nuclear generation must remain competitive in the regional energy market. The market share for renewable energy is expected to continue to increase as the costs of renewable energy falls. It is a given that nuclear generation assets must drive down costs without sacrificing performance or safety. By maintaining focus on core O&M competencies within an IO service model, higher levels of expertise can be obtained externally, and utilities can increase their operational focus and performance while reducing costs.

The new nuclear business model is best described through a diagram. The objective is to operate as one site with three reactors. Core business consists of areas in which we strive for high levels of proficiency in the "Operate" and "Maintain" groups. The "Support" group includes a mixed collection of in-house and external resources whose sole responsibility is to support core business ("Operate" and "Maintain") within a cost-sharing pooled resource structure. In addition to these three core business groups, a "Strategy group provides the long-term direction for the future of the business.




Figure 12. Grouping of nuclear operations.

Functions within each group:

- Operate the Plant responsible for operating equipment to generate the product while the
 assets and people onsite. This group includes operations, chemistry, radiation protection,
 and security.
- Maintain the Plant responsible for equipment performance to ensure predictable, reliable service from systems and components manipulated by the "Operate" group. The

- "Maintain" group includes electrical, mechanical, and instrument maintenance; the "fix it now" team; equipment reliability; plant modifications; work management; and outage management.
- Support the Plant responsible for all support activities needed to operate and maintain the plant. This group includes engineering, training, emergency planning, regulatory affairs, performance improvement, and administrative functions.
- Strategy responsible for setting the long-term direction of the organization and aligning key stakeholders to the vision. This group includes regulatory policy, strategic planning, strategic innovation, innovation projects, and fuel cycle planning.

Each group has its own unique mission and vison, core functions, and organizational structure. A vice president heads up each of the four groups. Under each vice president, a staff of managers, the directors, and general managers are arranged to provide leadership and oversight regarding their specific function(s).




Figure 13. High-level organizational structure.

Important stakeholders in the new nuclear business model, the vendor partners have a shared interest in the success of the nuclear industry. A separate commercial model provides a basis for external business entities to establish strategic partnerships with Xcel Energy in executing the principles of the new nuclear business model. As a part of the transition, Xcel Energy will develop business partnerships with companies that can integrate with Xcel Energy's nuclear fleet to provide improved services at reduced cost. Identifying which services will be part of the "core business" and maintained in-house instead of being contracted out to a provider with specialized skills that mesh with Xcel Energy is a key part of this model.

Xcel Energy intends for its strong business relationships with these strategic partners to result in shared profitability, reduced costs, and improved performance throughout the nuclear fleet. The purpose of the commercial model is to outline this approach to all parties involved in this transformation.

4.2 Integrated Operations for Nuclear

The overall objective of this research collaboration is to deliver to the nuclear industry a validated means of bringing their operating costs in line with the realities of the electric market via transformation of the operating model. This will be accomplished through business-driven technology innovation. The two major barriers to extended plant life are addressed: technical and economic viability over the long-term.

The DOE LWRS Program – Plant Modernization Pathway focuses on developing a business-driven approach to transforming the operating model for commercial NPPs from labor-centric to technology-centric—just as many other industrial sectors have done to survive in the marketplace. The specific objective is to derive a methodology and tool set from actual experience in collaborating with Xcel Energy for the following purposes:

- To transfer the ION methodology and tool set to industry
- To promote a transformed, sustainable NPP business model based on ION and businessdriven innovation

• To leverage LWRS Program technology development to the fullest extent.

This ION framework is the aforementioned business-driven

- A market-based price point (typically the bus-bar cost in \$/MWh) for nuclear generation is established, then used to back out what the maximum total O&M budget of the nuclear fleet should be to support this price. In turn, this budget is allocated across the nuclear organization in a top-down manner as the starting point of an iterative process. (Top-Down)
- Work functions are analyzed for aggressive opportunities to reduce workloads to only what is essential and can be resourced within this O&M budget. (Bottom-Up)
- The streamlined work functions are then configured into a transformed operating model that leverages advanced technology and process innovations, resulting in a small onsite staff focused on daily operations, with all maintenance and support functions centralized or outsourced in on-demand service models.

4.3 ION Process

Through high-level discussions between the LWRS Program and Xcel Energy, it was recognized that there was an opportunity to collaborate in applying advanced technologies to the larger nuclear business model in order to improve performance and position NPPs for long-term economic success. In particular, within the LWRS Program Plant Modernization Pathway was a growing understanding that emerging technologies could do more than just address inefficiencies and obsolescence concerns over the present way NPPs are operated, but could in fact enable new work methods to produce better results at lower cost.

This resulted in a new way of thinking about applying technology in the field of nuclear power. When technology is used to improve performance and address obsolescence within the construct of how we currently operate the plants, we term it "modernization." On the other hand, when technology and innovation are used to enable a new, more efficient operating model, we term it "transformation." Transformation is what we see in other industrial sectors, where innovation enables a redefinition of how products are made and services are delivered.

The Plant Modernization Pathway's long-term research collaboration with IFE's Halden Reactor Project resulted in considerable awareness of the IO concept and how it successfully transformed the operating models for offshore O&G production. The two respective teams worked with IFE to better understand how IO might address issues faced by U.S. nuclear power, particularly those aspects that closely parallel the issues facing the North Sea O&G industry. It was decided that, with certain adaptations, the IO method was highly suitable for defining a better operating model for nuclear power.

The following sections describe how ION was initially applied within the XE-1 initiative to bring about the magnitude of transformation needed to meet Xcel Energy's future operational objectives. The information was largely taken from The Capability Approach to Integrated Operations Handbook [17].

4.3.1 Setting Operational Context

The operational context consists of all factors that must be addressed to be successful in the future environment of the company. They include such things as corporate vision and values, market opportunities and constraints, public safety, regulatory requirements, labor contracts, environmental considerations, employee well-being, public reputation, etc. Implementation of IO must address, or at least not conflict, with these factors.

4.3.1.1 Operational context for nuclear plants

Fortunately for the nuclear industry, these factors are very well-understood and incorporated into the operating culture. The U.S. nuclear industry is particularly known for its high-compliance culture, in addition to a safety culture unsurpassed in the history of industrial enterprises. Moreover, the industry is highly successful in achieving the intent of these operational context factors, due to the

rigorous discipline and accountability it imposes on all its technical and business activities. Rare lapses in achieving these objectives are usually unintentional and quickly remedied.

The project with Xcel Energy involved confirmation of all of the operational context factors needing addressed in the project; these were in line with the ones mentioned above. The executive leadership was very clear that improvements to the business model and in reducing costs could not come at the expense of these other factors. So, the operational context factors were documented and recognized in team deliberations, with each improvement idea being tested as to whether it upholds them.

4.3.1.2 Top-down budget allocation

One special factor needing addressed was the cost of electricity from Xcel Energy's nuclear units. Xcel previously calculated what this cost would need to be to be competitive in the regional power market in the face of growing renewables and gas generation. And they made the decision not to rely on government-mandated rate subsidies that might change as the result of future political actions. From this cost of electricity, all components in the total cost could be derived, including the maximum allowable O&M budget for the nuclear fleet. This was the top-down budget allocation process described earlier in this report.

4.3.2 Identifying Capabilities

A capabilities approach in IO is the structured development of key resources needed to realize the value of IO across organizational units, disciplines, and professions [10]. In this sense, they represent core functions essential to achieving the objectives of the enterprise. Some capabilities are specific to the nature of the business, while others represent more generic business functions common to all modern industries.

4.3.2.1 Capability identification

Within the Xcel Energy initiative, a number of working sessions were held to identify the needed capabilities. Examples from other industries were considered, particularly those developed by North Sea O&G companies, due to its parallels with the nuclear industry. Also taken into consideration was the objective of reducing costs through work elimination, centralizing functions, and sharing expertise. Finally, consideration was given to positioning the company to expand business opportunities.

First, operational capabilities as described in Section 4.1 were grouped in a way that aligns closely with the intrinsic functions needed to conduct nuclear power generation. These groups were:

- 1. Operate the Plant
- 2. Maintain the Plant
- 3. Support the Plant

Obviously, these groups broadly cover the types of activities needed for long-term NPP operation. However, within these capabilities lies the flexibility to align organizations and deploy human resources in new, more efficient ways. They also enable new business models for sharing resources across multiple production units and geographical areas. For example, certain technical functions heretofore performed by dedicated resources onsite could be outsourced to expert companies able to perform them remotely on an as-needed basis. That means that the company would only pay for those resources on a part-time basis rather than carry them full time. Many other such efficiencies are enabled by the way these capabilities are defined.

A second grouping of support capabilities are the type broadly used across the enterprise to conduct work activities that fall within the operational capabilities. For Xcel Energy, the support capabilities are those needed to achieve the business objectives defined in the IO context. They are:

- 1. Adaptability
- 2. Analytics
- 3. Assurance
- 4. Collaboration

- 5. Influence
- 6. Innovation
- 7. Risk-Informed
- 8. Workforce Development

These support capabilities have dual natures in that they are typically owned by a certain support organization but used extensively within other capabilities, both within the other support capabilities and within the operational capabilities. In this sense, the support capabilities are cross-linked to each other and to the operational capabilities where they are needed.

Regarding the scope of the support capabilities, the intent is that they are broadly defined to meet the needs of the entire organization rather than having multiple, customized instances of the same capabilities for each sub-organization. There is also expected to be a great degree of standardization in how the capabilities are defined, providing economy in developing and maintaining them.

A third grouping of foundational capabilities represents the enterprise's hard production assets, such as the physical plant. Obviously, these capabilities are the frontline basis of production. They are capabilities in the sense that they can produce the tangible products of the enterprise as long as they are successfully operated and maintained within the economic constraints. They are:

- 1. Physical Plant
- 2. Plant Information Data Stream
- 3. Plant By-Products

For the most part, these foundational capabilities are already developed, but relationships to both the operational and support capabilities must be well-defined. For instance, it is the systems, structures, and components of the physical plant that are the principal objects of the "Operate the Plant" and "Maintain the Plant" groups. The "Operational" and "Support" groups, which depend on plant sensor information and other such data, relate to the Plant Information Data Stream capability.

The Plant By-Products capability is somewhat unique in that it represents commercial opportunities for the enterprise other than power generation. A good example is potentially using plant heat and electricity to conduct electrolysis of water for hydrogen generation. Hydrogen, in turn, is a highly marketable commodity used in a number of industrial processes. Use of plant energy for hydrogen production could complement power production when the price of electricity is low. It is readily evident that the Plant By-Products capability would need to be connected to all other capabilities in both the "Operational" and "Support" groupings.

4.3.2.2 Capability stack model

The next step is the development of a capability stack model, an abstraction used to manage the complex interrelationships among the various capabilities. The complexity arises because the capabilities, by definition, are scalable and reusable; therefore, they are connected to all other capabilities and the underlying work functions in need of them. Thus, the capability stack model is defined as:

...a layered representation of a complex system. The stack model seeks to decouple the complexity of the system by introducing distinct layered activities connected by standard interfaces. [18]

The layers of the stack model are based on the assumption that the capabilities of a lower level are needed to execute the capabilities of a higher level. It is further assumed that information can be exchanged across the layers via standard interfaces. The following are characteristics that describe the layers:

- 1. Each layer must have a dominant or compelling value proposition.
- 2. Each layer must have clearly defined and shared interfaces with adjacent layers.
- 3. Each layer must reflect an active market for products or services.

4. Each layer much have a well-defined business-oriented set of metrics that reflect the core value proposition.

The capability stack model depicted in Figure 14 was developed by Xcel Energy to represent their defined capabilities for nuclear power generation.




Figure 14. Xcel Energy's capability stack model.

4.3.3 Sub-layering of Capabilities

The next step in the process is the sub-layering of the capabilities. This consists of breaking down the capabilities into functions needed across the organization. These sub-layers are referred to as "sub-capabilities"—within which, individual work functions are identified.

4.3.3.1 Capability teams

Xcel Energy defined capability teams for each of the three operational layer groups: Operate the Plant, Maintain the Plant, and Support the Plant. These teams were comprised of organizational leaders and subject matter experts to ensure that the capabilities were suitable for addressing future work needs and delivering sufficient cost savings.

An orientation session was held with each team, consisting of background material on the company situation and objectives, background on the IO experience in the North Sea, the process of defining capabilities, and, finally, the deliverables resulting from the process.

The teams were instructed to develop a vision of the future that reflects how work functions could be achieved more effectively through technology innovation. They were facilitated by XE-1 team members to ensure that the vision and products were in keeping with the expectations of the broader effort.

The XE1 team served as the capability team for the support and foundational layers of the capability stack, in that these capabilities span all organizations and require special insight into those technologies that enable future ways of working. In particular, the support capabilities had to be broadly defined to serve all the sub-capabilities and associated work functions in the operational layer. For example, the Collaboration capability will provide functionality to virtually every work function in the operational layer, ranging from virtual meetings to on-location support of field work activities by remote expert parties.

4.3.3.2 Defining elements of capabilities – PTPG

The capability teams were tasked with identifying the process, technology, people, and governance (PTPG) elements of the sub-capabilities, based on the new work methods envisioned.

These were captured in a large tabular document describing the impact on each element and how the elements interrelate to achieve transformative ideas.

It was also noted that certain elements will depend on other capabilities and sub-capabilities, so these relationships were also noted. These relationships help define the total functionality of the sub-capabilities when considering how they are expected to contribute to other sub-capabilities. Again, using Collaboration as an example, when an Operate the Plant sub-capability was defined as relying on a remote party to conduct an activity, it was simply noted that this would be provided by the Collaboration capability. So, this informed the Collaboration capability definition with respect to its role in serving other capabilities.

In many cases, defining the PTPG elements was difficult except in the context of specific work functions. In other words, the work functions drove different needs in the PTPG elements, based on the technical activities within a work function. This is described in the next section.

4.3.3.3 Identifying work processes

Xcel Energy had existing documentation of their work processes across all nuclear organizations. These were used, when needed, to define work functions under the sub-capabilities. As stated in Section 4.3.3.2, it became necessary in some cases to define PTPG elements in the context of a specific work function to get the right level of specificity for the needs. In turn, the aggregate of these work-function-level PTPG elements were rolled up to comprise the ones at the sub-capability level.

A second reason for identifying work functions is to utilize enablers of cost savings in the form of work-reduction opportunities. This is critical to the overall top-down methodology for reducing the workload to something supportable by the market-based price of power generation. Work-reduction opportunities can only be applied at the work-function-level, as described in the next section.

4.3.3.4 Identification of work enablers and work reduction opportunities

A process for determining the cost reduction that can be credited to work functions was developed and joined to the capability-development process. The combined processes are shown in Figure 15.




Figure 15. Combined IO and work-reduction processes.

Once the work function candidates for work reduction were defined, cost-efficiency enablers for these work functions were identified by each organization in Xcel Energy. This consisted of a general description of how cost savings could be achieved and what was needed to accomplish this. In turn, an ongoing process was initiated to analyze these enablers. This entails categorizing the cost savings in

terms of the type of cost savings such as requirement changes, process improvements, technology application, or outsourcing.

Once fully developed, work reductions were analyzed in terms of their effects on the PTPG for the associated work function. This led to revising the PTPG for the work function, based on how it will work in the future. Then, the new PTPG requirements were rolled up into the synthesis of the higher-level PTPG analysis through the sub-capability, capability, and ultimately the entire capability stack model. This high-level PTPG formulation became the basis of the transformed operating model.

Continuing the work-reduction analysis, the process provides for conducting the top-down/bottom-up analysis to ensure that sufficient work reductions were achieved for the market-based budget allocations to be met throughout the organization. It provides for identifying the internal/external requirement changes needed to enable certain work reductions. Finally, it provides the basis for formulating development projects and business cases, including the aggregating of similar technology applications or process changes that provide similar benefits across the organization.

4.3.4 Configuration of Capabilities

The final step in the IO process is the configuration of capabilities, though this is the most intensive part of the process. It consists of the upward synthesis of the PTPG analysis, as introduced in Section 4.3.3. Development of this process is underway at the time of this report and is described further in Section 4.5.1.

4.3.5 ION-Derived Implementation Documents

The following sections describe the key implementation documents traditionally used in organization design and implementation and can be derived from the ION process.

These documents become part of the "governance" element of the PTPG analysis, among other key types of documents such as directives and procedures.

4.3.5.1 Organization charts

While capability development does not directly define the organization, it logically groups work functions according to how they were transformed by the IO method. This gives rise to the development of the optimum organizational structure for executing the capabilities. In the case of Xcel Energy, this organizational structure was anticipated early in the process and became the basis for certain organizational structures and combinations, including the allocation of market-based budgets in a step-down manner over a certain number of years. However, as the practical effects of the transformed business model become more apparent, the organizational structure will continue to be assessed and adjusted as needed.

4.3.5.2 Roles & responsibilities

Roles and responsibilities for both organizational units and employee types are principally derived from the "process" and "people" elements of the PTPG analysis. It is expected that they will change considerably as the work functions are transformed by IO concepts. For example, new, more automated technologies might enable generally trained workers to perform tasks heretofore requiring a highly trained expert. This same automation might create enough work efficiencies to enable a multi-skilled worker to conduct work activities formerly accomplished by multiple workers. It is in this way that roles and responsibilities for organizations and workers will be modified.

4.3.5.3 Staffing levels

Staffing levels are set by the amount of residual work in various work functions, following application of the efficiency enablers. Some work functions will be unchanged by the capability analysis and thus remain what they were before the application of IO. However, most will be changed in some way, thereby contributing to the requisite cost reductions needed to achieve the market-based budget.

A key factor in staffing levels will be whether the work functions are needed on a full-time basis, can be shared among multiple NPPs, or could potentially be outsourced. A key principal of ION is to maintain a lean staff at NPPs to address the baseload work, with all additional support ideally being provided on an as-needed basis rather than through full-time staffing.

4.3.5.4 Staff qualifications

Staff qualification changes will be identified through the "people" element of the PTPG analysis, reflecting the role of staff in regard to the transformed work functions. This will closely align with the new roles and responsibilities described above. For instance, certain types of material condition surveillance are conducted these days by field technicians using portable test equipment that must be set up in the field to collect data. In the future, this surveillance data might be collected by permanent sensors mounted in these field locations, and the new task will be to analyze the data sent back from these sensors. Therefore, staff qualifications for the same work function could be considerably different.

These new staff qualifications must be aggregated and analyzed to determine what training programs are needed to ensure staff competence. In general, it is expected that digital automation technologies will be exploited to make using these technologies as simple and intuitive as possible, reducing reliance on initial and refresher worker training for proficiently conducting the work functions.

4.3.5.5 Workload analysis

Workload analysis is similar to staffing level determination but must also consider timing with respect to peak work periods. As with the staffing level, it is primarily derived from the "people" element of the PTPG analysis. In nuclear generation, there are certain drivers in work scheduling for such factors as urgency due to generation threat or regulatory requirements, as well as other factors such as conducting the work during a refueling outage or optimum work window. Therefore, staffing levels, whether baseload or augmented resources, must be sufficient to meet peak workloads that cannot otherwise be better levelized.

4.3.5.6 Technology strategy

A technology strategy document is needed to plan the orderly implementation of technology applications used to transform work functions. One important aspect of this is a technology readiness assessment to determine which technologies are ready for near-term implementation and how they will evolve over time to provide even greater functionality. Another aspect is technology integration, specifically in regard to understanding the interrelationships among technologies and how they work together to enable a broader work function transformation. Some technologies are "enabling," meaning they do not provide bottom-line value by themselves but enable other technologies to work more effectively. A good example is wireless communications, which is useless by itself but can allow for smart work packages in the field to retrieve information determined necessary during a job activity.

A technology strategy is also used to aggregate the business cases for similar work function efficiencies across the operating model in order to thereby determine the total value the technologies offer the organization and what the total return on investment will be. Finally, it is used to develop a technology deployment plan that considers all aspects of change management and support functions needed to introduce the technologies into the work functions.

4.3.5.7 Governance model

The governance model is the totality of the management controls for conducting business operations for the nuclear fleet. It addresses all desired business practices, internal and external constraints, and the application of the organization's values and operating principles. These management controls extend from high-level policy statements down to specific work-process instructions. They include such things as employee policies and procedures, quality assurance programs, administrative procedures, technical procedures, operating manuals, information technology policies, etc.

Changes to the existing governance model are identified through the "governance" element of the PTPG analysis. As part of capability development, the existing governance documents must be evaluated to determine how they are affected by the formulation of the capabilities. Revision of these affected documents must be part of the change management process for transitioning to the ION model. Revisions affecting management policies must, of course, be reviewed for acceptability by the senior leadership of the organization.

4.4 ION Analysis Tools

This is the collection of computer-based applications developed and used in the framework processes, They will be provided as deliverables to the industry for utilities desiring to conduct ION analysis in the same manner as the collaboration with Xcel.

4.4.1 Integrated Operations Capability Analysis Platform (ICAP)

This is a repository of the information required to analyze NPP work functions and apply innovative concepts to them. The information includes descriptions of the work functions, any constraints on the work functions (regulatory, policy, etc.), descriptions of work-reduction opportunities regarding individual work functions, quantification of labor and non-labor savings achieved through those opportunities, and certain risk-assessment information in pursuing those opportunities.

4.4.2 Innovation Portal (IP)

This is a repository for a wide range of information on innovative technologies applicable to NPPs. This database will be seamlessly joined to the Work Function Analysis Database so the information can be accessed and applied during work function analysis. It will also be accessible in standalone form as a web app so nuclear utilities can retrieve the information directly.

4.4.3 EPRI Business Case Analysis Method (BCAM) Interface

EPRI Business Case Analysis Method (BCAM) Interface – The Electric Power Research Institute (EPRI) has developed a comprehensive business case application based on a prior LWRS project-developed a business-case tool known as the Business Case Methodology Workbook (BCMW)—a complex Excel workbook that compiles the detailed work-activity savings from NPP innovation and aggregates the benefits into an overall business-case format, providing a calculation of harvestable savings (reduced FTE) and the present worth of the benefits. The ICAP will be interfaced, with minor adaptations, to the BCAM so labor and non-labor data can be seamlessly transferred to produce the needed investment business cases.

4.5 Future ION Activities

4.5.1 Configuration of Capabilities – FY 2021

As introduced in Section 4.3.4, the major project activity of FY 2021 will be to develop a graded method for the configuration of capabilities, meaning a detailed analysis of the PTPG elements of the capabilities to generate requirement specifications for technologies, innovations, and other changes that transform how work is performed in the future operating model. This method will be informed by the substantial experience of DOE national laboratories in engineering practices and human factors science in order to ensure that socio-technical considerations are addressed. It will draw on successful experiences in complex human-technical integration, not only from the North Sea experience with IO but also from similar undertakings by the U.S. Navy in designing advanced combat vessels with highly integrated technology. It will be graded in the sense that certain development and validation activities will be applied in a manner commensurate with the complexity and criticality of a given capability.

This method will be developed and applied to three capabilities or sub-capabilities of varied complexity from a technology and human interface standpoint. The method will be refined through lessons learned in the development work.

4.5.2 Virtual Organization – FY 2022

Section 3.1.2 introduced the notion of generations of IO development, and that Generation 2 involved the expansion of IO to third-parties supporting the organization. The focus of the project work in FY 2022 will be the further development of the Collaboration capability to enable future business models in which parties are seamlessly integrated into real-time work activities from remote locations. Generation 2 IO is key to further performance improvement and cost reduction by enabling utilities to outsource critical skills and expertise not needed on a full-time basis and not central to the core mission of reactor and power operations. However, these services are required to be just as effective as if they were onsite and being provided by the plant staff. The Collaboration capability must provide all information access needed to achieve appropriate situational awareness by the remote resources. It must provide a means to interact with the work activities in a real-time fashion. As such, this Collaboration capability will foster a virtual organization of equal or greater effectiveness compared to the current large staffs at NPPs—and at substantially reduced costs.

4.5.3 Technology Integration – FY 2023

As described in Section 4.3.5.6, technology integration is a key component of successful IO implementation. The project work in FY 2023 will focus DOE resources on addressing how NPP technologies are evolving to greater functionality and be integrated for synergistic benefits in performance and cost management. Many technologies introduced into nuclear work practices are implemented in the form of how these functions were conducted in the past. For example, computer-based procedures can be highly automated but still be similar in form to paper-based procedures. Technology integration will introduce new combinations of technologies to achieve the same desired outcomes as the predecessor activities but in more efficient ways. This will create a more future-oriented roadmap for technology integration based on optimum timing and order of implementation.

5. ION Key Performance Indicators

KPIs are essential for any business to understand whether its goals and objectives are being achieved. In the case of IO, there are two separate sets of outcomes to measure: (1) fundamental business objectives and (2) IO implementation or transition to the new business model. Within these categories are both performance and diagnostic measures, the latter being how well processes are working and—in particular—whether new IO concepts have been fully exploited. These diagnostic measures do not represent external value.

As the operating model transforms to adopt IO principles, it is critical to establish metrics and KPIs to measure the performance of processes and systems, track the progress of the transition to the IO model, provide trending information for continuous improvement, and increase accountabilities and process ownership. Similarities with the O&G, airline, and manufacturing industries, as outlined in Section 3.1.3, also lend themselves to applying similar KPIs. This results in a set of new or modified KPIs.

Using a tiered hierarchy of KPIs with varying levels of granularity and different audiences/owners is a best practice, as depicted in Figure 16. For instance, top-level (i.e., Tier 1) KPIs would capture long-term performance across the fleet and indicate the overall health of the individual nuclear plants and nuclear fleet. Progressing to lower tiers, the KPIs become more plant-, department-, or system-specific and would be reported more frequently to lower levels of the organization.




Figure 16. Tiered hierarchy of KPIs.

Further, these KPIs should adhere to agreed-upon design principles, which may include:

- Clear ownership
- Clear definitions (i.e., what the KPI means and what it measures)
- Measuring success with line of sight through the organization; ensuring that the entire organization is focused on the right goals
- Easy to calculate and easy to track; not manual
- Cannot be manipulated
- Reinforces capability thinking
- Influences future sustainability (i.e., long-term technical and economic viability)
- Drives/shapes desired behavior
- Clear as to which roles or functions are responsible, and why
- Clear as to what activities drive it
- Understanding of why the KPI is used (e.g., diagnostic or "real" indicator of performance)
- Understanding of why the KPI exists (e.g., regulatory-driven)
- Raw number or calculation vs. index

Additionally, KPIs that track progress made in transitioning to IO principles, which are leading indicators, and those that incorporate some form of "crowd-sourcing" are preferred.

To revamp KPIs to measure the performance of the new operating model, the above design criteria is applied, integrating lessons learned from the O&G, airline, manufacturing, and other capital-intensive industries. The resulting KPIs measure performance for each of the three primary capabilities. KPIs developed specifically to measure the performance of the new IO model are emphasized in **bold**. In general, these new KPIs measure the efficiency and effectiveness of the IO model in maximizing the reliability and availability of the plant while simultaneously minimizing costs. For instance, the forced loss rate KPI measures the percentage of energy generation that a plant is incapable of supplying to the grid as a result of unplanned losses (e.g., unplanned shutdown or load reduction), while the MWh per person-hour onsite KPI measures the total MWh divided by the person-hours for all site personnel (employees and contractors). Continuous monitoring of these KPIs is essential for maintaining performance while correctly resizing the business model and realigning plant resources.

Table 1. Tiered KPI chart.

Unit Capability FactorTotal O&M CostsTotal Capital Costs	 NRC Regulatory Performance INPO Plant Performance Index 	 Industrial Safety (DART) Performance Forced Loss Rate (FLR MWh per Person-Hou Onsite 		
Lower Tier Metrics – Aligned to Capabilities				
Operate the Plant	Maintain the Plant	Support the Plant		
 PPI sub-model index – Operations, Operations, Operational Focus Department Clock Resets Limiting Condition of Operation (LCO) Events Operational Transient Events Clearance and Tagging Events Operational Decision-Making Events Crew Clock Resets Operational Fundamental Errors Rad Control Events Reactivity Management Unscheduled Equipment-Related Downtime Current Employee Assessment of Plant Condition Staff Augmentation Contractor Count Weekly Overtime % 	 EQP PPI sub-model index – Equipment Reliability Maintain the Plant Capital and O&M Integrated Plant Function Material Condition Unplanned Maintenance Checks and Events Maintenance Cost for MWh Generated Rework Percentage Maintenance Productive Time Preventive and Predictive Maintenance Ratio Critical Corrective Maintenance Items Work Orders Ready to Work % Schedule Compliance Labor Planning Quality % of Maintenance Crews that are Multi-Disciplined 	 PPI sub-model index - Management Challenges Trend in NRC violates and X-cuts Accreditation Health Drill and Exercise Performance 		

Bold text denotes new KPIs developed to measure the performance of the IO model.

6. Conclusions

For nuclear power to survive as a competitive energy source, major structural changes must be undertaken to dramatically reduce O&M costs while still achieving excellent availability and a high degree of safety. With many electric utilities announcing plans to achieve low- or zero-carbon generation by the middle of this century, nuclear-generated electricity as a reliable, non-emitting resource can be part of achieving this goal. As stated in a 2018 MIT report, "Premature closures of existing plants undermine efforts to reduce carbon dioxide and other power sector emissions and increase the cost of achieving emission reduction targets" (2). In many cases, when an NPP is shut down prematurely, generation is replaced not by another non-emitting source but by natural gas, leading to increased emissions.

Nuclear power had its best year ever in 2019, as reported by NEI and the Electric Utility Cost Group [19]:

- Highest generation ever
- Supplied almost 55% of carbon-free electricity in the nation
- Avoided over 476 metric tons of CO2
- Fleet average capacity factor: 93.4%
- Average generating cost: \$30.42/MwHr

While this is a significant accomplishment, it probably represents the best that can be done operating under the existing paradigm. NEI's "Delivering the Nuclear Promise" implemented some overdue process changes, but they were mostly limited to "low hanging fruit" and did not involve equipment modernization or any significant addition of new technology. In addition, virtually all the existing fleet long ago "paid of its mortgage," so the current average generating cost does not include any costs involving the original construction.

Nuclear power has reached—and probably passed—the "strategic inflection point" and is nearing the point at which it will be impossible to recover unless drastic measures are taken. Ten NPPs shut down primarily due to economic pressure over the last seven years, and five more have plans to shut down over the next five years. In addition, 15 plants were saved from economic shutdown due to temporary state economic relief (3). If nuclear power is to be preserved for future generations, a significant transformation must take place.

IO, as developed and implemented by the North Sea O&G industry, transformed their business and enabled them to achieve competitiveness despite increased labor costs and dropping revenue. This transformation was performed while still achieving high levels of safety. Given that offshore drilling and production facilities are very similar to nuclear facilities in terms of complexity, safety, and environmental impact, IO should be investigated as a possible model for transforming the nuclear industry.

Traditional approaches to business transformation that essentially focus solely on either technology innovation or process changes are destined to fail. The strength of the IO transformation model is that it requires integration of the transformation process across the four primary dimensions of any business endeavor: process, technology, people, and governance. In addition, advanced communication and analysis technologies enable most work to be done in an optimum fashion, independent of physical location.

Capability thinking is another powerful tool in the arsenal of transformation. It can be used to design the new organization so it can provide the necessary skills, abilities, and resources to perform work in a new, effective way. A focus on capability assessment will also break down "stove pipe" structures and harmonize the provision of necessary resources at the right time and in the right place.

In summary, IO with capability thinking shows promise as a model to guide the nuclear power industry in transforming to meet current and future challenges posed by the new economic realities of power generation. It is clear that following the current course of limited technical upgrades and evolutionary process changes will not sufficiently guarantee the survival of most of the U.S. nuclear fleet.

7. Next Steps

To fully evaluate IO and capability thinking to determine their applicability to the nuclear power industry, the following near-term actions are planned as described in Section 4.5.

- 1. Develop an industry-transferable process for significant nuclear work function innovation based on Integrated Operations concepts.
- 2. Develop a methodology tool set for nuclear work function innovation based on macro ergonomics systems approaches and solutions.
- 3. Develop advanced concepts in digital remote collaboration to enable virtual organizations to conduct nuclear plant work functions seamlessly with the on-site staff.
- 4. Develop a technology integration roadmap that maximizes nuclear plant performance improvement and cost reduction in plant control and monitoring, work activity automation, worker efficiency, human performance, risk management, and operational decision making, through the synergistic combination of advanced digital technologies.

8. References

- 1. Idaho National Laboratory Light Water Reactor Sustainability Program website, https://lwrs.inl.gov/SitePages/Home.aspx, Retrieved 2020-07-19.
- 2. Department of Energy, Office of Nuclear Energy, Light Water Reactor Sustainability Program Integrated Program Plan, INL/EXT-11-23452 Revision 7, Idaho National Laboratory, November 2018.
- 3. Lybeck, N., Thomas, K., Plant Modernization Technical Program Plan, INL/EXT-13-28055 Revision 8, Idaho National Laboratory, September 2018.
- 4. Xcel Energy, Form 10-Q, Quarterly Report, Filing Date Apr 27, 2018. secdatabase.com. Retrieved May 5, 2018.
- 5. Roberts, David (2018-12-05). "For the first time, a major US utility has committed to 100% clean energy." Vox. Retrieved 2018-12-07.
- 6. Dominion News Release, Dominion to Close/Decommission Kewaunee Power Station, October 22, 2012.
- 7. Buongiorno, J., Corradini, M., Parsons, D., Petti, D., *The Future of Nuclear Energy in a Carbon-Constrained World*, Revision 1, Massachusetts Institute of Technology, 2018
- 8. U.S. Energy Information Agency, Levelized Cost and Levelized Avoided Cost of New Generation Resources in the Annual Energy Outlook 2019, February 2019.
- 9. Thomas, K., and B. Hallbert, 2012, Long-Term Instrumentation, Information, and Control Systems (II&C) Modernization Future Vision and Strategy, INL/EXT-11-24154, February 2012
- Institute of Nuclear Power Operations, Industry Cumulative Impact Summary Report, October 2013.
- 11. Nuclear Energy Institute, Delivering the Nuclear Promise: Advancing Safety, Reliability and Economic Performance, February 2016.
- 12. SPE-170630-MS Intelligent Energy: A Strategic Inflection Point Mark Lochmann, OVS Group; Ian Brown, Platts, Society of Petroleum Engineers, 2014.
- 13. Grove, Andrew S., Only the Paranoid Survive: How to Exploit the Crisis Points That Challenge Every Company, Crown Publishing, 1996.
- 14. U.S, Department of Energy, Office of Energy Efficiency and Renewable Energy, 2018 Wind Technologies Market Report, 2018.

- 15. Boardman, R., Suk Kim, J., Hancock. S., Hu. H., Frick, K., Wendt, D., Rabiti, C., Bragg-Sitton, S. Elgowainy, A., Weber, R., Holladay, J., Evaluation of Non-electric Market Options for a Light-Water Reactor in the Midwest, Idaho National Laboratory, 2019.
- 16. Drøivoldsmo, A., Rindahl, G., McDonald, R., Lessons Learned from Integrated Operations in the Petroleum Industry, Institute for Energy Technology. 2019.
- 17. Reegård, K., Drøivoldsmo, A., Rindahl, G. and Fernandes, A. The Capability Approach to Integrated Operations Handbook, Center for Integrated Operations in the Petroleum Industry, Trondheim, Norway 2014.
- 18. Henderson, J., Hepso, V., Mydland, O., What is a Capability Platform Approach to Integrated Operations? An Introduction to Key Concepts, Business Science Reference, 2013.
- 19. Nuclear Energy Institute, Nuclear by the Numbers, April 2020.

Appendix A

Lessons Learned from Integrated Operations in the Petroleum Industry

IFE/F-2019/079







Report number IFE/F-2019/079			Availability: Limited		
Date: 2019-09-08	Revision: Final	DOCUS ID: 36676	Number of pages: 55		
Client: Idaho National Lal	Client: Idaho National Laboratory P.O. Box 1625, MS 3725 Idaho Falls, ID 83415INL USA				
Title: Lessons Learned fr	om Integrated Operati	ions in the Petroleum Ind	dustry		
companies operating the and what has worked n	Norwegian Continent ot so well. Examples	al Shelf and gives insight and practical guidance	een adopted in by oil and gas nts into what has worked well e for how to use integrated oretical and methodological		
The scope of the report is to summarize lessons learned and has been refined in project group weekly meetings throughout the project period. Presentations and discussions of selected topics relevant for the scope has been guiding the writing and significantly influenced the end result.					
The report is based on IFE experiences from both project work and research within the oil and gas industry, supported by published research and reporting where this has been available. Materials not limited for distribution by the rights of the operator companies referred in the report are collected and delivered as an electronic package to the LWRS project.					
Prepared by (digitally sign Asgeir Drøivoldsmo; G	•	t McDonald			
Reviewed by (digitally sig	jned):				
Espen Nystad					
Authorised by (digitally si	gned):				



Contents

1	Е	xec	utive summary	2
2	F	Proje	ct scope and background	3
3	10	O de	efinition	4
	3.1		What is IO about?	4
	3.2		Can principles from IO be relevant for US Nuclear way of operation?	5
4	Ir	mple	menting Integrated Operations in Norwegian Petroleum	8
	4.1		Establishing cooperation and building a guiding coalition	8
	4.2		The value potential business case	8
	4.3		Establishing a vision and high-level goals for new work practices	9
	4	.3.1	Traditional practices	10
	4	.3.2	First generation IO (G1) processes	10
	4	.3.3	Second generation IO (G2) processes	10
	4.4		What IO practices have been successfully implemented and what has not?	11
	4	.4.1	The onshore operation centers	11
	4	.4.2	Continuous onshore support	12
	4	.4.3	Timeline for implementation	12
	4	.4.4	Examples of success and failure	12
5	U	Jnlo	king the potential – changing how work gets done	15
	5.1		Establishing new operational philosophies	15
	5.2		Principles and guidelines	16
	5.3		Operation philosophy – how to increase degrees of freedom	17
	5	.3.1	Collaboration	17
	5	.3.2	Manning according to activity - Use of a company internal resource pool for staffing .	18
	5	.3.3	Campaign based maintenance (Block Maintenance) and modifications	19
	5	.3.4	Simplified maintenance	19
	5	.3.5	Multi-skill staff	19
	5	.3.6	Off-site monitoring by equipment vendors	20
	5	.3.7	Bring the problem to the expert	20
	5	.3.8	Collaboration between operators and contractors	21
6	Т	he c	apability approach to IO	23
	6.1		Capability thinking	23
	6.2		IO success criteria and work process aspects	23
	6.3		Examples of organizational support capabilities	25
	6	.3.1	Analytics	26
	6	.3.2	Collaboration	26
	6	.3.3	Innovation	27
	6	.3.4	Influence	27



	6.4	Maturing capabilities	27
	6.4.1	Collaboration	28
	6.4.2	Leadership and change management	30
	6.4.3	Capability maturation and adopting change	32
7	Sumr	nary	33
R	eferenc	es	35

Appendixes A - H

Abbreviations used in this report

ACE	Advance Collaborative Environments
CAPEX	Capital Expenses
CCR	Central Control Room
CM	Condition Monitoring
D&W	Drilling and Well
FTE	Full Time Equivalent (unit that indicates the workload of an employed person)
HSE	Occupational Health and Safety
10	Integrated Operations
ISS	Insulation, Surface treatment and Scaffolding
KPI	Key Performance Indicators
NCS	Norwegian Continental Shelf
LWRS	Light Water Reactor Sustainability (research program)
O&G	Oil and Gas
O&M	Operation and Maintenance
OIM	Offshore Installation Manager
OPEX	Operation Expenses
SAS	Safety and Automation System
SPE	Society of Petroleum Engineers

1 Executive summary

In autumn 2004 the Norwegian Oil Industry Association (OLF) decided to implement an industry-wide program for Integrated Operations (IO), being a new self-service concept for remote, real-time management of oil & gas fields on the Norwegian Continental Shelf (NCS). The decision was based on the recommendations from a feasibility study indicating that IO could reduce operating costs by 20-30% and accelerate production by 5-10% through:

- Improvement of decision and work processes through implementation of IO and transfer of operations to virtual operation centers onshore
- Implementation of IT solutions that support remote, real-time management of drilling operations, reservoirs and production facilities, maintenance, and logistics

The program's main goals were to establish a common digital infrastructure for Norwegian offshore facilities, industry-wide information security requirements for accessing this infrastructure, common standards for the transfer of data from operations offshore to virtual operation centers onshore, best practices for remote, real-time management of oil and gas fields, and a knowledgeable industry that supports IO [1].

Most operators took a technology-driven, functional approach to provide improved surveillance, analysis, and collaboration tools. This has driven the industry mostly toward developing better tools to improve existing work processes. New IO tools that support this way of working can deliver increased production and efficiency, but at the same time, run the risk of introducing additional operational complexity [2]. The engineers that were involved in the initial planning of IO might have displayed overconfidence in the effects of the technological possibilities. This created a focus on the technology aspect that might have been at the expense of the "softer" people and organisation perspectives.

2 Project scope and background

Renewable and fossil energy production is challenging nuclear power production in large parts of the US. Developments with increasingly demanding regulations and consequently increased staffing have resulted in nuclear power generation today struggling with profitability.

Unlike the situation in petroleum production around year 2000, the American Nuclear does not seem to have the same common perception on the degree of urgency of cost reduction. In a deregulated market, the revenue from electricity production is depending on the energy mix in the local markets and utilities have a considerable differentiation in needs for OPEX reduction depending on their geographical location. However, there is a strong urge in the industry for identification of new and cost-efficient technologies and finding ways of reaping benefit from technology investment.

Through the series of weekly meetings in the project group, discussion with utilities, presentations and discussions in the Idaho Falls LWRS (Light Water Reactor Sustainability) workshop, June 2019, it became clear that experience from both methodological and practical guidance would be of value for the further effort in cost reductions.

The LWRS initiative has presented a model with a resource stack for development of advanced capabilities for delivery into functional areas in O&M (Operation and Maintenance). This model fits well with the recent thinking in development of organizational capabilities in the O&G (Oil and Gas) industry and much of the content in this report could be seen as a supplement for this way of thinking and as an extension towards the organization development area.

Given the current market situation and the sense of urgency for cost reduction, the reported insights presented focus less on innovation and more on the practical measures that have been taken in the O&G industry for the last two decades. For example, high cost and long-term initiatives like remote control rooms, cloud computing and full automation have been prioritized down in favor of more developed and proven concepts.

The idea is to present the concept of integrated operations, how it has been adopted on the NCS and give insights into what has worked well and what has not worked so well. Examples and practical guidance for how to use integrated operations in day to day operations are supplements to the theoretical and methodological presentation.

In order not to confuse the nuclear audience, the examples and descriptions of the petroleum organizations have not been separated between use of integrated operations for production or drilling.

3 IO definition

Most large exploration and production companies have during the last 20 years developed some sort of Digital Oil Field (DOF) program. While most of the activities cover similar objectives, each program has its own unique character, and each is shaped by drivers specific to the priorities and culture of the company and the specific expectations of the business and technology champions in that company. An overview of names and definitions can be found in Lima et al. [3]. The most well-known are:

- Intelligent Energy and Digital oil fields (Generic SPE)
- Integrated Operations (Norwegian Oil and Gas, ABB & Statoil)
- Field of the future (BP)
- Smart fields (Shell)
- I-field (Saudi Aramco, Chevron)
- GioP (Petrobras)

For this report, we will be reporting mostly on experiences from the NCS and the Norwegian Oil and Gas association, the definition found in Wikipedia has been chosen:

"Integrated operations (IO); refers to the integration of people, disciplines, organizations, work processes supported by information and communication technology to make smarter decisions. In short, IO is collaboration with focus on production"

This definition has proved to be durable in view of the lessons learned over the past two decades, as well as capturing the focus of the industry on building capital that is not only focused on technology.

3.1 What is IO about?

The Integrated Operations concept has its basis in the availability of new technology, particularly increased bandwidth allowing for new work forms and sharing of data and information across distance.




Figure 1. Concept sketch showing the real time data and communication as basis for onshore support to offshore production and drilling installations.

IO is an approach to solving the challenges of having personnel, suppliers and systems offshore, onshore and in different countries. IO is about removing the physical boundaries between people, making cooperation in real time across continents possible (Figure 1). IO involves using real time data and new technology to remove the divides between disciplines, professional groups and companies. It's about how information technology that makes remote operation possible, forms the basis for new and more effective ways of working. Real time transfer of data over long distances can be used to eliminate the physical distance between installations at sea and the support organization onshore, between professional groups, and internally or between the oil companies and suppliers [4].

When working across professional boundaries and exploiting real time data and technology that remove divisions such as time and place, the aim is to ensure better value creation for the future. Some of the benefits of IO are as follows [1,5]:

- Improved occupational health and safety
- More efficient operations
- Better reservoir and production control and optimization
- Better monitoring of equipment and more efficient maintenance
- Better resource exploitation
- Increased regularity (uptime)

A principal sketch of the collaboration between onshore and offshore is shown in Figure 2 below.




Figure 2. First generation IO as pictured by OLF in 2005. Processes built for integrated onshore support and offshore control centers.

3.2 Can principles from IO be relevant for US Nuclear way of operation?

Increased productivity and value creation through the implementation of Integrated Operations is basically about designing custom capabilities that contribute to more efficient work execution. The enabler for integrated operations is data communication and digitalization that allows you to perform work remotely and with more efficient tools. This opportunity is in principle the same for all industries, but different industries will operate under different environmental frame conditions, different regulatory regimes and cultures that make it easier or more difficult to realize gains.

We would like to say that Norwegian Offshore oil and gas production and US Nuclear electricity generation has more similarities than disparities.





Figure 3. Xcel Prairie Island nuclear power station, Minnesota, and Wintershall Brage oil production platform, Norwegian Continental Shelf.

There is obviously a different environmental context, different production processes and physical layout of the plants (Figure 3). The physical design of an oil platform is very much about saving space and weight, but formal requirements for the design process and approved equipment are not so different from nuclear power. Here it should be mentioned in particular that human factors and work system standards and guidelines applied by the Norwegian oil industry are mainly inherited from the nuclear domain.

Due to the high consequence of failure, and accidents like the Three Mile Island, Piper Alpha and Deepwater Horizon, both industries are in the situation of zero tolerance for emissions or personal injury. Safety requirements and technical complexity of process control systems is high and accordingly inhouse competence and capacity in these areas need to be maintained at a high level. Looking further into this area both industries have similarities within:

- Safety planning
- Risk detection
- Operational safety focus
- Procedural control and alarm handling
- Emergency training

These industries also have similarities in the way of doing day to day operations. Centralized control rooms have a similar function and functional division and way of working in both monitoring, alarmhandling and process control are much alike (Figure 4). However, the high degree of digitalization in NCS control rooms gives each operator a wider span and has eliminated the need to populate the CCR with more than a typical maximum of 4-5 operators for large installations and as little as two operators for the most modern installations with a high degree of automation.





Figure 4. Illustration of nuclear central control room (left) and a modern petroleum control room (right)

Not surprisingly, there are few differences in the executive disciplines (tariffed) and there seems to be little difference in the way maintenance is organized and how the work tasks are divided between and performed by I&C (automation), electric and mechanics.

Summing up, as basis for operation, both industries have the following features in common:

- Regulations with proactive and highly professional regulators
- High environmental and safety risk
- Geographically distributed "sites"
- High level of technical expertise and technology required
- Require workers to perform critical activities in potentially challenging situations
- Both are production enterprises
- Both have public and regulatory scrutiny
- Challenged by reducing demand and lowering cost of the product

4 Implementing Integrated Operations in Norwegian Petroleum

One of the success criteria for implementation of IO has been an industry wide adoption of this idea and a common effort across the industry to develop practical measures necessary for implementation.

4.1 Establishing cooperation and building a guiding coalition

The Norwegian oil industry has a long history of cooperation. This tradition has helped to bring about the following achievements:

- Up to the millennium shift, the industry took efficiency leaps that reduced lifting costs (lifting
 oil from the reservoir and through the processing plant) by 60-70% and increased the oil
 recovery rate by 16%.
- The Norwegian oil industry described implementation of Integrated Operations as a potential third leap and developed a scenario and vision for the Norwegian Continental Shelf (NCS) based on the implementation of IO. It revisited and developed the business case and road map for the implementation of IO based on NCS Industry-wide implementation.

In autumn 2004 the Norwegian Oil Industry Association (OLF) decided to implement an industry-wide IO program, being a new self-service concept for remote, real-time management of oil & gas fields on the NCS. The decision was based on the recommendations from a feasibility study indicating that IO could reduce operating costs by 20-30% and accelerate production by 5-10% through:

- Improvement of decision and work processes through implementation of IO and transfer of operations to virtual operation centers onshore
- Implementation of IT solutions that support remote, real-time management of drilling operations, reservoirs and production facilities, maintenance, and logistics

The program's main goals were to establish a common digital infrastructure for Norwegian offshore facilities, industry-wide information security requirements for accessing this infrastructure, common standards for the transfer of data from operations offshore to virtual operation centers onshore, best practices for remote, real-time management of oil and gas fields, and a knowledgeable industry that supports IO [1].

Three projects were established to develop an industry-wide platform for IO, and a fourth to define industry-wide practices for real-time management of oil & gas fields. A fifth project to communicate needs for R&D, competencies, digital products and services associated with the implementation of digital services to universities and vendors, and a sixth to revisit and further develop the business case for the implementation of integrated operations on the NCS.

4.2 The value potential business case

The value potential of IO has been estimated [6, 7] in the form of increased recovery rates, increased and accelerated production and reduced costs. Estimates have been based on documented results from the implementation of IO measures in comparable fields, as well as conservative estimates of the effect of yet untried measures.

In total, this gives a realistic estimate of the value of IO on the NCS. The effect of IO will create an added value in regard to the measures on which the fields have based their estimates for cost development and recoverable reserves. It is this added value that has been quantified.

Value potential estimate (Ibid.) was based on information made available to the project from the operating companies. The information has mainly consisted of forecasts reported to the Norwegian Petroleum Directorate, forecasts for OPEX and CAPEX (Wood-MacKenzie data), as well as specific field information submitted in meetings with the field management on the individual fields.

The study concluded that IO represents a potential value of 40 billion US dollars, Net Present Value (NPV). The basis for the estimates was a discount rate of 7% and a price trajectory as indicated in the National Budget (NB2006), which was based on an oil price of \$55 per barrel, falling to \$34 per barrel in 2015.

The main contributor to the potential value is the accelerated production resulting from increased reserves and production optimization. The total reserve increase is equal to a large new field on the NCS. The costs associated with realizing this value was estimated to 2.5- 3.5 billion dollars (NPV) over a 15-year period.

Realizing these values was assumed to be dependent upon an aggressive implementation of IO on the NCS. If the companies were unable to carry out this implementation rate, the values would be significantly reduced. If the companies choose a slower, but yet focused implementation strategy, the value of the IO will be \$25.6 billion (NPV), a reduction of \$14.4 billion of the estimated potential value. The cost related to such an implementation is estimated at \$2.9 billion (NPV).

4.3 Establishing a vision and high-level goals for new work practices

In the autumn of 2005, a work group established by OLF and representatives from the major oil companies, licensing authorities and the Norwegian energy research institutes, delivered a report that has become the guidance for implementation of new work practices [5]. The report established scenarios for the implementation and predicted that IO would most likely be implemented in two stages, i.e. first by Generation 1 (G1), then by Generation 2 (G2) processes (Figure 5). Both generations were assumed to change existing work processes profoundly.




Figure 5. OLF prediction of two steps in the IO implementation

The following paragraphs explain the different practices described for the traditional, G1 and G2 processes [5].

4.3.1 Traditional practices

Changes to the traditional practices were already seen in 2005 as a result of the burgeoning implementation of G1 processes, but prevailing practices still focused only to a limited degree on integration of work processes across disciplines, onshore and offshore and across companies.

Description of traditional practices [5]:

Generally speaking, most operational decisions are made offshore, in isolation or with limited support from experts onshore. Plans are relatively rigid and primarily changed at fixed intervals. The organizational structure is traditional, meaning that personnel onshore and offshore belong to several different units with different goals and key performance indicators. Plans were made and problems solved in a fragmented manner. Basic as well as advanced education/courses aimed to develop disciplinary specialists, not professionals with a good understanding of value chains and work processes. IT systems were specialized, and it was difficult and time-consuming to gather the data necessary to optimize the processes. Existing practices supported integrated work processes to a limited degree.

4.3.2 First generation IO (G1) processes

At the present time (mid-summer 2019) not many fields are still operated based on the traditional practices. A major shift took place with the implementation of a new operation model in Equinor (formerly Statoil, by far the biggest operator on the NCS) from summer 2009 and it would be reasonable to state that most of the main features for work practices forecasted in the integrated work processes report [5] have been, or are under implementation. The same could be said to be the situation for the other operators on the NCS, but with slightly varying degrees of implementation. The practices to be implemented were assumed to differ from company to company, but common for all were the following:

- They are built around onshore centers that are closely integrated with operations offshore through collaboration facilities and solutions that secure personnel onshore and offshore access to the same information at the same time and facilitate real-time collaboration.
- The centers are staffed by professionals who have the competencies necessary to manage the field(s) in question and take the necessary decisions.
- For some areas like drilling, onshore support is available 24/7, for other areas within normal work hours, e.g., from 6 a.m. to 6 p.m.
- Personnel both onshore and offshore can monitor operations in real-time, compare actual data with simulations, and identify operational as well as safety related problems.
- The professionals in the onshore centers can carry out "what-if" analyses, discuss consequences of various decisions, integrate activity plans and communicate with personnel offshore via high-fidelity audio and video systems and portable computers to find out what can be done to optimize operations further, integrate plans and avoid or solve problems affecting production, costs and safety.
- The team has been delegated the necessary authority to make decisions.

Implementations of these practices – termed G1 integrated work processes – were expected to lead to relatively simple but profound changes to the traditional work processes.

4.3.3 Second generation IO (G2) processes

Implementation of G2 IO is expected to lead to a closer integration of the work processes of operators and vendors and – most importantly – to the fields, will be the development of "digital services", i.e., operational concepts that are based on delivery of a large portion of the services required to operate a field "over the net":

- A typical oil & gas field then will be operated by personnel located in operation centers belonging to both the operators (oil companies) and vendors.
- The vendors will take over some of the daily work and decision-making processes that earlier
 were carried out by the operators, e.g., monitoring, analyzing and optimizing tasks, and will
 deliver services to the operators in real time, digitally "over the net".
- The personnel offshore will be informed and advised when anomalies or alarms are registered.
- The personnel offshore will still have the overall responsibility for the operation of the fields on the NCS and will take the decisions necessary to handle anomalies or alarms.

The centers will be operational 24/7, and will, to avoid information overload, make extensive use of tools for automatic filtering of information and automation of processes and decisions. Advanced automatic optimizers will for example run the daily production safely and efficiently.

The teams that staff these centers will be geographically dispersed across Norway and the world and will carry out tasks in accordance with "follow the sun" principles. The team members will have full access to required information, tools, services and each other, through advanced decision support and collaboration tools. To ensure that the team members collaborate well, goals will be well aligned, and performance will be measured by the same key performance indicators. This will have a major effect on the key work processes.

4.4 What IO practices have been successfully implemented and what has not?

IO solutions during the first decade focused mainly on new technologies, better use of real-time data, new applications to analyze and visualize data, improving the data foundation, and increasing collaboration. Frequently, this has led to an increase in operational complexity with an associated increase in personnel. The financial climate allowed (or perhaps encouraged) the industry to work in this way, because the high oil price meant that the greatest benefits came from increasing production rather than cutting costs, and adding personnel made sense if they could deliver increased production [8]. Most operators took a technology-driven, functional approach to provide improved surveillance, analysis, and collaboration tools. This has mainly driven the industry towards developing better tools to improve existing work processes. New IO tools that support this way of working can deliver increased production and efficiency, but at the same time, run the risk of introducing additional operational complexity [8]. The engineers that were involved in the initial planning of IO might have displayed overconfidence in the effects of the technological possibilities. This created a focus on the technology aspect that might have been at the expense of the "softer" people and organisation perspectives. If it is true that the human and organizational dimensions have not been given sufficient attention, this might be one of the reasons why the implementation has turned out to be slower than expected [9].

Since 2014, the industry has been adjusting to the new level of the oil price, and there was a renewed interest in projects that could reduce operating cost and deliver efficiencies. The emphasis is shifting to deploying solutions that make better use of existing resources (people and money) or reduce the number of people [10].

Some of the practices described in the previous chapters have been implemented, while others, for various reasons have not been successful. The following discussion will try to detail and elaborate upon the value contribution.

4.4.1 The onshore operation centers

Onshore operation centers supporting, planning and handling day to day technical challenges in the process are today the standard way of operation. The core of the onshore operation support is the

onshore operation group. One of the main principles for the G1 IO was to move work tasks that were performed in front of a computer from offshore to onshore and use only the minimum manning needed to run the production [11].

With the first-generation IO, each field typically got its own onshore operation group with responsibility for day to day operations, production optimization, maintenance work package development and operational planning prioritizations. Using the operation group this way has become a common practice across companies on the NCS.

To a varying degree, companies have established onshore centers for production optimization and integrated planning across operations, common logistics and emergency services and technical expert centers supporting e.g. fiscal, crane & lift, SAS and equipment surveillance. Getting value from these centers is currently the big issue in the further development of operation models.

4.4.2 Continuous onshore support

Due to strict safety regulations and agreements with the unions, almost all maintenance activity on an NCS production platform is taking place at daytime hours (e.g. 07 am. to 07 pm.) The need for 24/7 surveillance and support from the onshore operation centers is therefore not of a magnitude that can defend spending resources for onshore manning during night-time. The results from IFE function reallocation analysis supports this hypothesis even if it's easy to find examples of situations where onshore support could be useful. One has not been able to overcome all barriers to implement the development of virtual organizations. Implementation of collaboration technology has been successful, but the industry has, despite multiple initiatives, not agreed upon a common way of data exchange.

4.4.3 Timeline for implementation

It was not expected that second generation (G2) processes would fully replace the G1 processes before 2010-15. With the speed of implementation of G1 processes and work practices it would be reasonable to say that the full implementation took at least 3-5 years more than expected. Some integration with vendors and contractors has taken place. However, the operators are still holding on to their operations and maintenance staff. As argued by Gillman and Nordtvedt [12] inter-company, organizational and personal barriers have been factors impeding the development.

4.4.4 Examples of success and failure

Handheld and wearable technology for transfer of live video to technical expertise onshore (see Figure 6) was one of the hot technologies previewed to have an impact on the onshore organization's situation and problem understanding. This technology was also foreseen to reduce the need for offshore presence from vendors and operator engineering staff.



Figure 6 Handheld and wearable camera technology for use in the field

The introduction of this technology was not received as expected. As a demonstrator on conferences and workshops this was an immediate success, the speaker being able to show the audience live footage from the real thing. Also, among engineers onshore it was possible to see, if vaguely, benefits from being able to connect to the offshore work situation. However, the new (in some cases head mounted) cameras did not solve any problems that the field operators themselves felt that *they* had, and rather appeared to them as an attempt at "surveillance" from onshore. The problem was that the new technology was not built into the onshore-offshore work processes before introduction, nor was it anchored with the offshore end users. These cameras never became a part of the day to day offshore-onshore way of working.

Another prominent example is the establishment of onshore expertise call centers supposed to deliver support across installations. The principle was that instead of having one expert per field, centralizing these would simultaneously save in cost and increase the quality of their advice. Situations and issues that were encountered perhaps once a year on one offshore installation would appear frequently across a larger part of the NCS, giving each expert much more practice and learning across installations.

When the centers were first established, offshore did call in to ask advice. It very soon turned out that the competence in the centers was to generic to be able to answer very specific operative questions without delay as expected by offshore. Trust in these centers was swiftly broken, and after a short period of time nobody called anymore. The learning was that onshore call in support is very challenging to provide in the short operational loops.

Expert centers for the longer loops were more successful. Examples of these are surveillance of heavy rotating machinery, SAS (safety and automation systems), communication systems, logistics, fiscal metering and planning. These centers did not necessarily have to wait for a phone call from offshore but would more often contact the offshore installations when trends or observations indicated that offshore inspections or adjustments should be considered. Recently, there has also been established centers for long term predictive surveillance across fields for a wide range of offshore equipment and parameters.

In general, a common error has been the lack of proper business rationales for investments in new equipment and collection of new data. Change tends to lose both momentum and direction if not emerging from a business case, and it is later demanding to integrate the change in work processes and practices. On development of business cases, see [36].

However, there are also success stories. One of these is the Equinor Logistics and Emergency Response Center (LERC, Figure 7). Before the transformation of this center, a significant in-house job was performed in order to identify the new business case and its implications for the evolution of the project. Based on this work it was possible to identify what the resulting organization needed to look like, and which technology measures would be necessary in order to double the center's area of responsibility without significant staff augmentations.



Figure 7 Equinor LERC Centre - Marine Surveillance

Table 1 below shows a list of what could be said went well and what went wrong in the implementation of the first-generation IO. This summary is an IFE assessment of where one stands today. As always, this picture is not binary. There will be isolated examples of success or things not having the foreseen effect. As today (2019) the industry IO focus is very much towards remote monitoring and control implying increasing the onshore operational competence. Succeeding with this way of operations might lead to revitalization of some of the earlier not so successful IO applications.

Table 1. Failures and successes

Table 1. Fallules and successes								
First generation successes	Second generation successes	Failures						
Fiber optics between onshore and offshore	Integrated logistics planning and emergency response	Early investments in too advanced technology, often immature and not fit for purpose including smart gadgets (most types of handheld devices)						
Transformation from stand- alone self-supplied platforms to integrated offshore – onshore organizations	Established long loop planning, production optimization and maintenance processes with use of "right time" field data	Short loop operational support centers – help desk function for sharp end problem solving						
Standardization of roles and processes across fields and onshore organization	Multifield modification and maintenance concepts – e.g. campaign models	All-inclusive corporate engineering support software						
Reduction of expensive offshore administration hours	Multifield operation groups (onshore day to day operations)	Underestimating needs for collaboration training						
Improved use of competence across the organisation – function reallocation according to competence		Cross training all in one operator (Process, Automation, Electrician and Mechanic)						

5 Unlocking the potential – changing how work gets done

Reports and publications the last decade have shown numerous lessons learned from successful implementations and challenges with implementation of Integrated Operations [3,11,12,13,14,15, 16,17,18,19,20,21,22,23,24]. In general, recent reports focusing on value, conclude that the technology is mature, and IO is delivering as expected within each function, but there is still some way to go to reap the benefits from cross functional integration. The recommendation is to look towards holistic approaches like Lilleng's IO success criteria [25].

5.1 Establishing new operational philosophies

IO solutions and opportunities developed during the recent years have been deployed on existing operational assets with success. Significant economic and HSE benefits have been accrued and are well documented [5,9,11]. Therefore, consensus is that the typical drivers for IO are:

- Increased production and improved regularity
- Improved hydrocarbon recovery
- Reduction in operation cost
- Improved HSE performance

However, in the years since 2004, the progress hasn't been as fast as it could have been, and this could mean a reduction in the overall revenue Norway can get from its oil. Ten years ago, Petoro, an organization which represents the Norwegian Government interests in the NCS, claimed that a significant part of the problem is that IO is not brought into the discussions early enough during greenfield development projects, or major works on an existing platform [26]. The early project phases still focus on the oilfield and the construction; once work gets underway, there is a schedule to keep to, and the necessary considerations of IO are not sufficiently a part of the planning. For example, projects would typically be performed by copy paste of operation models supporting the pre-IO era [27].

To unlock the full potential, IO considerations must be a central component in early project phases and incorporated into the asset operational philosophy at the inception of field design [6]. Fundamental to this is the transition of data to information to allow "right time" or "relevant time" information for decision making that is effective and grounded in knowledge, i.e. the appropriate people have the right information at the right time irrespective of their geographic location and belonging.

Early project phases and the belonging documentation should have, as a core premise, an understanding of the decisions that need to be undertaken and to evolve an organizational construct to support this. In its simplest form, insights to a decision-making structure and consequently a potential organizational structure in outline may be revealed by the following questions [28]:

- What Decisions are to be made?
- What Information is needed to be able to make those decisions?
- Which People are best qualified to make that decision?
- Where should those people be located?
- What Work Processes and Technology are needed to present the decision makers with the right information at the right time irrespective of location and organizational belonging?

The above should form the basis for the development of a subsequent information management strategy, which shall address how to use, share, protect and manage the information supporting the business objectives.

The operational philosophy defines how the asset is to be operated and thus drives the demand for technology and work processes, and not vice versa.

Furthermore, in achieving the twin goals of operational and project excellence, the roles and responsibilities of operators and vendors will be changed. Contracts and incentives will need to be adapted to accommodate the goal of IO and may result in new service offerings. More efficient ways of working will need to be developed if capital efficiency is to be preserved, and changes to organizational structure to support these new ways of working are to be expected. In support of these aspirations, the following emerge as key areas requiring specific consideration:

- Automation
- ICT infrastructure
- Information management
- Collaboration environment

The operational philosophy must be recognized as a tool that will impact the technology selection process during the project development phases, and determines associated activities supporting the successful implementation of IO.

5.2 Principles and guidelines

In developing the Equinor (former Statoil) IO-based operation model the company established a vision for the organization and a number of concrete objectives for how the future operations should be carried out [11]. The conceptual frameworks with the underlying mechanisms for the new way of working were developed by Ringstad and Andersen [5] (Figure 8).

	. ,		
Traditional way of working	IO way of working		
Serial	Parallel		
Single discipline	Multi discipline		
Dependence of physical	Independence of physical		
location	location		
Decisions are made based	Decisions are made based		
on historical data	on real-time data		
Reactive	Proactive		

Figure 8. General development, digitalization changes the way work is performed. Based on Ringstad & Andersen [29]. More and faster collaboration and information transfer across geographical, discipline and organizational boundaries, between different groups and persons.

Concept strategies for the implementation were based on best practice from the successful Brage platform Pilot [14] and a number of supporting projects [30,11].

- 1. Offshore tasks that after analysis can be moved onshore shall be moved onshore.
- 2. Decision-making shall be done onshore and executing offshore.
- 3. Offshore staff shall spend more of the time performing core production and maintenance activities.
- 4. Continuity between shifts shall be strengthened through a more operational onshore organization.

The strategies were made operational through the development of a number of verifiable goals with corresponding requirements.

Through the analysis of tasks in the Brage platform [14], the new way of working was operationalized with the following results.

- Operations planning activities can be fully transferred onshore.
- Approx. 30% of admin. tasks related to the campaign team can be transferred onshore.
- Approx. 30% of admin. tasks related to the operating team can be transferred onshore.
- 50% of OIM (Offshore Installation Manager) and offshore line managers' admin. tasks can be transferred onshore.
- Approx. 40% of admin. tasks related to HSE coordinator can be transferred onshore.

The implementation used several of the measures described below to deliver value from IO. For an overview of the function allocation methodology used for the analysis, see appendix H.

5.3 Operation philosophy – how to increase degrees of freedom

5.3.1 Collaboration

The most visible aspect of IO is a collaborative environment: a suite of rooms customized to support real time communication and information exchange across two or more locations. All companies operating the NCS today have built collaborative environments, in which groups use a single source of truth and real time communications capability to jointly make decisions.

However, not all of these environments are equally successful at delivering benefits [24]. Many companies are getting some value by effectively collaborating in single-discipline (vertical) operations, such as well integrity monitoring, or rotating equipment monitoring. Verticals also scale well across assets. However, succeeding at cross-discipline (horizontal) operations such as maintenance is far more challenging, as it requires coordinated actions across multiple disciplines and across multiple physical locations.

Collaboration technology

The purpose of the collaboration technology is to enable the best possible decision by gathering the right competence without loss of time. The key enablers are the shared information surfaces [25] and the organizations collaboration skills [31].

As described by Sarshar and Rindahl [32] IO collaboration technology consists of high-quality videoconferencing, shared workspaces and data sharing facilities such as shared collaboration surfaces. The design and layout include video walls to share information and involve people in collaboration between distributed locations.

A shared collaboration surface can visualize a common and coherent representation of goals and activities and what the participants understand to be the agreed decision. A simple but important insight to be achieved before good use of technology in IO interaction sessions can take place is that, in addition to verbal communication, the cursor and set of surfaces (video and visualizations) are the only tools the participants have available for expressing themselves [33].

Videoconferencing equipment offers high-quality video picture in addition to audio and a shared surface. Such systems are often installed in collaboration rooms. Typically, a control system in the room controls the videoconferencing system, its sources of input (e.g. external laptop, document camera) and the room's functionality (e.g. lights and blinds).

As software and hardware solutions evolve, videoconferencing is moving to PC-based systems. The PC-based system needs a HD video camera/web camera, a good microphone and the necessary software [32]. Often, one uses headset with microphone to compensate for poor inbuilt speakers or microphones on the PC-based systems. Recent developments in the software systems also allow for connections to proprietary videoconferencing equipment and rooms. This allows personnel on travel to join a collaboration session between onshore and offshore through a laptop with internet connection. The PC-based videoconferencing systems also allow data sharing through a shared information surface. Some solutions also allow the different sites to take control of the mouse pointer when someone else shares data. This allows all sites to point on the shared information surface in equal manners.

As the cost of hardware, software, data and communications infrastructure falls, differentiation going forward really depends on these 'soft' management practices, which take the unique features of both assets, the situation, and the organization into account. While 80% of the project dollars of implementing Intelligent Energy might go to information technology, 80% of the effort needs to be applied to the change management, training, coaching, and governance efforts. Technology and tools are relatively easy to implement, but value comes from applying these management practices [24]. For more detailed recommendations on collaboration, see appendix F

Effective meetings

To succeed with collaboration across several geographical locations, good meeting management is extra important. The leader of the interaction shall ensure that all relevant information is used to ensure good decisions. The leader of the interaction must know the roles and participants, their competence and use it in the interaction, listen actively, and involve and encourage the different roles of active participation. In interaction across several geographical locations (with a majority of participants at one of the locations), local meetings can more easily occur at the locations with high number of participants, and it is the responsibility of the chairperson to stop such additions to "meetings in the meeting". The leader of the interaction is responsible for the common focus and that the agenda is followed. Prepare through frequent summaries and agree on the actions before they are noted. Actions that are decided in the interaction must be stored electronically according to the company's standard, so that these are visible to everyone. Other relevant information is updated as needed.

Meetings in Long loop processes

Fixed meetings (requirements)

- Standardization of participants to ensure predictability for participants from other parts of the organization
- Flexibility on frequency and meeting leaders
- Selected meeting attendance (which part of the meeting should one participate)
- Short and effective meetings
- Owners of meetings are responsible for quality and proper participation in the forum, but can delegate their own participation and leadership of the meeting

For an example of a typical day to day meeting schedule see appendix B.

5.3.2 Manning according to activity - Use of a company internal resource pool for staffing

The principle of activity dependent staffing means that resources are provided from a resource pool, or other parts of the company for larger activities such as drilling and projects. Typically, the responsibility of such a pool is to deliver skilled workers for activity-controlled staffing and planning maintenance resources. The Resource pool manages competence within selected subject areas for the company.

The same concept is used to ensure resources for planned maintenance across different platforms in an area. Establishing a pool of maintenance resources can be an effective way to reduce maintenance backlog in prioritized areas. Coordinated prioritization across fields shall ensure maintenance resources are utilized to the best of their respective operating areas. This way prioritizing resources must be based on regularity and maintenance analysis preparing proposals for prioritizing area-linked planning maintenance resources between the units in the area. This concept should consider the need for local plant knowledge to ensure efficiency.

For start-up of new systems or greenfield installations it has shown effective to plan with a fixed minimum manning but with an extended start-up manning that will be gradually reduced when production is stabilizing.

5.3.3 Campaign based maintenance (Block Maintenance) and modifications

While activity dependent staffing is in addition to a minimum staffing concept [34] to enable the facility to fulfill its tasks through increased activity that is not due to normal operation or maintenance, campaigned based maintenance is a resource effective a way of handling the planned and preventive work. Examples are when carrying out major activities such as drilling or projects and need for extra resources due to audit shutdown (RS), extraordinary training etc. The need for additional staffing should be assessed and approved as part of the decision to carry out activity. (See Appendix F for more details).

5.3.4 Simplified maintenance

One of the major NCS operators implemented a promising concept of more flexible performance for low risk and low complexity maintenance. One of the situations leading up to this implementation was that the bureaucracy of planning, starting and finishing work could be reduced. By identifying short time, low risk jobs and run these through a simplified work process, time can be saved in all administration phases of the job (See Appendix C for more details).

5.3.5 Multi-skill staff

There are many situations where multi-skilled workers can deliver considerable contributions to operation efficiency. Several of IFEs projects for a major NCS operator, working with function reallocation, workload studies have identified numerous situations where the combination of field operators and the I&C and electro disciplines seems to have a potential for efficiency gains.

However, the experience from earlier attempts on cross training in an NCS-company [35] developing the so-called PEMA (Process, Electro, Mechanics and Automation) operator stalled due to lack of agreements across the industry and the challenge with retraining within multiple disciplines To make the solution work the implementation would have to be implemented with a sufficient volume to provide replacement personnel in case of turnover and sick-leaves. Combining only two disciplines is easier and would give a lot of flexibility for the use of staff in day to day work, but even then, training and updating competence within multiple crafts would take more time than desired.

The solution could be in the differentiation between multi-craft and multi-skilled. The concept of "multi-craft" training would be defined as a Journeyman in one trade achieving Journeyman status in a different trade, while "multi-skill" training would be defined as a Journeyman in one trade merely adding limited additional skills from another trade [51]. Obviously, the investment in time and resources for multi-craft training is far greater than multi-skill training. In addition, the difficulties in maintaining proficiency are far greater with multi-craft training as well and this could negatively impact both safety and productivity. It appears that most organizations are moving toward multi-skills

training and this paper will use the terms "cross-training" and "multi-skill training" interchangeably (ibid).

Analysis has shown that field operators on a modernized production platform will have approximately 50% of their time available for upcoming tasks [36]. Given the fact that a high proportion of field operators on the NCS have Journeyman papers from either the mechanics, electro or I&C, many of these operators have the competence for performing a lot of work tasks within their secondary discipline without continuously updating and training. (See Appendix E for more details).

5.3.6 Off-site monitoring by equipment vendors

Using their own servers, the on-board computer network and the onshore fiber-optic cable, the 3-party supplier has the opportunity to log in to offshore equipment from its own office. This way, they can have condition-based maintenance, troubleshoot errors, or provide remote support. This can result in significant savings. From the office one can solve software errors and find out user errors without traveling offshore. If there is equipment failure, you can find out what is wrong and what parts you need to include offshore on service assignments. In this way you do not have to sit offshore and wait for the right part to be sent out. There will be fewer trips with shorter stays of this technology. Even if there are increasingly more examples of successful multidisciplinary operation centers, the business incentives for closer integration with vendors and vendor monitoring of equipment has still not been strong enough to reach a breakthrough in the industry [54]. There are successful cases e.g. valve monitoring, but these examples are by no means widespread. Instead we have seen a steady build-up of analytics capabilities to handle equipment condition monitoring within the O&G companies onshore operation centers. For Equinor this monitoring capability is the main driver behind their ongoing digitalization programs [37].

It is reason to believe that the successful stories with remote monitoring from a 3-party is strongly connected to the way the operator companies establish incentives. Remote monitoring will reduce unnecessary waiting time offshore in terms of parts, work packages and dependency on other jobs. The result is reduced costs and fewer offshore days for the operator company. But how will this affect the supplier? It is common for offshore working hours to be invoiced according to so-called reimbursable contracts. By working more efficiently and having fewer people offshore, contracting tools miss out on a possible profit. There are experiences showing that to establish sustainable models from this concept, the operator has to take considerable CAPEX together with the supplier to establish the operation centers. Since, operation from the supplier's center can also entail a contractual lock-in for the oil company, and therefore requires a great deal of trust between the parties. [8].

5.3.7 Bring the problem to the expert

Traditionally O&G companies (operators as well as service companies) had all their expertise in-house and typically organized in asset organizations. The traditional organization model of having one individual responsible in each asset team, and circulating those resources to spread the expertise, is not very efficient, because, at any one time, an inexperienced individual may be struggling with data interpretation of a frequent problem, at the same time as an experienced individual is rotated to an asset team where the problem occurs very rarely. The organization is not making the most-effective use of its limited expertise [22]




Figure 9. Models for operation

Figure 9 from in Gilman & Nordtvedt [22] shows one of the basic principles for IO. The left side of the figure is an illustration of self-supported fields while the right side is showing shared expertise across fields. HRM, SS etc. are different functional areas.

Looking into the manning impact of changing model from the left to the right side of Figure 9, we used data from an unpublished IFE study performed for a major operator of the NCS. The study was done to estimate the total manning needs of a new offshore installation. A total of 13 different in-house on shore support centers were identified with deliveries of services to the particular offshore installation. The centers were spread on 7 different geographical locations all over Norway. In the study, 70 different specialized competences or functions were identified, (3 of the centers were not mapped in detail due to an incompatible business model for service delivery). Of the different competencies, 51 were given time estimates for how much they were supporting the specific offshore installation. The total delivery to the offshore installation from these 51 competencies was approximately 30 FTE (Full Time Equivalents) with a range from 0,1 and up to FTE 2.2 per discipline (mean value .6 and median value .5). Since 6 of the 51 competencies delivered more than one FTE, the minimum number of people involved in support delivery had to be 57. Using IO and changing from a traditional selfsupported field to expert centers (from the left to the right-side model of Figure 9), gave a theoretical saving of 27 FTE. However, this theoretical number for savings would be reduced for the competencies delivering only a fraction of an FTE and where the competence could be rotated between fields or locally could serve multiple offshore installations hour by hour.

5.3.8 Collaboration between operators and contractors

A major challenge for realizing the improvement potential is the contractual relationship between the contractor and the oil company. Challenges have been:

- Lack of KPIs and incentives to support the desired new ways of working
- Few initiatives for local middle management to adapt new ways of working with contractors
- Incompatibility of IT systems and collaboration technology
- Disagreement about who is going to take the cost for establishing the collaboration solutions
- Lack of contractor culture for innovation in their business models

To overcome these challenges Kaland and Nordtvedt [10] suggest incentivizing contractors to deliver more services according to IO principles. In order to succeed the same holistic approach, fulfilling all Lilleng [25] success criteria must be applied. In addition, the holistic perspective must transcend the contractual barrier between the parties. Operators must take the lead in creating an environment of

trust, where innovative IO based delivery models are valued. It must become possible for contractors to differentiate themselves by proposing new ways of working and collaborating that can create win/win situations. KPIs and compensation models must be adapted, and a shared improvement agenda must be established.

6 The capability approach to IO

A capability in general is the ability to perform a particular task or activity. Operational capabilities pertain to the current operations of an organisation and thus enable organizations to perform their necessary tasks. A dynamic capability, on the other hand, is "the capacity of an organisation to purposefully create, extend, or modify its resource base" [52]. The resource base includes tangible, intangible and human assets. Further, it may include resources that the organisation has access to, but not necessarily owns. Henderson et al. [38] broadly categorizes the organization's resource base into four types of assets: people, processes, technology, and governance/organisation when referring to the oil and gas industry.

6.1 Capability thinking

Henderson et al. and Hepsø et al. [38, 39] have outlined a series of steps to successfully configure the organization's resource base in a manner that matches well with its context. As described by Henderson. et al. [38], to have the 'Capability' to improve business value you must have a balanced approach to all four key elements, see Figure 10.

Focusing on the deliveries from the organisation, the crucial questions to ask are:

- Process What is the core value process and underlying processes that is to be improved and updated?
- Technology What technologies and working environments are needed to improve the process?
- People and Resource What skills, competencies and behaviors are needed to execute the process and use the supporting technologies?
- Organization and Governance What organizational structures, incentives and relationships are needed to execute the capability?




Figure 10. A capability is the synthesis of the interdependent resources involving people, process, technology, and governance that directly creates added value (Figure and definition; Henderson et al [38])

For a discussion of the capability approach methodology, see Appendix A.

6.2 IO success criteria and work process aspects

One example of a structured approach to IO which embraces the entire organisation and directly addresses the value chain work processes are the IO guidelines developed by Equinor (Figure 11). Their guideline describes requirements for selected work process aspects [25]. The IO guidelines and requirements pertain to the following seven interdependent success criteria [10, 25]:

- Strategy, mindset and leadership: Holistic IO mindset in the way of leading and working.
 Required training and competence to support open/transparent collaboration and cross functional decision making across geographically dispersed teams. KPIs and incentives that stimulate the change process.
- Work processes: Formal work processes and governing documents that lay the basis for new
 IO based ways of working (Best Practice)
- Operating model / way of working: Clearly defined ways of working across functions and geographic locations. Clear roles and responsibilities and allocation of work tasks for all persons, disciplines and organizational units (internal and external) that are involved.

 Collaboration workspaces and arenas: The physical and technical set-up, facilities and functionalities to support collaboration and decision making for all participants, independent of geographical location. Interactive screen displays that compile and visualize updated and synchronized information from many different sources to support the actual collaboration and decision making.




Figure 11. IO success criteria as described by Lilleng et. al [25, 40]

- Information access and decision support: Information and IT architecture, applications and
 interfaces that enable effective routing, transmission and processing of real-time and other
 relevant data. This ensures secure and efficient access to all relevant information for the roles
 involved. Communication infrastructure and data transfer: End-to-end communication
 solutions with sufficient capacity and responsiveness, security and availability.
- Data capture/data basis: The required instrumentation of plant and equipment for capture of real-time data. Access and retrieval of relevant reference and experience data.

The guidelines support an assessment of the value contribution an IO form of work will have in selected areas (aspects). The purpose of this is to link improvements to the company's overall business goals. Furthermore, the as-is situation is evaluated for each of the 7 IO success criteria against a future desired situation and improvement measures are formulated.

Henderson et al. [38] uses the IO success criteria during the process of defining capabilities both within and across the layers in the stack. They integrate their capability platform with the 7 success criteria as shown in Figure 12, suggesting a three-layer capability stack model.

Capability layers Operational Capabilities Value chain and Well and pipeline **Process** marked optimization optimizaion optimization Analytics and Collaboration Capabilities Collaboration Analytics Learning and sharing "others" Foundational Capabilities Operating Information available others' **Facilities**

Figure 12. Three-layer capability stack model corresponding to the IO success criteria. From Henderson et. al [38]

Capability development examples are described in appendix A.

6.3 Examples of organizational support capabilities

The following categorization can be used to describe the work system in terms of layers in a capability stack.

An operational capability layer consisting of:

- a) Capabilities to deliver production (including daily operations and production, planning and optimization of deliveries).
- b) Capabilities to keep the production running (including maintenance, development and modifications, and follow-up of service vendors)
- c) Capabilities for problem solving (handling production breakdowns and restoring production).

A support capability layer: Capabilities to manage information and collaboration, knowledge sharing and analytics, analytics support, innovation and improvement and needs for competence development.

And a foundational layer consisting of:

- a) Physical infrastructure (process and wells)
- b) Operational control facilities, networks and IT solutions
- c) Functioning organization, with governance, competence management, value chain management with contractors and vendors agreements.

Figure 13 illustrates four capabilities identified as critical for the support capability layer to empower the company to respond to the main drivers for transformation [41]




Figure 13. Capability stack with organizational capabilities support layer

6.3.1 Analytics

The analytics capability is internally oriented in terms of its usage, although it leverages data from multiple and various sources. A key goal of the analytics capability is to enable utilization of data in decision making processes. Furthermore, increased access to data enables greater transparency towards collaborating partners (i.e. service vendors) and increased availability of facts in assessments by engineering staff, which can increase effectiveness and quality of work. To achieve these goals, it is proposed that an organization needs to compile existing data, identify new data sources, prepare projections and simplify access to relevant data for the various decision makers.

Each of these needs to be linked to a business decision and embedded in the day-to-day business processes in order to deliver maximum value, and companies need to ensure that any IO solutions include these considerations. If an analytics engine is deployed to provide alerts based on well failure pattern rates, how is the organisation going to respond to those alerts? Who will be responsible for analyzing the recommendation, making a decision, agreeing on a corrective action and implementing that action?

6.3.2 Collaboration

Due to the high degree of specialty of work, geographic dispersion of competence, and reliance on service vendors, collaboration is central for an effective work form in most key processes in the company. The goals of the collaboration capability are to streamline work processes and resource utilization, and to optimize task allocation. The collaboration capability is proposed to simplify access to and utilization of competences independent of organizational and geographical location and ensure utilization of facilities and tools that are suitable for the various interaction needs, ranging from simple sharing of a document with a colleague to advanced multipart, video-mediated work meetings with vendors or authorities. For collaboration to be an effective work method in the company, the necessary facilities and tools first need to be established. Subsequently, the organization needs increased competence in new ways of working, including the appropriate use of technologies. We have observed great variety in terms of people's competence in using various collaboration technologies. We also observed that an important competence is to adapt to the preconditions of, and guide, external parties during interactions. It also became evident that the organization needs to

have a defined support function for the technologies, which will lower the threshold for using the technology if people encounter problems.

6.3.3 Innovation

The innovation capability is comprised of three main types of situations; continuous improvement referring to incremental innovation, development projects referring to increasingly radical innovations, and R&D projects in which new knowledge is developed in partnership with external parties (i.e. research institutes, other operating companies, technology developers, etc.). The goal of the capability is to streamline work processes, develop and implement new tools, methods and processes, and to develop competence and knowledge to support efficient task execution in the operational capabilities. The future demands point to faster pace of change, especially in terms of new technology. Therefore, the company needs to be able to detect new opportunities, screen the opportunities for their relevance, seize those that are deemed applicable, and finally implement necessary changes. Furthermore, to be effective in innovations, the organization needs to increase its capacity for innovations in terms of competence so that a greater number of employees can effectively contribute in innovation processes.

6.3.4 Influence

To take a proactive stance for companies in the industry, it is vital to establish co-operation and a long-term plan among several companies to mobilize needed resources to work systematically towards framework conditions. This type of work is long-term and demanding, and not part of everyday operations. Typically, there are few internal resources available to perform such work. Such collaboration has proven effective both to identify areas where the companies have common interests and to increase quality by gathering expertise in communication across the companies that, together, were able to sustain focus on producing messages that otherwise were likely to be heavily interrupted by other tasks internally in each company.

6.4 Maturing capabilities

The Capability Resource Matrix is a structuring tool to be used in the planning process that describes five maturity levels through which you manage and develop your capability resources in line with the intended capability delivery. Using the matrix as a tool can facilitate the planning process, and its output can easily be transformed to an implementation plan for the project.

People	Technology	Process	Governance	Maturity level	
Contin	uous improveme cap	Adaptable			
Predict	and manage the	future executi bilities	on of the	Predictable	ective
	Scaling up the p			Scaled	Obje
Managing o	and in control of	execution of th	e capabilities	Managed	
	Delivery of th	ne capabilities	**************************************	Initial	

Figure 14. Capability resource matrix, based on the people capability maturity model [42]

Figure 14 shows the structure of the Capability Resource Matrix, as well as the generic definitions of the levels. The staged process of development implies that the organization needs to steadily develop its resources level by level. This is to make sure that you are not attempting to conduct changes that your organization is not ready for. You are able to achieve a determined level of maturity if all the resources achieve that same level of maturity. The highest level of capability maturity in this tool concerns continuously adjusting and improving internal processes and external partnerships in response to changing environments (referring to changes in opportunities and constraints, e.g. new technological developments), so that you maintain value from your capabilities. Although you may be excellent at continuous improvements in general, you are not able to conduct continuous improvements and innovations in a specific area unless you have control of how to execute these capabilities today and acquire experiences on what works well and what can be done better.

6.4.1 Collaboration

In order to take out the potential of collaboration, the collaboration applications and environments need to be transformed from "Technology" into "stuff that works". To some extent, this is of course a matter of selecting user friendly technological solutions. However, a key issue observed is that for collaboration to actually take place, a set of interdepending resources (people, processes, technology and governance) must reach the appropriate maturity level. Furthermore, in many cases these resources are not well tuned, and certainly not tuned early enough (or persistently enough) for the technologies to work as planned [48]. In other words, the technology may be excellent or lousy, but a key success criterion is that its capabilities are aligned with the way of working as well as the organization's competence, and thus perceived by all as a necessary enabler, instead of another obstacle. This requires that collaboration is not handled as a technology procurement, but as the development of an organizational capability [32, 44, 48]. Examples of collaboration environments are shown in Figure 15.



Figure 15 Various collaboration environments

Below, in Table 2, is an example of a collaboration maturity matrix, levels 2 through 4. This indicates what the different maturity levels of a collaboration capability entailed for one specific organization.

Tak	Table 2. Collaboration maturity matrix example									
	People	Technology	Organization and governance	Process						
Level 4: Predicting own performance and focusing on continuous improvement in the organization	➤ Competence to consecutively evaluate own collaboration competence ➤ Culture for continuous improvement of collaboration (each individual able to see potentials for improvement ➤ Understands the limitations for collaboration with existing technology Support functions: ➤ Understand future needs for own competence	➤ Continuous implementation of new and improved technology that enables collaboration.	➤ Understand future training requirements and facilitate implementation of new collaboration tools							
Level 3: Standardized practices established for collaboration and	 Knowledge of deliveries and available competence from other units Collaboration training according to individual 	➤ Technical challenges have been addressed and rectified ➤ Emerging additional requirements have been seen to (tools and arenas adapted to the organizations needs and use)	➤ Evaluation and adaptation of organizational structure ➤ Evaluation and adaptation of IT-policies and governing documentation ➤ Evaluation and adaptation of agreements and contracts with external collaboration partners ➤ Competence planning covers needs for operation and exploitation of collaboration technology	➤ Evaluation and adjustment of work processes with regards to efficiency, quality, security and flexibility ➤ Established routines for evaluation of collaboration across the organization ➤ Established routines for handling of training needs across the organization						
Level 2: Handles and manages collaboration competence needs for each unit	Users: Knowledge of deliveries in own unit Knowledge of available competence in own unit Skills in use of relevant collaboration tools Knowledge of who to ask for help in trouble shooting Understand and are engage in collaboration as a way of working Understand «what the people at the other end need» Support functions: Competence in user support for collaboration tools	➤ Adequate IT communication infrastructure ➤ Each role has access to necessary data across location and organizational boundaries ➤ Each role has access to relevant customized information (dashboards) ➤ All members of the organization have access to relevant collaboration tools ➤ All members of the organization have access to adequate physical collaboration arenas (meeting rooms, video conference facilities, intranet) ➤ Backup solutions for collaboration tools have been established	➤ ICT policy enables role based access to relevant data and information ➤ ICT policy ensures data security ➤ Organizational care taking function for collaboration technologies established (service, error correction, access administration) ➤ Organizational structure ensuring that decisions are made at the right level ➤ Contracts established for necessary services and products to maintain infrastructure ➤ Contracts put requirements on collaboration partners collaboration competence and infrastructure ➤ Competence planning covers needs for operation and exploitation of collaboration technology	➤ Well defined work processes that include the right roles, competencies and decision authority → Defined processes to ensure collaboration training → Defined processes for maintenance of support of collaboration technology						

6.4.2 Leadership and change management

In 2014 IFE lead a study on IO leadership for the Centre of Integrated Operations in the Petroleum Industry, which resulted in a handbook on IO leadership [45]. For this study, IO leaders across companies and across nationalities were interviewed on their experience from leading IO teams and IO organizations. What were the challenges and particularities brought on by IO? Which, in their own opinion, were their most successful approaches and measures in meeting these?

IO differs from traditional ways of working by "bringing together diverse and geographically distributed disciplines and teams in a collaborative setting for the purpose of achieving a common goal. By reducing the impact of traditional obstacles of geography, organization and professional discipline, IO aims to facilitate better decision-making and safer, more efficient operation." Ibid.p.6. Furthermore, IO creates significant changes in the organization with a significant increase in digitalization combined with the reallocation of roles, functions, decisions and work tasks to new parts of the organization.

Some typical examples of leadership challenges in an IO organization were:

- Leading from afar
- Encouraging staff (and one-self) to let go of the old ways along with embracing the new
- Sharing leadership
- Handling goal conflicts

A Petrobras manager depicted this situation as "constantly balancing the organization" as illustrated in Figure 16.




Figure 16 Leading an IO organization – a Brazilian manager's experience

Some typical challenges in establishing IO are:

- Communication, involvement of and negotiations with unions and employee representatives
 - Adequate involvement of these in the change processes
 - Achieving timely acceptance for the necessities and opportunities of change
- Communicating the new way of working to all levels of the organization
 - Creating buy-in for new solutions

Building trust in new structures and between people who do not work face-to-face

Several organizations experienced lengthy evolutions of integrated operations. This was not necessarily a part of their strategy and was closely connected to the complicated process of getting the unions on board for significant change.

Furthermore, an important factor in evolving and creating acceptance for IO across the organization was the piloting model. For the larger companies, this meant starting IO implementation one field at a time. The more successful early pilots [14] were fields where the sense of urgency for change was already strong or easy to establish due to expensive operation combined with falling oil prices. This meant an imminent risk of operation ending in near future, thus losing their jobs. Demonstrating the effect of IO at such installations was crucial for the buy-in of the next field. Providing IO training and having leaders actually walking the walk were also significant factors. The most successful pilots had enthusiastic champions at several levels of the organization.

This did not always work, however, and in some fields strong minded and change resistant unions and employees delayed or constrained the adoption of change for many years. It was also observed that often IO change would deteriorate if the enthusiastic champions (see Appendix H for more about this role) were too successful, thus being promoted and moved elsewhere before the change stuck.

Employee involvement is a useful tool for ensuring that employees have an influence on the future organization changes. Involvement may occur in several stages of the project. IO vision and goals should be influenced by input from workshops with managers. Strategies for implementing the goals may also be defined in collaboration with medium and lower level managers through workshops or similar methods. Employees take an important role in the mapping of roles and tasks. And selected representatives from the organization may participate in the project team and be involved in the organization modelling (Figure 17). In order to create realistic and functional work processes it is important that line managers or operative personnel are involved.




Figure 17. Example of employee involvement plan used for IO organisation modelling projects on the NCS

In order to make the model delineated in Figure 17 work in practice, an important measure is to follow up the unions' information meeting with establishing a common understanding of openness in the project. This means an open-door policy where union representatives at any time can request status and progress update meetings or pose questions to the project team. Failing to use this arena to encourage a questioning attitude from the unions has been major communications error in several projects. This failure has led to late discovery of objections from the unions and thereby severe project delays.

6.4.3 Capability maturation and adopting change

The capability development through maturation can be combined both top – down and bottom up. Obviously, key requirements will have to be established according to the identified high-level goals and deliveries from a given capability, but the process of establishing more detailed requirements will have to be aligned with the organizations needs for competence, work processes and technology delivering into operations. According to Hepsø et al. [39] the development of an organizational support capabilities like collaboration is a stepwise process (Figure 18). The capability will have to be tested out and experienced in each step through practice and lessons learned. This way each step can reveal opportunities not seen in the preceding step. Establishment of an innovation culture will be decisive for how well the opportunities are utilized to create new business processes across existing disciplines and company borders.




Figure 18. Collaboration as a capability platform

Starting top down defining a new operation model, Saputelli et al. [21] provides a good summary of the need for guidance in the change process. For example, Chevron's i-field, i.e. the integrated field, is an operational transformation philosophy driving enhanced and optimized operating processes, with common attributes: (1) Manage by exception (focus on highest value), (2) Improve collaboration across distance and across functions, (3) Standardize and centralize analysis and decision making, (4) Use relevant-time data in decision-making and (5) Reduce ad-hoc trips to field locations.

7 Summary

The full implementation of IO will have significant economic value both for the commercial companies as well for Norway as an oil and gas producing country. Petoro has estimated the added value on the Norwegian Continental Shelf by employing IO extensively to be \$40 billion in net profit value term.

In its operationalized form IO is about utilization of the new technology for working more efficient and making better decisions. During the last 5-7 years the focus has changed, first from technology then to more emphasis on the human and more recently to work processes and the way work is organized. Work processes is believed to be a main vehicle for changing the way of working according to the new IO philosophy.

Current technology allows taskbots (computer algorithms that handle repetitive, rule-based tasks that rely on structured data) to support routine inspections, operator rounds or other tasks, and suggest actions when exceptions are noted. The increasingly ubiquitous use of mobile computing devices in the field will allow operators to contact experts and access information relating to field equipment and performance. Security of the organisation will be based on robots and drones surveying assets, along with tiny sensors in refineries, geological formations or equipment installations. However, the learnings from the last ten years of implementation of IO in the petroleum industry might offer valuable guidance for the further streamlining of O&M across industries. Hunting for the newest and most advanced technology has not delivered value within the foreseen timeframe. On the contrary, the evaluations referred in this report suggest that implementations should be adapted to the he company's cultural and organizational characteristics, the experience it has gained and the assets it operates.

The three main strategic phases for first generation IO implementation recommended by Equinor are from pilots to wide deployment, field-specific action plans and strengthening the decision-making onshore organisation and executing offshore organisation. These strategies were pursued sequentially, but in parallel with each other [11].

Typical lessons learned on the journey from technology focus to emphasis on the organisation are [2]:

- Understand the impact: It is easy to get caught up in technology hype and start new digital pilots without proper consideration of the business outcome.
- What business issue or opportunity is being addressed? How will the technology be used by the workforce and fit into business processes and decision-making?
- Enlist the experts: Design thinking will be required to bring new possibilities to life that
 combine man and machine to enhance the generation of intelligent options. This will require
 establishment of organizational innovation capabilities that support your discipline experts in
 identification of improved work processes.
- Companies should continuously look for ways to build trust and interaction between support centers and field teams through staff rotations or periodic co-location.

A number of obstacles have slowed the uptake of technology as well as new ways of doing operations and progress of IO implementation has not been as fast as foreseen. Based on the literature and experience from two decades of work in the industry, we sum up the following recommendation for successful implementation of IO.

Make the most out of Kotter's [46] steps to create a climate for change

- o Engage and create agreement in the industry about what has to be done
- Establish a company/ industry IO philosophy with a vision and high-level goals in early project phases.

 Establish business cases that estimate value by analysis that takes the final state of operations into account

Establish high level goals and guiding operational philosophy and capabilities

- o Identify and detail guiding principles for operations
- o Identify and develop capabilities necessary for a new way of work
- o Do staffing according to minimum manning principles

Expect the implementation to take 2-5 years and do not rotate key stakeholders out their positions before the implementation

Governance, both at the asset and at the organization level is key to achieving good results. Governance includes tracking exceptions and making decisions about allowing them; maintaining training and coaching, managing continuous improvement processes, and ensuring incentives are aligned and remain aligned even as situations change [24]

References

- [1] Norwegian Oil Industry Association (OLF) 2003. Integrated Operations on the Norwegian shelf the third efficiency leap (in Norwegian).
- [2] Gilman, H. and Stafford, B. (2019) How Organisations can drive innovation forward, O&G News, (36,6).
- [3] Lima, C. B., Lima, G. B. A., Quelhasa, O. L. C., Ferreirab, R. N. (2015). Integrated Operations: Value and Approach in the Oil Industry. Brazilian Journal of Operations & Production Management 12 (2015), pp 74-87
- [4] Hepsø, V. (2006). Intelligent energy in E&P: When are we going to address organizational robustness and collaboration as something else than a residual factor? Society of Petroleum Engineers. doi:10.2118/100712-MS
- [5] Norwegian Oil Industry Association (OLF) 2005. *Integrated Work Processes: Future work processes on the NCS*.
- [6] Norwegian Oil Industry Association (OLF) 2006. The value potential for integrated operations on the NCS, April 2006 [On-line: http://www.olf.no]
- [7] Norwegian Oil Industry Association (OLF) 2007. Updated value potential for integrated operations on the NCS, October 2007 (in Norwegian).
- [8] Osmundsen, P., 2011. Samhandling på sokkelen kontrakter og insentiver. *Praktisk Økonomi og Finans 1,* pp. 75-87. (in Norwegian).
- [9] Rosendahl, T., Egir, A., Due Sørensen, L. K. and Ulsund, H. J. (2012). Integrated operations: Change management in the Norwegian oil and gas industry Beta 26 (01), 40-62
- [10] Kaland, T., Nordtvedt, J. E., & Seim, O. (2016, April 20). How Can Integrated Operation Contribute to Improve the Efficiency on the Norwegian Continental Shelf? *Society of Petroleum Engineers*. 180014-MS
- [11] Henriquez, A., Fjærtoft, I., Johnsen, C., Yttredal, O. & Gabrielsen, T. (2008, January 1). Enablers for Successful Implementations of Intelligent Energy: The Statoil case. *Society of Petroleum Engineers*. 111470-MS
- [12] Gilman, H. and Nordtvedt, J-E. 2014. Intelligent Energy: The Past, the Present, and the Future. SPE Econ & Mgmt 6 (4): 185–190. SPE-167895-PA.
- [13] Edwards, A. R., Helm, P., & Dhubaib, T. (2013). The Art of Intelligent Energy (iE) Part 2 Insights and Lessons Learned from the application of iE between 2009 and 2012. *Society of Petroleum Engineers*. 167495-MS
- [14] Holst, B. and Nystad, E. (2007) Oil & Gas Offshore/Onshore Integrated Operations Introducing the Brage 2010+ Project. Joint 8th IEEE Conference on Human Factors and Power Plants and 13th Annual Workshop on Human Performance, Monterey, CA.
- [15] Halland, T., Jensen, L. K., Eike, M., & Solnordal, D. (2013, October 28). Implementing Intelligent Energy Change Management Experiences and Recommendations. Society of Petroleum Engineers. doi:10.2118/167451-MS

- [16] de Best, L. and van den Berg, F.: Smart Fields Sustaining and Accelerating Benefits from Intelligent Fields SPE 150407, Intelligent Energy, Utrecht, 2012
- [17] Lochmann, M. and Brown, I.: Intelligent Energy A Strategic Inflection Point SPE 170630 presented at the SPE Annual Technical Conference and Exhibition held in Amsterdam, The Netherlands, October 27–29, 2014.
- [18] Van den Berg, F. G., McCallum, G. A. R., Graves, M., Heath, E. and Evans, A.: Collaborative Work Environments in Shell—Global Scale, Learning and Evolution SPE 167455, Intelligent Energy, Dubai, 2013.
- [19] Clark, A., Larsen, H. W., Nordtvedt, J.-E., Stafford, B. T., & Unneland, T. (2019, May 13). Data on Work An Untapped Asset for Operational Improvements. Society of Petroleum Engineers. doi:10.2118/195631-MS
- [20] Thorogood, M., Diaz, A., Manescu, G., Benelkadi, S., & Hay, K. (2009, January 1). The Right People, Process and Technology: A Formula to Value-Added. Offshore Mediterranean Conference.
- [21] Saputelli, L. A., Bravo, C., Nikolaou, M., Lopez, C., Cramer, R., Mochizuki, S., & Moricca, G. (2013, October 8). Best Practices and Lessons Learned After 10 Years of Digital Oilfield (DOF) Implementations. Society of Petroleum Engineers. doi:10.2118/167269-MS
- [22] Gilman, H., Lilleng, T., Nordtvedt, J. E., & Unneland, T. (2016, September 6). How Do We Accelerate Uptake and Fulfill the Value Potential of Intelligent Energy? Society of Petroleum Engineers. doi:10.2118/181091-MS
- [23] Edwards, A. R., Mydland, O., & Henriquez, A. (2010, January 1). The Art of Intelligent Energy(iE) Insights and Lessons Learned from the application of iE. Society of Petroleum Engineers. doi:10.2118/128669-MS
- [24] Quaadgras, A., & Edwards, A. R. (2013). Intelligent Energy Changing How Work Gets Done. *Society of Petroleum Engineers*. 167497-MS
- [25]: Lilleng, T., Øyen, M., Farestvedt, U., Engelsen, H., Nordbø, H., Vennes, B., Revheim, A., Seim, O and Halvorsen, T. Integrated Operations in Statoil from Ambition to Action, SPE 150418, *Intelligent Energy*, Utrecht, 2012.
- [26] IO getting it moving Feature Articles, January 2009 (Digital Energy Journal)
- [27] Drøivoldsmo, A., Reegård, K., and Farbrot, J.E. (2014). The Capability Approach to Integrated Operations. *Center for integrated operations in the petroleum industry*, Trondheim, Norway 2014.
- [28] Norwegian Oil Industry Association (OLF) 2008. Integrated operations in new projects. (Draft version 2.0) 2008
- [29] Ringstad, A. J., & Andersen, K. (2006, January 1). Integrated Operations and HSE Major Issues and Strategies. Society of Petroleum Engineers. doi:10.2118/98530-MS
- [30] Drøivoldsmo, A., Kvamme, J.L. Nystad, E., Lunde-Hanssen, L.S., Larsen, R. and Berge-Leversen. T. (2007). Integrated operations and insights on functional analysis techniques. Joint 8th IEEE Conference on Human Factors and Power Plants and 13th Annual Workshop on Human Performance, Monterey, CA

- [31] Rindahl, G., Torgersen, G-E., Kaarstad, M. and Drøivoldsmo, A. (2009) Collaboration and Interaction at Brage Collecting the Features of Successful Collaboration that Training, Practices and Technology must support in Future Integrated Operations, IO Center Report No. P4.1-003, 2009.
- [32] Sarshar, S., & Rindahl, G. (2014, April 1). Integrated Operation Collaboration Technologies Remaining Challenges and Opportunities. Society of Petroleum Engineers. doi:10.2118/167894-MS
- [33] Kaarstad, M., Rindahl, G., Torgersen, G-E. and Drøivoldsmo, A. (2009). Interaction and Interaction Skills in an Integrated Operations Setting.
- [34] Edwards, A. R., & Gordon, B. (2015). Using Unmanned Principles and Integrated Operations to Enable Operational Efficiency and Reduce Capex and OPEX Costs. *Society of Petroleum Engineers*. 176813-MS
- [35] Personal communication with Odd Fallmyr, former Equinor.
- [36] Drøivoldsmo, A., & Nystad, E. (2016, September 6). The Man, Technology and Organisation MTO Function Allocation Method Used for Optimal O&M Staffing in a Greenfield Project. Society of Petroleum Engineers. doi:10.2118/181102-MS
- [37] Joint offshore digitalization https://www.equinor.com/en/news/07mar2018-joint-offshore-digitalisation.html and https://www.equinor.com/en/news/2019-01-07-digital-operations-support-centres.html
- [38] Henderson, J., Hepsø, V. and Mydland, Ø. (2012): "What is a Capability Platform Approach to Integrated Operations? An Introduction to Key Concepts", In T. Rosendahl and V. Hepsø (eds.) Integrated operations in the oil and gas industry: sustainability and capability development (PE, IGC)
- [39] Hepsø, V., Olsen, H. H., Joanette, F., & Brych, F. (2010, January 1). Next Steps to a Framework for Global Collaboration to Drive Business Performance. Society of Petroleum Engineers. doi:10.2118/126207-MS
- [40] Lilleng, T., & Sagatun, S. I. (2010, January 1). Integrated Operations Methodology and Value Proposition. Society of Petroleum Engineers. doi:10.2118/128576-MS
- [41] Reegård, K., Drøivoldsmo, A., Farbrot, J. E. and Hurlen, L. (2019). *Drivers for transforming the power grid company*. Manuscripts submitted for publication
- [42] Curtis, B., Hefley, B., Miller, S. (2009). *People Capability Maturity Model (P-CMM) Version 2.0, Second Edition*. Technical Report CMU/SEI-2009-TR-003, ESC-TR- 2009-003. Carnegie Mellon, Software Engineering Process Management
- [43] Reegård, K., Rindahl, G. and Drøivoldsmo, A. (2015). Strengthening the HF/E value proposition: Introducing the capability approach. Proceedings of the Human Factors and Ergonomics Society 59th Annual Meeting On-line:
- https://www.researchgate.net/publication/281404009 Strengthening the HFE Value Proposition Introducing the Capability Approach
- [44] Edwards, T., Saunders, M., & Moore-Cernoch, K. (2006, January 1). Advanced Collaborative Environments in BP. Society of Petroleum Engineers. doi:10.2118/100113-MS
- [45] Taylor, C., Rindahl, G. and Larsen, S. (2014). Handbook: Leadership in Integrated Operations. *Center for Integrated Operations in the Petroleum Industry*, Trondheim, Norway

- [46] Kotter, John P.: "Leading Change", Harvard Business School Press, Boston, MA (1996).
- [47] Reegård, K., Drøivoldsmo, A., Rindahl, G. and Fernandes, A. The Capability Approach to Integrated Operations Handbook, *Center for integrated operations in the petroleum industry*, Trondheim, Norway 2014.
- [48] Drøivoldsmo, A., Hurlen, L., Farbrot, J.E., Reegård, K., Bergerud, P. G., Eide, Ø. D., Lauritsen, T. (2019) Development of a cost-effective environment supporting remote collaboration. Paper accepted for NES 2019.
- [49] Drøivoldsmo, A., Rindahl, G. and Mydland, Ø. (2013). The Capability Approach to a Collaboration Environment. In Proc. of the Enlarged Halden Programme Group Meeting, HPR-379, vol. 1, Storefjell Resort Hotel, Norway, 10th-15th March 2013.
- [50]: Konda, S and Evensen, O. (2008) Integrated Operations Generation 2 and Beyond (IO@anywhere) Cap Gemini Whitepaper
- [51] Kolak, J. J. (2003). Cross-Training Employees: How to maintain safety while creating a multi-skilled workforce. American Society of Safety Engineers. Professional Development Conference and Exposition, 22-25 June, Denver, Colorado
- [52] Helfat, C. E., Finkelstein, S., Mitchell, W., Peteraf, M. A., Singh, H., Teece, D. J. and Winter, S. G. (2007). Dynamic capabilities: Understanding strategic change in organizations. Oxford: Blackwell. In Ambrosini V. and Bowman, C. (2009). What are dynamic capabilities and are they a useful construct in strategic management? International Journal of Management Reviews, Volume 11, Issue 1, March, Pages 29–49
- [53] Nystad, E., Drøivoldsmo, A., Lunde-Hanssen, L. and Heimdal, J. IO MTO Handbook, *Rev. 4. Center for Integrated Operations in the Petroleum Industry*, Trondheim, Norway, 2012.
- [54] Lysgård, M. (2015) Will fast rotation improve the conditions for succeeding with integrated operations in the oil industry? A Case study of ConocoPhillips Onshore Operation Center. Master thesis University of Stavanger (in Norwegian).

Appendixes

Appendix A. Capability development methodology

Our recommendation for development of a capability stack and maturation of capabilities is based on the approach developed by Henderson [38] and operationalized in the Capability Handbook [47]. More insights into this approach can be found in Reegård et al. [48]. This approach follows a stepwise guide from [47] as shown in Figure 19, Figure 20 and Figure 21 below.

The Capability Approach is a method set developed by IFE, Equinor (then Statoil), Shell and Boston School of Management under the SFI Integrated Operations in The Petroleum Sector in the period 2010 to 2013 [16, 27, 47, 48]. An important aspect of this method is to early identify all key resources that need to be in place for the organization to achieve a new capability or capability (capability), as opposed to planning technology, process, human resources and governing documentation in its own and little interconnected races. The method has some similarities to the Equinor IO methodology but is complementary to this.

A capability or trait is seen in this method as a synthesis of the elements: human, process, management principle and technology, which together constitute the necessary building blocks to deliver a new desired performance.

Human: Expertise, experience, management, mindset, communication etc.

Technology: Control systems, automation, sensory, platform, control room, MMI etc.

Process: Workflow, roles, responsibility, interaction, decisions etc.

Governance principles: Operating model, organizational structure, contracts, guidelines, requirements and legislation etc.

These elements will be part of all the criteria in the Capability Stack in Figure 11 and Figure 12 in chapter 6 of this report. In order to obtain real gain by changing or introducing something new, the maturity level of all these four aspects must be equally high and they must be matched to each other.




Figure 19. Capacity approach - schematic methodology [47]

The method consists of four main steps (see Figure 19), which briefly explain involves:

1. Understand and define the operational context and the possibilities and limitations that lie within it

- 2. Based on the context analysis (1), identify the capabilities or new features that are critical to operation
- Detailed the capabilities layered as a capability stack to produce a complete image
- 4. Designing the combination of people, processes, technology and management principles that capabilities are built up from




Figure 20. Process for targeting IO capabilities [43]

In targeting capabilities that are meant to support operations, we need to identify the outcomes of the capabilities in terms of their operational usage. As a part of the definition work, the table below could be useful as an example of goal definition and deliveries from the capabilities. In a project described in Reegard et al. [41] analysis, collaboration, innovation and influence were identified as key support capabilities to value creation in a power grid company (Table 3).

Table 3. Definition and detailing of capabilities

	Innovation	Collaboration	Analytics	Influence		
High level goal	To identify and develop business	Involve relevant expertise and authority	Extract, quality assure and	Change, develop and customize the		
of the	opportunities and leverage new	at the right time in decision making	consolidate data for use in	business opportunity framework		
				business opportunity framework		
capability	developments in the	regardless of organizational and	decision making			
G14 41 6	organization.	geographical location	T. 11.1			
Situations for	Continuous improvement,	Internally in the organization, together	Internally in the organization	Internally and towards suppliers,		
use	development projects, R&D with external partners	with vendors and other external parties		industry, authorities and society		
Specific goals	Streamlining of work processes,	Streamline work processes and resource	Automation of repetitive work	Influence the industry to align with the		
for the	development and	utilization. Optimal task allocation	operations; utilization of data in	company's interest; ensure suppliers in		
capability	implementation of new tools,	_	decision processes; increased	line with the company's delivery needs;		
_ ` '	methods and / or processes;		transparency towards	ensure framework conditions that allow		
	competence development and		collaboration partners;	the company to effectively fulfill the		
	knowledge building for efficient		increased knowledge (facts /	social mission; create understanding and		
	task execution.		reality based) within the	change in customer behavior and trust in		
			engineering staff.	the company's agenda.		
Hypothesis for	Discover, interpret and pursue	Simplify access to and utilization of	Compile existing data; identify	Building the relationship with		
deliveries in	opportunities in the	competence resources in the company;	new data sources; prepare	authorities; requirements for suppliers;		
the	surroundings; transform	simplify access to and utilization of	projections for the future;	coordination internally and within		
organization	information into knowledge;	external competence resources as	simplify access to relevant data	corporation; establish the company as		
	combine individual knowledge	needed; interact independently of	for decision makers.	relevant in the industry and with the		
	and utilize collectively in the	physical and organizational location;		authorities; knowledge building together		
	organization; distribute tasks,	utilize suitable facilities and tools		with customers (company and private		
	resources and activity according	according to different interaction needs		market)		
	to new capability configurations					
Issues that	Resource capacity, structural	Suitable physical arenas for interaction;	Responsibility and roles in the	Work process and internal roles for		
need to be	measures for coordination,	leverage collaboration tools in the	organization for the analysis	producing messages to influence		
addressed	selection, development and	organization; competence in interaction	support functions; prioritization	authorities and corporations; enhancing		
through the	follow-up of key roles,	as a working method; expertise in user	mechanisms for the selection of	competence in dissemination; define		
capability	communication	support for interaction tools; establish	analyzes to be developed.	permanent arenas and forums to		
		requirements for interoperability among		represent the company		
		partners; adapt interaction to external				
		parties' preconditions				

The process for developing capabilities is presented in Figure 21




Figure 21. Process for developing capabilities [43]

Appendix B. Example meeting plans and agendas for short and long loop meeting

Meeting agendas short loop processes

Time	Frequency	Meeting title	Purpose	Participants	Place of meeting
06:45- 07:00	Daily	Handover CCR	Ensure information transfer between shifts	CCR night and day shift. O&M leader	CCR or adjoining office
07:00- 07:10	Daily	Work start-up meeting	Ensure safe and efficient start-up of work. Important safety messages	O&M leader - disciplines	Close to process area
08:45- 09:00	Daily	Prioritization – meeting	Ensure quality of todays' plan against upcoming needs	Onshore: O&M, Work package planners, operations planner Offshore: OIM, O&M, Foremen	Video conference room
07:30- 07:45	Daily minus weekends	Meeting operation group	Information exchange	Onshore: Operations group Offshore leader group	Video conference room
10:00- 10:15	Daily minus weekends	Production optimization	Ensure optimal production	Offshore: CCR, O&M leader Onshore: POG-leader, Integrity and Production engineers	CCR – collaboration room
09:00 and/or 15:00	Daily	Coffee and safety meeting	Break and safety focus	O&M and HSE leader – alternating different areas	Workshops and coffee areas
14:45-15	Daily	QA for next day work permits	Ensure quality in WP applications	O&M leader, drop-in for WP applicant	Meeting room
17:30- 18:00	Daily	Evening leader meeting with next days' work permits	Information, prioritization and approval of next day WP	IOM, 1. line leaders, HSE, Workers representatives	Collaboration room
19:00- 19:15	Daily	Handover CCR	Ensure information transfer between shifts	CCR night and day shift. O&M leader	CCR or adjoining office

Appendix C. Simplified maintenance

Example: If a craft worker finishes a planned job and there is 30-60 minutes before the end of the day, a simplified maintenance job will typically be well suited for filling the remaining work hour of the day. The simplified maintenance concept has been developed to

- Purpose: To allow a simplified procedure for performing corrective maintenance where the task has limited complexity, short duration and no need for coordination across disciplines.
- Reduced administration for simple maintenance tasks
- Requires that logging and control routines are used to avoid the loss of historical information
- · Simplified maintenance shall not have priority over planned activities




Figure 22. Example of board with "just do it" jobs. After execution, only number of jobs are logged

Example of jobs that can be carried out as simplified maintenance Mechanical

- Make and change hydraulic hoses
- Vibration measurement
- Lubrication of electric motors
- Work on filters
- Workshop jobs
- Lubrication samples

I&C

- Simple improvements on order from the control room
- Change of smoke detectors
- Findings from Predictive Maintenance
- Fiscal systems where they are duplicated

Electric

- Maintenance of light fixtures
- Replacement of fluorescent lamps
- Lubrication of gaskets on electric equipment in Ex class areas

Process

• Filter replacements

- Lubrication
- Change of manometers The concept of

Appendix D. Multi-skilled workers

Combined with a multi-skilled staff, simplified maintenance will enable and far more efficient use of personnel. Typically, field operators are a resource that can be utilized multi-skilled. This discipline is often dimensioned on the basis of a great need in many hands in connection with the commencement of work. After the work is started in the morning, the discipline often has a lot of free time that can be used for maintenance work if this is facilitated.

The following insights have been identified as relevant for implementation of multi-skilled work

- Approved regulations to be able to set multi-skilled worker requirements
- Good follow-up routines for multi-skilled personnel that ensure competence in both disciplines
- Clear requirements for extra courses and certificates, for example in ISS disciplines (Insulation, Surface treatment and Scaffolding)
- Low turnover. Core competence personnel are defined and employed in the fixed basic manning
- Staff recruited for working as process technicians should have one mechanical, electrical or I&C certificate, or as a minimum, documented basic competence in one additional discipline

Appendix E. Campaign (Block) maintenance

The example below is for one campaign team. 7 campaigns each year according to a typical offshore 2-4 rotation schedule. The model was a precondition for the successful staff reduction at the Brage platform [14].

Scope defined for campaign is PM with intervals of X months or more.

Identified success criteria for campaign (block maintenance) In general:

- Campaign core teams are staffed with internal resources for all disciplines
- 7 campaigns per year (2-4 scheme) distributed on different shifts to distribute extra workload from the campaign on shifts in the operating organisation.
- Campaign rotation schedule is locked and should not be changed for the sake of personnel involved. Maximum manning of a campaign is posted in the quarterly plan.
- The remaining hours are spent onshore for planning new campaigns. Preparing / checking work packages and materials.
- Process field operations in the core team to prepare systems for maintenance
- Collaboration and coordination with fixed operations staff regarding workload and number of work permits




Figure 23. The campaign core crew does quality assurance and detailed planning approximately two weeks before start of the campaign.

Planning

The planning week is completed 2 weeks before the campaign starts (Figure 23)

Start-up meeting with the operations group and maintenance contractor with meeting agenda focusing issues from last campaign, scope, additional work, ordering resources (contractor, vendors, materials)

Manning of the campaign

- Campaign core teams are staffed according to organizational chart. Process field operator, mechanics, electro & I&C (combined for small campaigns).
- Extra internal or contractor personnel are added to be able to deliver the scope of the campaign. (see Figure 24)




Figure 24. Campaign maintenance for one campaign team on 2-4 (two weeks on – four weeks off, 12 hours shifts) shift plan.

Work packages preparation include:

- Work order well described, with current resources estimated
- Material ordered
- P&ID (alternatively, the equipment is marked)
- Shutdown blinding plans
- Completed work permit for each job
- Plan for maintenance contractor assistance activities
- Prepare operating conditions for implementation
- HSE review of all jobs

Observed improvements from campaign models

The success factor is, good planning done by the core resources of the campaign team (job ownership)

- Collaboration between the campaign team and maintenance contractor gives good results in lowering contractor threshold for HSE reporting
- Planning your own jobs leads to strong ownership of the jobs, which in turn leads to increased efficiency. Typical observations are, less interruptions due to missing or incorrect parts and lack of maintenance documentation
- All involved parties get more knowledge about job plan and job contents
- Allows for insourcing of supplier jobs. HVAC, Fire doors, etc.
- Increased plan achievement

Appendix F: Collaboration between operators and contractors

The following description is from a field development project where contractor/vendor collaboration had a high priority due to long travelling distances [49]. In order for collaboration between the operator and the contractor to be able to contribute with savings on the bottom line, cooperation must be arranged on the right level of the organization, with the right people and based on a common understanding of how work should be performed [20].

The most of NCS industry experience from 1st generation IO is from the onshore – offshore cooperation. In the current example work practices were developed to handle the "distance factor". The geographical location of the operation center and the fact that the operator was the first company to establish this type of organisation in the high north required a different thinking for how to utilize contractor and vendor resources. The cooperation partners were to a great extent not locally present. Travelling from their current location and to the operation center would take up to one day each way and with the uncertainties weather conditions offer. It was therefore proposed a number of principles to be applied to the full extent.

"All support from vendors and contractors to District operation that can be done by video and screen sharing, shall be done without travelling to the operation center"

This principle put requirements upon:

- The layout and technical solutions supporting collaboration within and across all sites
- Contract formats and contractor capabilities

As for the 1st generation IO implementations the onshore operation group work and responsibilities will be critical factor in the interplay between locations.

The onshore support group is the HUB for communication towards the CCR. In practice this will imply that the onshore personnel shall function as a filter between the onshore and the offshore CCR staff. The purpose of this is to:

- o Relieve the CCR from questions that can be answered from onshore
- To filter out and answer all mail requests and information that has no value for the offshore organisation and can be answered from onshore.

To make this happen, onshore operation group need to have the information about availability of offshore staff and an updated operational situation picture. Real time pictures provide this where the onshore operation group and offshore management mutually can follow each other on the open video link. Similarly, the group developing work packages onshore and the offshore maintenance, and the CCR and onshore operation group need to adapt the same principle.

To facilitate this way of working it is necessary to rethink the traditional collaboration room concept. Collaboration takes place from the work desk by the PC and by placing the collaboration tools where people stay and work. Information sharing to support and establish shared awareness between locations and disciplines is located where people walk, work, and close to the information and mingling areas.

- 1: The use of collaboration across distance shall be a natural part of everyday work.
- 2: Three levels of collaboration tools support different situations




Figure 25. Collaboration levels of support. The inner circle describe support in real time, the mid circle describe need for decision support tools and the outer circle support functions with information sharing

Daily collaboration within and between locations is on the high level described in the workflows. This collaboration comprises regular meetings and all activities describing involvement of complementary roles to support the execution of workflows.

In addition to the activities and meetings described, the new way of working proposed

for the Goliat organisation will require a focused approach to continuous collaboration activities through the workday.




Figure 26. Collaboration model. Current and next 2-3 years proven technology allows for direct connections between system for individuals (PC), small groups (PC and large monitor) and large groups (collaboration rooms).

Work/meeting situations involving different groups could be:

Large group – Large group: Morning meeting between offshore and Hammerfest

Individual – Small group - Individual: Ad. hoc technical clarification meeting between one CCR – operator offshore and 2-3 TSG engineers in operations center and one DT – engineer at national headquarters.

Small group — Small group: Production optimization meeting with 1-3 participants offshore and 2-4 participants in the operations center

If one of the participants are on travel, his/her personal equipment will make it possible to connect with sufficient quality to contribute to the meeting.

In a whitepaper from 2008, Konda and Evensen [50] described what some actors in the industry believed to be the main features for a third generation IO. An interesting aspect of this model is that it seems relevant for field developments in areas with underdeveloped infrastructure like the highnorth operations in the Norwegian Barents Sea where operators are forced to share expenses on infrastructure for e.g. emergency preparedness.




Figure 27. Konda and Evensen 3rd generation IO

For the last 15 years IFE has been the NCS provider of project support for function reallocation methodology. The main tool used in this work has been the integrated operations, man — technology — organisation analysis method [53]. The method was originally the property of BP, Conoco Phillips and Equinor (former Statoil and Hydro), but has been publicly available since 2011. To ensure spread of use and availability of practitioners, a number of consultant companies and research institutions have been involved in the method development or been trained in use of the method. Open availability and increased capacity of practitioners of the approach is an advantage for availability of resources to help the operators, but also for development of the method. Unfortunately, no arenas or systematic industry forums for method improvements has been established so far.

The IO MTO method is aimed at existing or new organizations wanting to adopt new ways of working based on integrated operations (IO). The main focus of the method is to make sure that the organization is adapted to the new ways of working, and that man, technological and organizational (MTO) resources are operating together in an optimal way. The method facilitates organizational changes through allocating task responsibilities to the right roles and competence.




Figure 28. Overview of the five main method phases

The five main phases in the IO MTO method (Figure 28) frame a complete work system modelling recipe. However, making organizational changes is a sensitive activity and the method was therefore originally developed to supplement the companies own change processes. Experience during the first applications indicated that the companies change management processes lacked the specific mechanisms to handle organizational projects with a high degree of innovation. Later versions of the method implemented descriptions of basic project needs for user involvement and communication as an answer to these challenges.

During the first phase of any IO project a strategy for communications has to be decided. The project team should include at least one insider from the organisation where IO is going to be implemented. Being an insider means a person that is well familiar with how the organisation works, the activities performed, and who has a good network of contacts in the organisation. The insider will help identify stakeholders to involve in the project, and to navigate in the organisation.

The insider serves as a champion for the project inside the organisation. A proper champion calls for certain qualities and characteristics. The champion must have ownership of the project goals, as he or she is responsible for the initial marketing of the project within the organisation and thus for creating enthusiasm amongst involved personnel and within the project group. It is of paramount

importance that the insider is a very forthcoming person with convincing communication skills and solid knowledge about the organisation and its people.

Lack of a proper champion in the project may lead to lack of involvement from the organisation, making it difficult to drive the project forward, difficult to get the necessary resources from the organisation, and difficult to communicate the project vision and goals within the organisation. The practical advantages of having a champion in the organisation are easier access to personnel for task mapping and personnel to include in the project group, openness in the organisation towards using time and resources for information meetings and workshops.

The insider should to possess technical and operational insight to understand and communicate the practical consequences of IO implementation. Experience with IO implementation projects show that an ideal insider may be a medium-level technical manager. This ensures the right level of organisation knowledge and technical and operational knowledge, as well as a good network of contacts in the organisation.

Typical additional resources used in IO projects has been the corporate communication functions. This function will typically be used for messages from the top management in form of internal publications on company intranet or other channels used by the company.

The project goal definition phase has shown to be one appearing phase deciding the outcome of a function reallocation analysis. Identification of opportunities and definition of new concepts for how to run operations and maintenance has shown to be the key element for a successful reallocation analysis. (See chapter 5.1 to 5.3 of this report for examples). To be able to perform a successful reallocation of tasks analysis for the organisation as a whole, requires clear descriptions of the principles outlining the intended new way of working up front of starting the work with task mapping and allocation. Only exceptionally, examples of radically new ideas have emerged from the work on data.

The project ambition and goals point out which changes one seeks to accomplish in the organization. They describe the imagined layout of the new organization in terms of what kinds of activities different parts of the organization should focus on, and consequently what kind of competence is needed in the different parts. Project goals determine desired task allocations, and in the next phase you are going to analyze whether it is possible to make the changes to task allocations that are needed to reach the goals. In this phase you are gathering data about the tasks that the roles in the organization perform. You must therefore make sure you collect the information that is necessary to decide whether the desired task reallocations are possible.

To decide level of detail for a task mapping is always a challenge. At the first glance the IO MTO analysis can seem pretty detailed, but experience show that time for mapping one position in the organisation to a level as shown in Figure 29 is approximately 3 hours.

Task number	Task	Description of task	Job position	Original location	Time	Duration	Location	Participants	HSE aspects	Prerequisites	Improvement proposals
3	Perform HAZOP (Hazard and operability study)	Participate in and administer analyses.	Process engineer	Onshore		50 h / year	Office, meeting room.	Onshore engineers, safety officer	Identify risks	Process understanding, detailed knowledge of the plant, understanding of barriers and risk	
4	Prepare material for decision meetings	Prepare material based on estimates (investments, modifications)	Process engineer	Onshore		3h / month	Office	Supplier	Evaluate risks related to the decision	Process understanding, detailed knowledge of the plant	
61	Personnel management	Management, follow up personnel (individually), job appraisal talks.	Operations manager offshore	Offshore		4 h / week	Office	Own personnel	Job satisfaction, work environment.	Knowledge of the organisation, personnel management competence	
67	Control work permits	Make spot checks of work permits	Operations manager offshore	Offshore		1 h / week	In the field	Own personnel	Focus on risks and safety	Knowledge of work area, equipment, work processes.	
94	Review work permits	Quality check of work permits.	Team leader mechanics	Offshore	13:00	30 min	Office	-	Have a focus on HSE	Knowledge of the plant. Professional knowledge (mechanics).	Better documentation will reduce the time for this task (e.g. drawings, parts registers)
112	Lead handover meeting	Lead handover for day shift and night shift control room crews	Control room supervisor (night shift)	Offhshore	06:45	20 min	Office	Control room supervisor (day shift) operations manager, offshore installation manager, maintenance manager.	Summary of HMS issues from previous shift.	Knowledge of the plant.	
146	Write daily drilling report	Write summary of operational activities. Get input on mail from service companies.	Drilling manager	Offshore	04:45	45	Office	Mud engineer, [provides input by mail]	The report may include incident reports, observations.	Access to reporting system. Must get input by mail from service companies.	

Figure 29. Example of mapping level of detail

Setting aside one whole workday for mapping a position has shown to be the most effective way to ensure both work task descriptions and time for testing hypothesis for the position in question. The simple plan has normally been to do mapping before lunch and a detailed hypothesis testing for each task according to project goals after lunch. The hypotheses may vary between different position or position categories. The hypotheses are determined by project goals or strategies and can be formulated as statements about desired task allocation in the future IO organisation. For example, if a strategy is to allocate administrative tasks to onshore locations, then the hypothesis is that administrative tasks can be transferred to an onshore position.

The work with organisation modelling is based on the removal of overlapping tasks, removal of no longer necessary task, clarification of competency requirements for tasks, etc. This phase will typically take from a couple of months to 3-4 months depending on the project size of scope. The experience from the reallocation and job design activities is that the IO MTO approach is most effective on the lower management, planning, coordination and staff positions. The work with tariffed positions (e.g. el, mech, I&C and process) are much more about calculating number of hours saved by automation, smart changes to practices and work process optimizations. For all analysis performed by IFE in this area, span of control has been maximum 20-25 staff per leader and there has been a clear trend towards managers being given responsibility for more employees and functions. The typical example is the merging of operations and maintenance manager positions that has been implemented in most NCS companies. This focus on extending control span for each management position has typically been linked to activity level on the analyzed installation. Criteria for activity level have been established and in the case of increased activity the management positions have been supported with extra resources.

One important outcome of the analysis has been safety issues on the task level. Consequence analysis have been carried out on two different levels; one internally in the organization (eventually assisted by an external part) and one as a third-party verification.

Some of the analysis can be performed internal in the organisation but preferably assisted by an external part, meaning qualified persons who are not employees in the organisation or as a member of the change project group. This will ensure objectivity and thus high quality of the analysis as well as legal qualification. The principles and practical arrangement of consequence analysis we recommend chapter 8 in the IO MTO Handbook [53].

An important factor in the work with dimensioning the offshore core organization is emergency preparedness. Like land-based industry, O&G in Norway has a three-level emergency preparedness class. In the event of an emergency preparedness situation, the permanent positions in the offshore organization will change their role to fill the positions of the emergency preparedness organization. One criterion for this organization has been that one should be able to evacuate all personnel on board safely. Since the need for capacity in the emergency organisation to a certain degree are according to the need for evacuation, there has so far also been found solutions for the emergency organisation when downsizing offshore crews. When relevant, the impact on the emergency organisation has been analyzed by a third party.

There has long been a debate about whether contractor personnel can be trained to be included in staffing, for example. search and rescue team, but one has known us do not succeed in finding schemes that unions can accept.